

# 3M Scotchpak™ 9718 Backing

## Polyethylene Monolayer Film

A conformable, flexible film that provides low moisture vapor transmission and high oxygen transmission rates.

### Characteristics:

- Tan
- Printable
- Heat-sealable
- Controlled caliper
- Matte finish on both sides
- Corona treated on both sides
- Can be laminated directly to adhesives


Properties	Nominal Value (U.S.)	Nominal Value (Metric)
<b>Caliper</b>	3.6 mils	91.4 µm
<b>Tensile</b>		
MD	6.8 lbs/in	30.3 N/25.4 mm
CD	5.1 lbs/in	22.7 N/25.4 mm
<b>Elongation</b>		
MD		180%
CD		400%
<b>MVTR (g/m<sup>2</sup>/24 hr)</b>		4.0
<b>Oxygen Transmission (cc/m<sup>2</sup>/24 hr)</b>		3900
<b>Length</b>		
Maximum	2000 yds on 3 in I.D. cores	1829 m on 76 mm I.D. cores
Approximate roll diameters	2000 yds – 18.5 in	1829 m – 47 cm
<b>Width</b>		
Maximum single roll width	48 in	122 cm
Maximum useable width	48 in	122 cm
<b>Sample roll</b>	6 in x 25 yds	15 cm x 23 m

### Medical Materials & Technologies

3M Center, Building 275-5W-05  
St. Paul, MN 55144-1000 USA

Phone 800-584-2787  
Web [www.3M.com/MedTech](http://www.3M.com/MedTech)

### 3M Medical Device Components enabling your success. Contact us at 800-584-2787 or [3M.com/MedTech](http://3M.com/MedTech)

3M, “3M Science. Applied to Life.” and Scotchpak are trademarks of 3M Company.  Recycle. Printed in USA. © 3M 2020. All rights reserved.

**3M** Science.  
Applied to Life.™

# Transdermal Systems Component Guide

## Liners



Transdermal Systems Component Guide—Liners

**3M**

**Medical Materials & Technologies**  
3M Center, Building 275-5W-05  
St. Paul, MN 55144-1000 USA

Phone 800-584-2787  
Web [www.3M.com/MedTech](http://www.3M.com/MedTech)

**3M Medical Device Components enabling your success.**  
Contact us at 800-584-2787 or [3M.com/MedTech](http://3M.com/MedTech)

3M, "3M Science. Applied to Life." and Scotchpak are trademarks of 3M Company. Please recycle. Printed in USA. © 3M 2020. All rights reserved.

**3M**