




Primer P591/P590

Technical Bulletin for Primer replacement

Technical Bulletin



February, 2014

Product Description 3M™ All Purpose Sealant Primer P591 and 3M™ Fritted Glass Primer P590 through testing have shown to produce equivalent or better adhesion results as the 3M™ Teak & Glass Primer P595 in most applications. Our comprehensive testing has shown when used along with 3M™ Adhesive Sealants 755, 550 and 590 on typical substrates like fiberglass, PVC, polycarbonate, aluminum, stainless steel, cold rolled steel and glass there was no loss of performance.



3M™ Primer P591/P590

Technical Bulletin



3M™ Primer P591/P590

Technical Bulletin

Technical Information

The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer

Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability

Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability

ISO 9001:2000

This Industrial Adhesives and Tapes Division product was manufactured under a 3M quality system registered to ISO 9001:2000 standards.

3M

Industrial Adhesives and Tapes
Division 3M Center, Building 225-
3S-06 St. Paul, MN 55144-1000
800-362-3550 • 877-369-2923 (Fax)
www.3M.com/sealants



Recycled Paper
40% pre-consumer
10% post-consumer

3M is a trademark of 3M Company.
3M Company.
Printed in U.S.A.
©3M 2014 (2/14)

