

3M™ Safety-Walk™ Cushion Matting 5250 and 5270

**Custom Matting Build Specifications
for Large Work Areas**

*Special Product Request
(SPR) No. 22063*



Taking the Order

3M *Innovation*

Get the order right the first time by following these steps:

- An installation drawing **MUST** accompany the order.
Tip: Use the worksheet grid on the back page of these instructions or the Site Survey Worksheet, #70-0710-3817-1, to create a detailed drawing of the area to be covered by 3M™ Safety-Walk™ Cushion Matting.
- Refer to the mat configuration diagram and specify the quantities of each mat style your customer will need.
- Be sure to include each mat size—width x length (See mat configuration chart below).
 - Widths:** The standard widths are 36 inches and 48 inches. If the long edge is to be trimmed (mat configurations A, C, D and E) the mats will be 3 inches narrower (33 inches or 45 inches). This must be taken into account when measuring and explaining to the customer. For example, if a customer wanted a 9 ft x 20 ft mat, configuration E-F-E, the actual installed mat would be 8 ft 6 in x 20 ft.
 - Lengths:** Lengths range from 2 ft to 30 ft in 1 ft increments.
- Indicate on the worksheet if any of the following options are required. Please print.
 - Special labeling:** For example, “Mark for Sam at Dock 31.”
 - Lengthwise integral edging color (if required):** Black or Safety Yellow. (Edging on ends is black.)
 - Hot stamped branding (if required):** Typically used for “Location Number.” 12 characters maximum including spaces. Gothic font characters are 1/4 inch high. Only available on edged material.
 - Accessory items offered:**
 - 3M™ Stay-In-Place Industrial Matting Tape 200
 - 3M™ Seaming Tape
 - 3M™ Blue Glue Adhesive (1 gallon covers 120 sq ft)

- Fax or e-mail order along with the installation drawing to your assigned 3M Customer Service Representative.

Note to 3M Customer Service Representative:

Review order and diagram. Write 3M order number on diagram and fax to:

3M Prairie du Chien
 Attn: Large Work Area Mat Build
 Trimet Fax No. 783-4418
 Fax No. 608-326-2354


Multiple configurations provide endless possibilities.

Mat Configuration Chart

Mat Configuration (Refer to Diagrams)	3M™ Safety-Walk™ Cushion Matting Style	Description	Width
A	5250E, 5250YE, 5270E, 5270YE	One lengthwise integral edge removed; one end with edging. (Refer to <i>top left</i> or <i>bottom right</i> of diagram.)	33 in or 45 in
B	5250, 5270	One end with edging	36 in or 48 in
C	5250E, 5250YE, 5270E, 5270YE	One lengthwise integral edge removed; one end with edging. (Refer to <i>top right</i> or <i>bottom left</i> of diagram)	33 in or 45 in
D	5250E, 5250YE, 5270E, 5270YE	One lengthwise integral edge removed; two ends <i>without</i> edging.	33 in or 45 in
E	5250E, 5250YE, 5270E, 5270YE	One lengthwise integral edge removed; two ends with edging.	33 in or 45 in
F	5250, 5270	Two ends with edging.	36 in or 48 in
G	5250, 5270—standard without edging 5250E, 5250YE, 5270E, 5270YE—standard with four-side edging	Special labeling only; e.g., “Mark for Sam at Dock 31.” Standard product offering. No special manufacturing required.	36 in or 48 in
H	5250E, 5250YE, 5270E, 5270YE	Two lengthwise integral edges; two ends <i>without</i> edging.	36 in or 48 in
I	5250E, 5250YE, 5270E, 5270YE	Two lengthwise integral edges; one end with edging.	36 in or 48 in
X	5250, 5270	Standard product (no edge). No SPR required.	36 in or 48 in

Continuous floor coverage is just a matter of piecing together the right combination of mats.

Mat Configuration Diagram



Mats can be ordered in a range of configurations including different edging options. Use the mat configuration chart (on previous page) and diagram (on your left) to help you determine the combination of mats that meet your customers' needs.

Here's what your completed request should look like.


Product Requested:

3M™ Safety-Walk™ Cushion Matting 5270


Reference SPR No. 22063

Refer to Installation Diagram for details.

- 2 each 3M Safety-Walk Cushion Matting 5270YE, 3 ft x 10 ft
- 2 each 3M Safety-Walk Cushion Matting 5270YE, 3 ft x 20 ft
- 2 each 3M Safety-Walk Cushion Matting 5270, 3 ft x 20 ft



Worksheet Grid



Commercial Care Division
3M Center
St. Paul, MN 55144-1000
1-800-852-9722
Fax: 1-800-447-0408
www.3M.com/commcare



Minimum 10% Post-Consumer Fiber

3M and Safety-Walk are trademarks of 3M.
Printed in U.S.A.
© 3M 2002, 2003
70-0710-3855-1 Rev. A