

### **Technical Data Sheet**

Effective: 19/08/2020 Supersedes: 27/10/08

### **Automotive Aftermarket Division**

## 3M<sup>™</sup> Softback Sanding Sponges

#### 1) Part Numbers

Available in different grits/grades and sizes.

#### 2) Description and end uses

Colour coded for easy identification.

#### 3) Physical Properties

115 mm x 140 mm

Backing: Polyurethane Foam Mineral: Aluminium Oxide

#### 4) Directions for Use

Medium - After Filler preparation

Fine - E - Coat Sanding

Superfine - Primer sanding (awkward areas)

Ultrafine - Primer sanding (awkward areas, critical colours)
Microfine - De-nib base coat, prep blending (awkward areas)

Flexible, conformable foam pad for improved access to awkward areas. Ideal for shaping and feather edging. Ideal for hand sanding applications for critical or awkward areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.

### 5) Storage

It is recommended that all Coated Abrasive products should be stored at constant levels of temperature and humidity within the ranges of 18-22°C, 50-65% RH. They should be kept away from damp (or cold) walls, windows or floors to avoid possible moisture absorption. Equally storage adjacent to heat sources e.g. steam pipes, radiators, hot air ducts, ovens, etc., should be avoided.



### **Technical Data Sheet**

Effective: 19/08/2020 Supersedes: 27/10/08

Product is best stored in original packaging until ready for use. Shelf life indefinite under these conditions.

#### 6) Safety

7)

Whenever possible, sanding should be carried out in a well-ventilated area and it is strongly recommended that suitable goggles, dust mask and gloves are worn.

3M™ Softback Sanding Sponges is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

#### 8) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.



# **Technical Data Sheet**

Effective: 19/08/2020 Supersedes: 27/10/08

### For Additional Health and Safety Information

3M United Kingdom plc	3M Ireland Limited	3M Denmark a/s
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
3M Centre,	The Iveagh Building	Hannemanns Allé 53
Cain Road,	Carrickmines Park	2300 København S
Bracknell,	Carrickmines , Dublin 18	
RG12 8HT	Tel: +353 12160301	
Tel: +44 (0)161 237 6391	aadukenquiries@mmm.com	Tel: +45 43480100
aadukenquiries@mmm.com	www.3Mbodyshop.co.uk	aadukenquiries@mmm.com
www.3Mbodyshop.co.uk		www.3MAuto.dk
3M Finland, Suomen 3M Oy	3M Svenska AB	3M Norge AS
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
Keilaranta 6	Herrjärva torg 4	Kanalveien 2
02150 Espoo	170 67 Solna	2004 Lillestrøm
Tel: 09 5252 1	Tel: 08-922100	Tel: 06384
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3M.fi/autotuotteet	www.3M.se/bileftermarkad	www.3m.no/auto
3M Latvija	3M Eesti OU	3M Lietuva
K.Ulmana 5	Pärnu mnt. 158	A.Goštauto str. 40 A
Riga, LV-1004	11317 Tallinn	LT-01112 Vilnius
Tel: +371 67066120	Tel: +372 6 115 902	Tel: +370 5 2160780
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3m.lv	www.3m.ee	www.3m.lt

© 3M 2020. 3M is a trademark of the 3M company. All rights reserved