



Di-Noc™

Declaration of Performance

No. 3M Di-Noc-3-CPR-JA0018

according to Annex III of Regulation (EU) No 305/2011

1. Unique identification code of the product-type:

3M™ Di-Noc™

Series': AE, AM, AR, BW, CA, CH, CN, ET, FA, FE, FW, HG, HS, LE, LW, LZ, ME, MW, NU, PA, PC, PG, PS, PT, RS, RT, SE, SI, ST, TE, VM, WG

Excluding EX pattern of these series'

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Lot / Batch No. - see label on packaging box and print inside product core

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

3M™ Di-Noc™ is a self-adhesive decorative foil that can be used as interior wallcovering

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):



Commercial Solutions Division

**3M D-A-CH Region
3M Deutschland GmbH | Carl-Schurz-Str. 1 | 41453 Neuss | Germany**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 3

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

EN 15102: 2007 + A1 2011

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not applicable

9. Declared performance

Essential Characteristics	Performance	Test Standard	Harmonised technical specification
Reaction to Fire	Class B - s2, d0 (matte versions (MT) of all Series, Series HG and AR excluded)	EN 13501-1: 2010	EN 15102: 2007 + A1 2011
	Class C – s1, d0 (matte versions (MT) of all Series and Series HG only)		
	Class C – s2, d0 (Series AR only)		
Release of Formaldehyde	passed	EN 12149:1997	
Release of Vinyl chloride	passed	EN 12149:1997	
Release of other dangerous Substances – heavy metals and specific elements	passed	EN 12149:1997	
Thermal Resistance	n.p.d.		
Sound absorption	n.p.d.		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chris Howitt Ph.D | Technical Director, Research & Development
Europe, Middle East & Africa
 3M Deutschland GmbH, Carl-Schurz-Str. 1, 41453 Neuss / Germany

Neuss, 06.12.2018

Important Notice

All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method or application. All questions of liability relating to this product are governed by the terms of the sale subject, where applicable, to the prevailing law

For further information:

3M Science.
Applied to Life.™

Commercial Solutions Division

3M D-A-CH Region
3M Deutschland GmbH | Carl-Schurz-Str. 1 | 41453 Neuss | Germany

CE +

11

EN 15102: 2007 + A1 2011

Important Notice

All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method or application. All questions of liability relating to this product are governed by the terms of the sale subject, where applicable, to the prevailing law