

Quick Links

[Facilities Website](#)

[Safety Data Sheets \(SDS\)](#)

Some of these links lead to web-based resources that are not product-specific.

All of the 3M™ Disinfectant Cleaners in the table meet OSHA Bloodborne Pathogens Standard for cleaning and disinfecting blood spills or potentially infectious body fluids. See current Technical Data Sheet for complete details.

Product	Product Attributes	RTU pH	RTU Product Color	Fragrance	Principal Claims (in the presence of 400 ppm hard water with 5% organic serum unless otherwise noted)	RTU Active ppm
3M™ Bathroom Disinfectant Cleaner Concentrate 4A / 4L <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill™ System 	<ul style="list-style-type: none"> Good cleaner Mild acid cleaner One-step cleaner/disinfectant for daily use Removes soap scum and scale from bathroom surfaces 	3.0	Green	Slight fragrance	<ul style="list-style-type: none"> <i>Enterococcus faecalis</i>, including vancomycin-resistant (VRE) <i>Escherichia coli</i> (E. Coli) Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) Influenza Type A/Hong Kong Influenza Type B/Hong Kong methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) 	1000
3M™ Quat Disinfectant Cleaner Concentrate 5A / 5H / 5L <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill™ System 	<ul style="list-style-type: none"> Excellent cleaner Similar to most quats over-use may cause sticky or dull floors and may require intermittent scrubbing Best cleaner amongst 3M disinfectant cleaners 	9.6	Colorless to light green	Moderate fresh scent	<ul style="list-style-type: none"> <i>Acinetobacter baumannii</i> Avian Influenza Virus H3N2 vancomycin-resistant <i>Enterococcus faecalis</i> (VRE) <i>Escherichia coli</i> - extended spectrum beta lactamase producing E. coli <i>Escherichia coli</i>- New Delhi Metallo-Beta Lactamase (NDM-1) Hepatitis B HIV-1 Influenza Type A Brazil <i>Klebsiella pneumoniae</i> <i>Klebsiella pneumoniae</i> -NDM-1 positive Norwalk virus - Feline calicivirus [Norovirus] <i>Staphylococcus aureus</i> – MRSA 	848
3M™ Non-Acid Disinfectant Bathroom Cleaner Concentrate 15A / 15L <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill™ System 	<ul style="list-style-type: none"> Good cleaner Neutral pH - won't dull or damage finish One-step cleaner/disinfectant for daily use For use on bowls, urinal, sinks, and other hard surfaces 	7.0	Colorless to light green	Low fresh scent	<ul style="list-style-type: none"> Avian Influenza A Hepatitis B Human immuno-deficiency virus Type 1 or Type 2 (HIV-1 or HIV-2) (associated with AIDS) Influenza Type A2/Hong Kong 	848
3M™ Neutral Quat Disinfectant Cleaner Concentrate 23A / 23H / 23L <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill™ System 	<ul style="list-style-type: none"> Good cleaner Neutral pH - won't dull or damage finish Less likely to cause sticky floors with overuse To be used as a general disinfectant, especially in areas that are relatively free of soil 	7.5	Colorless to light green	Low lemon scent	<ul style="list-style-type: none"> <i>Acinetobacter baumannii</i> Avian Influenza H5N1 <i>Enterococcus faecalis</i> – VRE <i>Escherichia coli</i> -NDM-1 Hepatitis C HIV-1 <i>Klebsiella pneumoniae</i>- NDM-1 <i>Staphylococcus aureus</i> –MRSA Vancomycin intermediate- resistant <i>Staphylococcus aureus</i> (VISA) 	660

Product	Product Attributes	RTU pH	RTU Product Color	Fragrance	Principal Claims (in the presence of 400 ppm hard water with 5% organic serum unless otherwise noted)	RTU Active ppm
3M™ HB Quat Disinfectant Cleaner Concentrate 25A / 25H / 25L <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill™ System 3M™ HB Quat Disinfectant Cleaner Concentrate 1 gallon container	<ul style="list-style-type: none"> Good cleaner Broadest spectrum disinfectant available in 3M product line Overuse may dull floor finish Best disinfectant cleaner for use where low odor is required Common choice for operating rooms (ORs) Great for nursing stations 	9.0	Colorless to yellow	Natural fresh scent (no fragrance added)	<ul style="list-style-type: none"> <i>Acinetobacter calcoaceticus</i> var. anitratus <i>Enterococcus faecalis</i> -VRE <i>Escherichia coli</i> strain O157:H7 Hepatitis B HIV-1 (300 ppm hard water tolerance) Influenza A/Brazil Influenza A Virus (H1N1) Influenza A1/Victoria (H3N2) <i>Klebsiella pneumoniae</i> Norovirus <i>Staphylococcus aureus</i> MRSA, community associated methicillin-resistant (CA-MRSA PVL Positive) vancomycin-resistant <i>Staphylococcus aureus</i> (VISA) 	708
3M™ Disinfectant Cleaner RCT Concentrate 40A / 40L <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill™ System 3M™ Disinfectant Cleaner RCT Concentrate 1 gallon container	<ul style="list-style-type: none"> Excellent cleaner 3 minute contact time in an economical concentrate Similar to most quats, overuse may cause sticky or dull floors and may require intermittent scrubbing Best where a shorter contact time is desired in a chemical management program 	9.6	Colorless to light yellow	Natural fresh scent (no fragrance added)	<p>(presence of 250 ppm hard water)</p> <ul style="list-style-type: none"> <i>Acinetobacter baumannii</i> <i>Enterococcus faecalis</i> – VRE <i>Escherichia coli</i> O157:H7 Hepatitis B HIV-1 Human Coronavirus Influenza Type A / Hong Kong carbapenem-resistant <i>Klebsiella pneumoniae</i> Respiratory Syncytial Virus [RSV] <i>Staphylococcus aureus</i> – MRSA 	860
3M™ MBS Disinfectant Cleaner Fresh Scent Concentrate 41A / 41L / 41H <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill System 	<ul style="list-style-type: none"> Best where a shorter contact time is desired in a chemical management program Multiple applications: mop bucket, coarse sprayer, wipes, etc. Good cleaner 5 minute contact time in an economical concentrate Similar to most quats, overuse may cause sticky or dull floors and may require intermittent scrubbing 	9.6	Blue	Moderate fresh scent	<p>(presence of 250 ppm hard water)</p> <ul style="list-style-type: none"> <i>Acinetobacter baumannii</i> <i>Escherichia coli</i> NDM-1 – Carbapenem Resistant [CRE] <i>Enterococcus faecalis</i> – Vancomycin resistant [VRE] <i>Staphylococcus aureus</i> – Methicillin-Resistant [MRSA] Hepatitis B Virus [HBV] Hepatitis C Virus [HCV] HIV-1 [AIDS virus] Influenza A Virus (H7N9) Norwalk Virus – Norovirus 	1049
3M™ MBS Disinfectant Cleaner Concentrate 42A / 42L / 42H <ul style="list-style-type: none"> For use with 3M™ Flow Control System or 3M™ Twist 'n Fill System 	<ul style="list-style-type: none"> Best where a shorter contact time is desired in a chemical management program Multiple applications: mop bucket, coarse sprayer, wipes, etc. Good cleaner 5 minute contact time in an economical concentrate Similar to most quats, overuse may cause sticky or dull floors and may require intermittent scrubbing 	9.6	Colorless	Natural fresh scent (no fragrance added)	<p>(presence of 250 ppm hard water)</p> <ul style="list-style-type: none"> <i>Acinetobacter baumannii</i> <i>Escherichia coli</i> NDM-1 – Carbapenem Resistant [CRE] <i>Enterococcus faecalis</i> – Vancomycin resistant [VRE] <i>Staphylococcus aureus</i> – Methicillin-Resistant [MRSA] Hepatitis B Virus [HBV] Hepatitis C Virus [HCV] HIV-1 [AIDS virus] Influenza A Virus (H7N9) Norwalk Virus – Norovirus 	1049
3M™ TB Quat Disinfectant Ready-to-Use Cleaner	<ul style="list-style-type: none"> Good cleaner Safe, ready-to-use tuberculocidal formula 	11.7	Colorless	Low lemon scent	<ul style="list-style-type: none"> Avian Influenza A H3N2 Avian Influenza A H9N2 <i>Enterococcus faecalis</i> – VRE <i>Escherichia coli</i> O157:H7 Hepatitis B Hepatitis C HIV-1 <i>Mycobacterium tuberculosis</i> (TB) Norwalk virus <i>Staphylococcus aureus</i> (CA-MRSA) 	2100

Product	Product Attributes	RTU pH	RTU Product Color	Fragrance	Principal Claims (in the presence of 400 ppm hard water with 5% organic serum unless otherwise noted)	RTU Active ppm
3M™ C. diff Solution Tablets	<ul style="list-style-type: none"> Broadest spectrum disinfectant that kills <i>Clostridium difficile</i> spores in 4 minutes Can be used with cloth, wipe, mop, or coarse trigger sprayer – no binding to common wipe materials Safer than bleach and peracetic acid Pre-cleaning required for C. difficile disinfection 	5.5 - 6.5	Colorless	Natural scent (mild chlorine scent)	<ul style="list-style-type: none"> Acinetobacter baumannii <i>Clostridium difficile</i> (C. difficile) <i>Enterococcus faecalis</i> – VRE <i>Escherichia coli</i> O157:H7 Hepatitis B (HB) HIV-1 carbapenem-resistant <i>Klebsiella pneumoniae</i> <i>Mycobacterium bovis</i> (TB) Norovirus <i>Staphylococcus aureus</i> - MRSA & GRSA 	4306 (1076 for VRE, MRSA, GRSA, HB, HIV and 5382 for TB)

Health and Safety

CAUTION

When handling any chemical products, read the manufacturers' container labels and the Safety Data Sheets (SDS) for important health, safety and environmental information. To obtain SDS sheets for 3M products go to 3M.com/SDS, or by mail or in case of an emergency, call 1- 888-364-3577 or 1-651-737-6501.

When using any equipment, always follow the manufacturers' instructions for safe operation.

Technical Information

Technical information and data, recommendations, and other statements provided by 3M are based on information, tests, or experience which 3M believes to be reliable, but the accuracy or completeness of such information is not guaranteed. Such technical information and data are intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. The typical values shown should not be used for the purpose of specification limits. If you have questions about this Product, contact the **Customer Service Department at 1-800-852-9722**.

Product Use

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty

3M warrants that each 3M product will be free from defects in material and manufacture for 90 days from the date of purchase from 3M's authorized distributor. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Limited Remedy

If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

No Extension of Warranty

In the case of an approved warranty claim, the replacement Product will carry only the remaining term of the original warranty period.

Limitation of Liability

Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.

Commercial Solutions

3M Center, Building 220-12E-04
St. Paul, MN 55144

1-800-852-9722
3M.com/Facilities

© 3M 2019. All rights reserved.
3M, Scotchgard, and Scotch-Brite are trademarks of 3M.
Used under license in Canada.
All other trademarks are property of their respective owners.
Revision D, October 2019 Please recycle.

3M Science.
Applied to Life.™