



Science.  
Applied to Life.™



# Complex construction challenges made fast and easy.

3M™ Air Barrier with Permeable Backing 3015VP

This high-performing vapor permeable air barrier is designed to help control the indoor climate. Its reverse wound technology reduces labor costs—just roll it, apply pressure, then peel off the liner. Plus, it's compatible with most building sealants and features excellent adhesion without the use of primer.



**0 to 150°F**  
Application temperature



**1 Person**  
Installation




**No primer. No problem.**  
3M acrylic adhesive technology eliminates the need for primers

Let's Build Smarter.



## Benefits

- No primer required on most common construction materials
- Reverse-wound rolls allow for faster installation
- Resist UV exposure up to 12 months
- Rain and wind resistant; permeable to water vapor
- Apply at surface temperatures as low as 0°F (-18°C) or as high as 150°F (66°C)
- Membrane self-seals if penetrated, surrounding nails and staples to further reduce moisture intrusion
- Lighter weight rolls than comparable competitor products
- ABAA Evaluated 

## Extended temperature range increases production

- Productivity in all conditions. Application temperatures from 0° to 150°F (-18° to 66°C).
- Service temperature range from -40° to 240°F (-40° to 116°C).

## Less labor, more productivity

One-step application helps reduce labor time by up to 20%. Reverse-wound rolls enable 1-person installations, even on wide rolls.

## Fewer steps for faster installs

No primer required, even on difficult surfaces—speeding up the application process. Its pressure sensitive adhesive eliminates the time and materials usually required for applying air barriers.



**3M Industrial Adhesives and Tapes Division**  
3M Center, Building 225-3S-06  
St. Paul, MN 55144-1000

Phone 1-866-513-4026  
Web [3M.com/airbarrier](http://3M.com/airbarrier)

**Warranty and Limited Remedy:** 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. **Limitation of Liability:** Except for the limited remedy above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted.

3M is a trademark of 3M Company. © 3M 2021. All rights reserved. Please recycle. Printed in USA.

Let's Build Smarter.

[3M.com/buildsmarter](http://3M.com/buildsmarter)