




Application Profile

Market	Metal processors and Metal service centers
Application Description	Temporary bundling and wrapping application to hold metal pipes, tubing, threaded rod, conduits, wires and rails together securely.



Key Application Requirements

High initial tack, high tensile strength, conformability, easy to apply, minimal downtime of production, clean removal and hand breakable.

Benefits/Advantages to Customer

Strength: High shear, tensile and adhesion strengths increase confidence during the shipment and transportation process.

Oily surfaces: The MSR family of products adheres well to oily surfaces.

Safety: Easy-to-work with tape reduces safety risks compared to typical metal banding process.

Easy to handle: Conformable backing allows for easy handling.

Production speed: Easily apply tape and quickly get up to production speed.

Clean removal: The pressure-sensitive adhesive of 8899HP is specifically formulated to provide balanced adhesion, clean removal, and stain resistance on metal surfaces.

Hand breakable: Low tensile strength tapes can be broken by hand, making cutting tools unnecessary.

Product

- Scotch® Filament Tapes 898, 898MSR (lead with MSR)
- Scotch® Filament Tapes 880, 880MSR (lead with MSR)
- Scotch® Clean Removal Strapping Tape 8899HP
- Tartan™ Filament Tape 8934



Process

Tape can be applied by hand or dispenser. Tape is also compatible for automated dispensers.

SIC Code

33: Primary metal industries

34: Fabricated metal products

5051: Metal service centers

Key Decision Makers

Process/Production engineer

Production manager

Note: 3M suggests evaluating the Scotch® Tape on the specific surface to determine suitable performance in the application.

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.



3M Industrial Adhesives and Tapes Division
3M Center, Building 225-3S-06
St. Paul, MN 55144-100

Phone 1-800-362-3550
Fax 1-877-369-2923
Web 3M.com/IATD

For Additional Information:

Please contact 3M at 3M.com/IATD or call
1-800-362-3550 (877-369-2923 (Fax)).

Scotch is a registered trademark of 3M Company. 3M, Tartan and the Plaid Design are trademarks of 3M. Please recycle. © 3M 2018. All rights reserved.