

3M Paint Shop Solutions Guide

Trusted Products for the Paint Shop



3M paint shop solutions to help you achieve a finish that lasts and shines.

Paint Preparation

Surface Preparation

Masking and Surface

Protection

14

Paint Process

Paint Spray Guns 22 Spray Cup System 24

Post-Paint

Paint Defect Removal and Scratch Refinement 30
Finish Polishing 32
Detailing 35

Tools and Safety


Tools and Accessories 38
Personal Safety Equipment 48
Tech Tips and SOPs 54




Surface Preparation

Prepping the vehicle before you even enter the spray booth is essential to a successful application so you can reduce or eliminate rework costs. 3M's world class abrasives help get your product ready to receive paint and coatings in less time than ever before.

Selection Guide	ξ
Dry Sanding	6
Non-Woven Abrasives	12
Wet or Dry Sanding	13



Get underway with the right abrasive.



3", 5", 6", 8"

Technology

3M Precision-Shaped

Grain

Material

Net


Attachment Type

3M™ Hookit™

Sizes 3", 5", 6" Technology 3M Precision-Shaped Grain Material Paper (Multi-Hole) Attachment Type

3M™ Hookit™








All 3M™ Cubitron™ II Abrasives feature our 3M Precision-Shaped Grain (PSG). Precision shaped grains cut 30% faster and last twice as long as conventional ceramic abrasives.

Faster cut. Longer life. Consistent finish.



4 | 3M Paint Shop Solutions Guide 3M Paint Shop Solutions Guide | 5

Surface Preparation Dry Sanding 240–800 grit

Sanding Abrasive	s	UPC	Part #	Grade	Size	Qty/Case	Description	
Premium								
ATAYA.		00051131316461	31646	240+	- 8"	150 Discs/Case		
		00051131316478	31647	320+		100 Discs/ Case		
		00051131316553	31655	240+	- 6"		-	
AUTOLOGICAL DE	3M™ Cubitron™ II	00051131316560	31656	320+				
	_	00051131316706	31670	240+	E"	300 Discs/Case		
		00051131316713	31671	320+	- 5"	(50 Discs/Roll)	For Dry Sanding: Premium net disc help allows for virtually dust-free sanding. Net abrasives	
**************************************		00051131316843	31684	240+	- 3"		delivers 2X the cut rate and 2X the life of other leading net abrasive families. Compatible	
		00051131316850	31685	320+	3		with existing dust-extraction sanders. The 3M™ Hookit™	
AND THE PROPERTY OF THE PROPER		00051131345775	34577	240+	- 115mm x 10m		attachment makes installing a new disc quick and saving a partially-used disc easy.	
	3M™ Cubitron™ II Hookit™ Net Sheet Rolls	00051131345782	34578	320+	110111111 X 10111	6 Rolls/Case		
VAL.		00051131345553	34555	240+	- 80mm x 10m			
		00051131345560	34556	320+	GOTHIN X TOTAL			
		00051131345669	34566	240+	70mm x 10m			
		00051131345676	34567	320+	70mm x lom			
		00051131314825	31482	240+				
		00051131314832	31483	320+	6"			
•		00051131314849	31484	400+				
	3M™ Cubitron™ II	00051131314726	31472	240+			3M's best performing abrasive technology. Long-lasting sharp triangular shaped grain and	
	Hookit [™] Clean	00051131314733	31473	320+	5"	200 Discs/Case	spiral-hole pattern for superior dust extraction and reduced	
	Sanding Disc	00051131314740	31474	400+			loading. Ideal for hard OEM primers and e-coats that require the ultimate cut and life.	
		00051131314627	31462	240+				
		00051131314634	31463	320+	3"			
		00051131314641	31464	400+				

Sanding Abras	sives	UPC	Part #	Grade	Size	Qty/Case	Description	
Premium								
		00051131344686	34468	240+	-			
		00051131344693	34469	320+	4.5" x 13 yd.	5 Rolls/Case		
		00051131344709	34470	400+			3M's best performing abrasive technology. 3M Precision-Shape Grain cuts 30% faster and lasts 2x longer than other premium abrasives. Clean Sanding	
		00051131314887	31488	240+				
	3M [™] Cubitron [™] II Hookit [™] Clean Sanding Sheet Roll	00051131314894	31489	320+	3.15" x 13.12 yd.	5 Rolls/Case	multi-hole pattern delivers excellent dust xtraction. Kiss-cut	
	• • • • • • • • • • • • • • • • • • •	00051131314900	31490	400+	-		scoring technology allows for use in multiple sheet lengths.	
		00051131344488	34448	240+			Use with 3M™ Hookit™ Dust Free Sanding Blocks or Festool HSK-A Sanding Blocks.	
		00051131344495	34449	320+	2.75" x 13 yd.	5 Rolls/Case	. setses merch canaling allocate	
		00051131344501	34450	400+	-			
		00051131314948	31494	240+				
	3M™ Cubitron™ II Hookit™ Clean Sanding File Sheet	00051131314955	31495	320+	3.74" x 6.97"	100 Sheets/Case	Designed for use with Festool LRS 93 Orbital Sander.	
		00051131314962	31496	400+	-			
		00051131018105	01810	P500				
		00051131307612	30761	P600	6"	200 Discs/Case	Aluminum oxide abrasive provides a fast cut, long life and professional results. Stearate coating helps resist loading for extended performance. Excellent dust removal and fast cutting, long lasting abrasive for higher	
		00051131307605	30760	P800	-			
		00051131304727	30472	P500				
	3M™ Hookit™ Purple Clean Sanding	00051131304611	30461	P600	5"			
	Abrasive Disc	00051131304604	30460	P800			productivity and lower cycle times. Spiral-patterned design	
		00051131302723	30272	P500			features many small holes for du extraction and reduced loading.	
		00051131302617	30261	P600	3"			
		00051131302600	30260	P800	-			
		00051131307261	30726	P500				
		00051131307254	30725	P600	4.5" x 13 yd.	3 Rolls/Case	Aluminum oxide abrasive provides a fast cut, long life and professional results.	
	3M™ Hookit™ Purple	00051131307247	30724	P800	-		Stearate coating helps resist loading for extended performance	
	Clean Sanding Abrasive Sheet Roll	00051131307025	30702	P500			Excellent dust removal and fast cutting, long lasting abrasive for higher productivity and lower	
		00051131307018	30701	P600	2.75" x 13 yd.	d. 5 Rolls/Case	higher productivity and lower cycle times. Kiss-cut scoring technology allows for use in multiple sheet lengths.	
		00051131307001	30700	P800				

See page 38 for Tools and Accessories.

See page 38 for Tools and Accessories.

Sanding Abrasives	S	UPC	Part #	Grade	Size	Qty/Case	Description	Sanding Abrasives	UPC	Part #	Grade	Size Qty/	Case	Description												
Advanced						· ·		Advanced				•		·												
									00051131361782	36178	240															
		00051131364165	36416	240					00051131361805	36180	320															
					- 8"	150 Discs/Case			00051131361812	36181	400	-														
		00051131364172	36417	320					00051131361829	36182	500	- 6"														
							_		00051131361836	36183	600	-														
		00051131364257	36425	240					00051131361843	36184	800	-														
		00001101001201	00120				Built with an engineered		00051131361638	36163	240			Complete offering of advanced tier abrasives that can be used												
					6"		ceramic-mineral blend to deliver a faster cut rate and longer life	2M™ Ha a kis™ Phos	00051131361652	36165	320		from body to paint prep. Engineered ceramic mineral blend is balanced for maximum abrasive													
	a ath a state of the state of t	00051131364264	36426	320			han other leading brands' net abrasives in their class — all while capturing more than 95% of dust. Balanced for maximum abrasive performance for cut, life and dust extraction. 3M™ Hookit™ attachment makes changing	3M [™] Hookit [™] Blue Abrasive Disc	00051131361669	36166	400	-	5" 200 Discs/Case	performance. Anti-loading coating helps prevent dust and debris												
	3M™ Hookit™ Blue Net Abrasive Discs							Multi bala	00051131361676	36167	500	5" 200		from clogging the cutting surface. 3M™ Hookit™ attachment makes disc changes easy and helps												
		00051131364400	36440	240				Multi-hole	00051131361683	36168	600	-		reduce waste.												
				5"	800 Discs/Case (100 Discs/Roll)	discs fast and easy, allowing a technician to save a partially used disc and reinstall it later.		00051131361690	36169	800	-		Multi-hole pattern reduces loading, extends disc life and													
	00051131364417	64417 36441	36441	36441	320		(100 - 1000 1101)	used disc and remstan relater.		00051131361485	36148	240			aligns with most backup pads.											
									00051131361508	36150	320	-														
									00051131361515	36151	400	O.														
		00051131364547 36454 240				00051131361522	36152	500	3"																	
																	3"				00051131361539	36153	600	-		
		00051131364554	36455	320					00051131361546	36154	800															
									00051131362468	36246	240															
		00051131361935	36193	240					00051131362475	36247	320															
									00051131362482	36248	400	6"														
		00051131361959	36195	320			Complete offering of advanced tier abrasives that can be used from body to paint prep.		00051131362499	36249	500			Complete offering of advanced tier abrasives that can be used from body to paint prep.												
		00001101001300	00100	020			Engineered ceramic mineral blend is balanced for maximum	3M™ Hookit™ Blue	00051131362505	36250	600			Engineered ceramic mineral blend is balanced for maximum abrasive												
	3M™ Hookit™ Blue Abrasive Sheet Roll						abrasive performance. Anti- loading coating helps prevent dust and debris from clogging	Abrasive Disc	00051131362512	36251	800	200	Discs/Case	performance. Anti-loading coating helps prevent dust and debris from clogging the cutting surface.												
	NA III I	00051131361966	36196	400	2.75" x 13 yd.	4 Rolls/Case	the cutting surface. 3M™ Hookit™ attachment makes disc changes	No Hole	00051131362581	36258	240		Discs/ Case	3M™ Hookit™ attachment makes disc changes easy and helps												
	Multi-hole						easy and helps reduce waste.		00051131362598	36259	320			reduce waste.												
		00051131361973	36197	500			Can be used with any 2.75" wide 3M™ Hookit™ Sanding Block — use with dust-extraction for better		00051131362604	36260		- 5"		No-hole design is compatible with most dual-action sanders when using a 3M™ Hookit™ sanding pad												
									using a 3M™ Hookit™ sanding pad.																	
		00051131361980 36198	00051131361980 36198 600						00051131362628	36262	600															
									00051131362635	36263	800	00														

See page 38 for Tools and Accessories.

See page 38 for Tools and Accessories.

Sanding Abrasives	.	UPC	Part #	Grade	Size	Qty/Case	Description	
Advanced								
		00051131362086	36208	240				
		00051131362109	36210	320				
		00051131362116	36211	400		500 Discs/Case		
		00051131362123	36212	500	6"	(100 Discs/Roll)		
		00051131362130	36213	600			Engineered for best-in-class cut,	
	3M™ Stikit™ Blue	00051131362147	36214	800			life and efficiency across your entire shop. Adhesive-backed 3M™ Stikit™ discs are easy to	
	Abrasive Disc Roll	00051131362703	36270	240			attach and remove. Discs tear off conveniently one at a time without liners for added	
		00051131362710	36271	320			cost savings.	
		00051131362727	36272	400		500 Discs/Case (100 Discs/Roll)		
		00051131362734	36273	500	5"			
		00051131362741	36274	600				
		00051131362758	36275	800				
		00051131362239	36223	240*		5 Rolls/Case	Engineered for best-in-class performance at every stage of paint prep. Adhesive-backed	
		00051131362253	36225	320				
	3M™ Hookit™ Blue Abrasive Sheet Roll	00051131362260	36226	400	2.75" x 45 yd.		3M™ Stikit™ sheets are easy to attach and remove.	
		00051131362277	36227	500			Roll easily tears off at desired sheet length for use with various block sizes.	
		00051131362284	36228	600				
		00051131026001	02600	Micro Fine				
		00051131026018	02601	Ultra Fine			Flexible foam backing adapts to unique contours and helps you access hard-to-reach areas.	
	3M [™] Softback Sanding Sponge	00051131026025	02602	Super Fine	4-1/2" x 5-1/2"	120 Sponges/Case	Aluminum oxide abrasive offers a long life and fast cut. Versatile hand sanding sponges work on	
		00051131026049	02604	Fine			many surface materials. Waterproof bonding system allows for either wet or dry sanding applications.	
		00051131026063	02606	Medium				
0017					*2.75" x 30 yd.			

Surface Preparation
Dry Sanding (finer grit)

Fine Abrasives		UPC	Part #	Grade	Size	Qty/Case	Description
		00051131344037	34403	P400	-		
		00051131344051	34405	P600			
• 3M		00051131344068	34406	P800	6"		
• P600		00051131344075	34407	P1000	7 holes		
		00051131344082	34408	P1200			Premium quality delivers uniform, consistent finishes every time. Offers high flexibility and
	3M [™] Hookit [™] Flexible Abrasive	00051131344099	34409	P1500		- 125 Discs/Case	conformability. Reduced burn through when sanding thin coated surfaces. Dust free disc can be used
• 3M • P1000 •	Dust Free Disc	00051131348004	34800	P400		120 210007 0000	for both hand and machine sanding.
P1000 •		00051131348011	34801	P600			17 hole pattern is designed to be used with the 3M™ Total Automotive Sanding System
		00051131348028	34802	P800	6" 17 holes		
		00051131348035	34803	P1000			
• 36		00051131348042	34804	P1200			
P1500		00051131348059	34805	P1500			
	3M™ Hookit™	00051131343375	34337	P400			Features a very thin, extremely
No.		00051131343399	34339	P600			
P1500		00051131343405	34340	P800	E 4 (0" - 0 0 (4"		flexible film backing that conforms effortlessly to tools and contoured
P1500 P1500	Flexible Abrasive Hand Sheet	00051131343412	34341	P1000	5-1/2" x 6-3/4"	125 Sheets/Case	surfaces. Reduced burn through when sanding thin coated surfaces. Premium quality delivers uniform, consistent finishes every time.
		00051131343429	34342	P1200			Consistent minsiles every time.
		00051131343436	34343	P1500			
	3M™ Hookit™ Hard E-Coat Abrasive Disc	00051131306950	30695	P320	6"	40 Discs/Case	Abrasive disc engineered for sanding e-coats and hard substrates. Diamond grade mineral blend leaves matte finish at P320 — no need for coarser grades. Precise hole pattern helps clear dust from disc surface for reduced loading. Dust free discs.
			1	1	1	1	<u> </u>

*2.75" x 30 yd.

See page 38 for Tools and Accessories.

See page 38 for Tools and Accessories.

Surface Preparation Non-Woven Abrasives

Non-Woven Abra	sives	UPC	Part #	Grade	Color	Size	Qty/Case	Description	
0	Scotch-Brite [™] 7447 and 7448	00048011650081	7447 PRO	A VFN	● Maroon	- 4" x 30 ft.	3 Rolls/Case		
	PRO Roll	00048011650135	7448 PRO	SULF	● Gray	4 x 30 it.	3 Kolis/ Case		
7447 and	Scotch-Brite [™] 7447 and 7448	00048011649269	7447 PRO	A VFN	● Maroon	- 6" x 9"	60 Pads/Case	Breakthrough nonwoven web technology allows for a faster cut and produces a more consistent scratch — reducing the time it takes to scuff, prep or finish parts.	
	PRO Hand Pad	00048011649351	7448 PRO	SULF	● Gray	0 x 9	OU Faus/ Case	Ideal for prepping surfaces for paint and primer, general scuffing and hand blending. Available in rolls, hand pads and discs.	
		00048011649603	7447 PRO	A VFN	● Maroon	- 6"	40 Discs/Case		
	Scotch-Brite [™] Hookit [™] 7447 and 7448 PRO Disc	00076308771683	7448 PRO	SULF	● Gray	0	40 Discs/ Case		
		00051141288024	28802	_	_	6"	5/Case	Scotch-Brite™ Hookit™ Conversion Face	
	Scotch-Brite [™] Clean and Finish Disc	00076308772253	77225	CF-DC Talc	O White	6"	40 Discs/Case	Soft abrasive mineral and non-woven web are ideal for cleaning, blending, finishing, and light coating and corrosion removal. Conformable pad gets into corners and over contoured surfaces to produce a uniform finish. Resists loading and rinses clean for repeated use.	
Sounding Sounding	Scotch-Brite [™] Durable Flex Hand Pad	00048011646596	64659	A VFN	● Maroon	4.1/0" 0"	100 Ped- /O-	Ultra-flexible construction that is great for prepping areas where conformability is desired like jambs, and bumpers or areas prone to over scuffing like sharp	
		00048011646602	64660	S ULF	● Gray	4-1/2" x 9"	100 Pads/Case	body lines. Tightly graded for more active mineral sites. More consistent scratch than competitive hand pads. Resists tearing and loading, proving a longer life.	

Surface Preparation Wet or Dry Sanding

3M''' Wetordry''' Pi	roducts	UPC	Part #	Grade	Size	Qty/Case	Description	
		00051131020436	02043	P220				
		00051131020429	02042	P240			213Q	
		00051131020405	02040	P320				
		00051131020382	02038	P400	9" x 11" A-weight	250 Sheets/Case	Aluminum Oxide mineral. Ideal for wet sanding, fine featheredging	
		00051131020375	02037	P500			or last final sanding step before	
		00051131020368	02036	P600			priming. Great for scuffing the blend area prior to painting.	
		00051131020351	02035	P800				
		00051131020344	02034	1000				
		00051131020337	02033	1200				
		00051131020320	02032	1500	9" x 11"			
3M Westy		00051131020207	02020	2000	A-weight		401Q	
	3M™ Wetordry™	00051131020191	02019	2500			Silicon carbide mineral. Ideal	
94 59	Abrasive Sheets	00051131019997	01999	3000		250 Sheets/Case	for paint finishing, paint defect	
11		00051144020218	02021	1000		200 Sheets/ Case	removal and clear coat blending. Levels minor dust nibs and adjusts	
1.1		00051131020221	02022	1200			mismatched orange peel on all automotive paints. Great for	
		00051131020238	02023	1500	5-1/2" x 9"		sanding old finishes, fine featheredging plus surface work.	
		00051131020443	02044	2000	A-weight		0,000	
		00051131020450	02045	2500				
		00051131019980	01998	3000				
		00051131026216	02621	1000			434Q	
		00051131026223	02622	1200			Silicon carbide mineral abrasive provides a refined cut without	
		00051131026230	02623	1500	5-1/2" x 9" A-weight	250 Sheets/Case		
		00051131026247	02624	2000			heavy manual pressure. Waterproof backing. Excellent flexibility. Can be	
		00051131026254	02625	2500			easily cut and folded to fit any hand tool or work piece crevice.	
NO. 20 WETORDRY** SPONGE PAD	3M™ Wetordry™ Sponge Pad	00051131055261	05526	_	2-3/4" x 5-1/2" x 3/8"	10 Packs/Case	For wet or dry sanding. Durable and soft material supports abrasives for consistency and control. Can be used on either side.	
STT.	3M [™] Wetordry [™]	50051144055185	05518		2" x 3"		Sized for a comfortable and secure hold. Use to wipe away swarf and	
	Rubber Squeegee	50051144055178	05517		2-3/4" x 4-1/4"	50/Case	water from work surface. Gentle on surfaces.	
31/	3M™ Wetordry™ Rubber Bucket	00051131025134	02513	_	3 Gallon	10/Case	For wet sanding. Tray fits into bucket for tool storage and drying.	

See page 38 for Tools and Accessories.

See page 38 for Tools and Accessories.

Masking and Surface Protection

Achieve sharp lines and smooth transitions in every paint job. Choose tapes for trim masking, jamb masking, multi-color striping and much more. But, the tapes are just the start: 3M offers them as part of full masking systems for great finishes, which can help control dust and overspray, helping keep the paint booth and your work clean.

Masking Tapes	15
Jamb and Trim Masking	16
Fine Line Masking	16
Protective Fabric	
and Plastic Sheeting	17
Masking Paper	18
Dispenser, Applicators	
and Cutter	19
Protective Spray Coatings	19



No matter your masking challenge there's a 3M tape solution that's right for you.

Masking Tapes		UPC	Part #	Size	Qty/Case	Description		
		00051131263345	26334	3/4" x 60 yd.	48 Rolls/Case			
	Scotch® Performance	00051131263369	26336	1" x 60 yd.	24 Rolls/Case	The go-to masking solution for premiere collision repair shops.		
	Green Masking Tape 233+	00051131263383	26338	1-1/2" x 60 yd.	16 Rolls/Case	Delivers consistently superior performance with a balanced four-part construction includes flexible backing that applies easily around curves		
	Go-To Solution	00051131263406	26340	2" x 60 yd.	12 Rolls/Case	and contours and our patented adhesive that sticks at a touch, stays put and removes without transfer for consistently outstanding paint lines.		
Q.	do lo dolution	00051131263413	26341	2.83" x 60 yd.	8 Rolls/Case	This tape performs on paint, plastic, glass, metal, rubber and more.		
		00021200446085	44608	3.78" x 60 yd.	o Rolls/ Case			
	3M [™] Automotive	00051131066526	06652	3/4" x 60 yd.	48 Rolls/Case	Specifically for the critical paint masking		
	Refinish Masking Tape 388N	00051131066533	06653	1" x 60 yd.	36 Rolls /Case	The robust crepe-paper backing offers good conformability, so you can stretch and		
	Critical Masking	00051131066540	06654	1-1/2" x 60 yd.	– 24 Rolls/Case	manipulate the tape to fit curves and contours without tearing. The thin and flexible backing heightens the ability of the tape to conform and		
	emical maximg	00051131066564	06656	2" x 60 yd.	24 Nolls/ Case	produce sharp, clean paint lines. Clean removal.		
		50051131065432	06543	2" x 60 yd.	24 Rolls/Case	High temperature bake cycle tape.		
	3M™ Highland™ Masking Tape 2727	00051131065420	06542	1-1/2" x 60 yd.	24 Rolls/ Case	Highest adhesion masking tape, even in humid environments. Quick stick for fast applications.		
	High Temp	50051131065449	06544	1" x 60 yd.	36 Rolls/Case	Consistent unwind and conformability. Withstands bake temperatures up to 250°F (121°C) for up to one hour — great for paint		
		50051131065418	06541	3/4" x 60 yd.	48 Rolls/Case	booth applications.		
	3M [™] Automotive	00051131065482	06548	2" x 60 yd.	24 Rolls/Case	General purpose — interior and exterior		
	Masking Tape	00051131065475	06547	1-1/2" x 60 yd.	24 Nolls/ Case	of vehicle. Great for general purpose paint masking. Good conformability and easy application and removal		
	Interior/Exterior	00051131065451	06545	3/4" x 60 yd.	48 Rolls/Case	Minimal adhesive transfer for easy removal.		
		00051131065284	06528	2" x 60 yd.	6 Rolls/Case			
	3M [™] Precision	00051131065277	06527	1-1/2" x 60 yd.	8 Rolls/Case	Thinnest 3M tape — sharp, low profile paint edges.		
	Masking Tape	00051131066205	06620	1" x 60 yd.	12 Rolls/Case	Prevents seepage and edge bleed with waterborne and solvent paints Great for bumper		
	Low Profile	00051131065291	06529	3/4" x 60 yd.	12 NOII3/ Odse	covers and two-toning. Semitransparent for better visibility.		
		00051131065260	06526	3/4" x 60 yd.	16 Rolls/Case			

Jamb and Trin	n Masking	UPC	Part #	Size	Feature	Qty/Case	Description
		00051131063488	06348		15mm Band		
	3M [™] Perforated Trim	00051131063495	06349	- 2" x 11 yd.	10mm Band	- 6 Rolls/Case	
	Masking Tape	00051131063471	06347	1 ' 1	7mm Band	O Nolls/ Case	Rigid band along one edge slips gently between moldings and auto
		00051131063457	06345		5mm Band		body surface for concealed paint edges. Perforations allow for hand
		00076308563486	56348		15mm Band		tearing without tools. Speeds paint time — no need to remove
	3M [™] Trim	00076308563493	56349	- 2" x 11 yd.	10mm Band	6 Rolls/Case	moldings, gaskets or windows. Available in four band widths.
	Masking Tape	00076308563479	56347]	7mm Band		
		00076308563455	56345		5mm Band		
		00051131062931	06293	0.83" x 53.6 yd.	PLUS		Foam tape softens hard paint lines in the jamb areas. Fast, effective method masks and seals all jambs.
	3M™ Soft Edge Foam Masking Tape	00051131062986	06298	0.04" x 38.3 yd.	- Standard	1 Roll/Case	
	<u> </u>	00051131062979	06297	0.5" x 54.6 yd.	Standard		Repositionable.
0	3M [™] Smooth Transition Tape	00051131068001	06800	1/4" x 30 yd.	Center Adhesive	5 Rolls/Case	Use to prevent sealer creep in jamb areas and to transition textured coatings. Eliminates hard paint lines and minimizes rework for faster cycle times. Center-adhesive design lets paint feather smoothly beneath tape edges.

Fine Line Mas	king	UPC	Part #	Size	Qty/Case	Description		
		00051131064096	06409	3/4" x 36 yd.	48 Rolls/Case	Designed for fine line and critical paint masking.		
	3M™ Vinyl Tape 471+	00051131064089	06408	1/2" x 36 yd.	72 Rolls/Case	Conformable tape with a semi-translucent backing. Durable and flexible tape removes		
		00021200064050	06405	1/4" x 36 yd.	- 144 Rolls/Case	cleanly even after bake cycles, without adhesive build-up or ghosting. Use on flat, curved, or compound surfaces to ensure exceptional		
		00051131064041	06404	1/8" x 36 yd.	144 (10113) 0430	paint lines.		
	Scotch® Performance	00051131263321	26332	1/2" x 60 yd.	48 Rolls/Case	Applies easily around curves and contours		
	Green Masking	00051131263444	26344	1/4" x 60 yd.	- 12 Rolls/Case	and our patented adhesive that sticks at a touch, stays put and removes without transfer		
	Tape 233+	00051131263437	26343	1/8" x 60 yd.	12 Rolls/ Case	for consistently outstanding paint lines.		
0	3M [™] Precision Masking Tape	0051131065253	06525	1/4" x 60 yds.	144 Rolls/Case	Thinnest 3M tape — sharp, low profile paint edges. Prevents seepage and edge bleed with waterborne and solvent paints Great for bumper covers and two-toning. Semitransparent for better visibility.		
		00021200063053	06305	3/4" x 60 yd.				
		00021200063039	06303	1/2" x 60 yd.				
		00021200063022	06302	3/8" x 60 yd.		High-performance polypropylene plastic tape that has both a low profile and high adhesion for		
	Scotch® Fine Line Tape 218	00021200063015	06301	1/4" x 60 yd.	12 Rolls/Case	use in painting long straight lines and sweeping curves where a crisp, sharp paint line is desired. Ideal for high value multi-color and custom		
		00021200063077	06307	3/16" x 60 yd.		painted graphics. Resists heat in bake cycles up to 250°F / 121°C for up to 30 minutes.		
		00021200063008	06300	1/8" x 60 yd.		to 200 . / IET o for up to oo minuted.		
		00021200063084	06308	3/32" x 60 yd.				

Protective Fabric and Sheeting
Protect your workspace and valuable surfaces.

Adhesive Backet	d Material	UPC	Part #	Size	Color	Qty/Case	Description		
		00051131368538	36853	56" x 300 ft.					
		00051131368521	36852	28" x 300 ft.		1 Roll/Case			
m		00051131368521	36851	14" x 300 ft.	White				
	3M™ Dirt Trap	00051131368507	36850	6" x 300 ft.		4 Rolls/Case	Specially engineered surface protection material protects shop walls and floors. Nonwoven construction traps airborne contaminants, helping to control dust		
	Protection Material	00051131368538	36849	4" x 300 ft.		6 Rolls/Case	and overspray. Adhesive backing keeps material in place and removes cleanly for a variety of substrates.		
		00051131378537	37853	56" x 300 ft.	Gray	1 Roll/Case			
		00051131368521	37852	28" x 300 ft.	_ Gray	T ROII/ Case			
		00051131368569	36856	18" x 100 ft.	Clear	1 Roll/Case	-		
		00051131368767	36876	4" x 300 ft.		6 Rolls/Case			
		00051131368774	36877	6" x 300 ft.	-				
		00051131368781	36878	14" x 300 ft.					
No.		00051131368798	36879	28" x 300 ft.			Engineered for the non-stop demands of paint booth environments where		
		00051131368804	36880	36" x 300 ft.		1 Roll/Case			
	3M [™] Surface Protection Fabric*	00051131368811	36881	48" x 300 ft.	Blue		protection from dust and overspray is vital. It can help boost your productivity, reduce maintenance and cleanup time,		
		00051131368828	36882	56" x 300 ft.			preserve your workspaces and eliminate re-work on finished surfaces.		
		00076308510022	51002	6" x 25 ft.		10 Rolls/Case			
		00076308510039	51003	14" x 50 ft.		16 Rolls/Case			
		00076308510046	51004	28" x 50 ft.		8 Rolls/Case	-		
		00076308510053	51005	28" x 300 ft.		1 Roll/Case			

^{*}Important Note: For more complete product information, instructions and warnings, please refer to the 3M Product Technical Data Sheet for this product which is available at 3M.com/SurfaceProtection.

3M Paint Shop Solutions Guide | 17 16 | 3M Paint Shop Solutions Guide

Plastic Sheeting		UPC	Part #	Size	Mils	Qty/Case	Description
	3M [™] Moisture Resistant Protective Sheeting	0005113167257	06725	16 ft. x 250 ft.	0.65	1/Case	
		00051131067271	06727	12 ft. x 400 ft.		.375 1/Case	3M offers durable protective sheeting options that are puncture and tear resistant, and
	3M [™] Overspray Protective Sheeting	00051131067288	06728	16 ft. x 400 ft.	0.375		waterborne system compatible. Formulated to provide excellent paint adherence and cling to prevent bleed through. Protective sheeting minimizes the risk of imprinting or "ghosting" on damp surfaces, and prevents moisture staining in sheeting.
		00051131067424	06742	20 ft. x 250 ft.			
	3M [™] Plastic Sheeting	00051131067233	06723	12 ft. x 400 ft.	- 0.3 1/Case	1/Casa	
		00051131067240	06724	16 ft. x 400 ft.		17 0436	

Masking Paper		UPC	Part #	Size	Color	Qty/Case	Description
		00021200554919	55491	48" x 1000 ft.			
		00021200065361	06536	36" x 1000 ft.		1 Roll/Case	
R	Scotch® Steel	00021200065248	06524	24" x 1000 ft.			
5	Gray Masking Paper	00021200065187	06518	18" x 1000 ft.	Gray	2 Rolls/Case	
		00021200065125	06512	12" x 1000 ft.		3 Rolls/Case	
		00021200065064	06506	6" x 1000 ft.		6 Rolls/Case	
		50051131067368	06736	36" x 750 ft.		1 Roll/Case	3M offers an assortment of tightly bonded masking paper options that conform to a wide range of shapes and protect against fiber contamination. Specially formulated to protect against bleed-through from a variety of solvents, lacquers and enamels.
	3M [™] Scotchblok [™] Masking Paper	00051131067189	06718	18" x 750 ft.		2 Rolls/Case	
		00051131067387	06738	18" x 180 ft.		12 Rolls/Case	
6 8		00051131067127	06712	12" x 750 ft.	Gold	3 Rolls/Case	
6 8		00051131067325	06732	12" x 180 ft.		12 Rolls/Case	
		00051131067066	06706	6" x 750 ft.		6 Rolls/Case	
11		00051131065314	06531	60" x 750 ft.		10 11/0	
¥		50051131065401	06540	36" x 750 ft.		1 Roll/Case	_
	3M [™] White Masking Paper	00051131065390	06539	18" x 750 ft.	White	2 Rolls/Case	
		00051131065383	06538	12" x 750 ft.		3 Rolls/Case	
Q P		00051131065376	06537	6" x 750 ft.		6 Rolls/Case	



Protective Spray	Coatings	UPC	Part #	Size	Feature	Qty/Case	Description	
		00051131068346	06834	55 Gallon			Spray-on coating applies conveniently with conventional spray equipment for paint booths. Protects all vehicle surfaces	
		00051131068568	06856	15 Gallon	Dry formula	1/Case		
	3M [™] Overspray	00051131068513	06851	5 Gallon				
	Masking Liquid	00051131068476	06847	1 Gallon	4/Case		against automotive paint and primer overspray. Covers hard-to-mask surfaces quickly and eliminates time-consuming bulk masking.	
		00051131068551	06855	55 Gallon	Tacky formula 1/Ca	1/Case		
		00051131068544	06854	15 Gallon		17 Case		
	3M [™] Booth Coating	00051131068407	06840	5 Gallon		1/Case	Spray-on coating applies conveniently with conventional spray equipment for paint booths. Designed to protect walls,	
		00051131068391	06839	1 Gallon	Clear	4/Case	windows, lights and fixtures for optimal lighting and cleanliness. Excellent solvent resistance for protection against paint and primer overspray.	

Paint Process

Your paint booth is not just where you earn your living. It's where you prove yourself, and the value of your entire shop, every single day. As an industry leader in paint application equipment, 3M continues to innovate and change the way you apply paint and other coatings.

3M™ Performance Spray Gun	22
3M [™] PPS [™] Series 2.0	
Spray Cup System	24
Spray Gun	
Cleaner	27
3M™ SUN GUN™ II	
	0-
Light Kit	27



Experience a high-performance finish with paint savings.

Mix less, paint more. That's the power of the 3M™ Performance Spray Gun.

As every painter knows, once paint has been mixed, it's sold. You either use it or lose it, which can cut into your bottom line. What if we told you mixing less paint yet getting the same or better coverage was possible? With the 3M™ Performance Spray Gun, that possibility can become reality. It's superior transfer efficiency, with up to 26% less material waste than leading metal spray guns*, all in the palm of your hand. Don't cut down on your efficiency — start spraying the smart way.

*Maximum transfer efficiency varies by spray gun type and settings.



Precision Performance

Third-party tested, painter approved. It's everything you expect from your best spray gun — just smarter. Spray a full range of high-performance automotive coatings with the highest transfer efficiency among leading HVLP spray guns.



Faster Cycle Times

Integrated system with 3M[™] PPS[™] Series 2.0 Spray Cups and replaceable nozzles delivers the fastest changeovers in the industry, which adds up to faster cycle times and more time in the zone.



Cleans in Seconds

Innovative quick-change replaceable nozzle technology means cleanup can be as simple as a twist and a wipe. And every time you put on a fresh nozzle, it's like getting a brand-new spray gun.



Lightest in the World

Made from an impact-resistant composite material, it's the lightest spray gun in the world. All to enhance your comfort without sacrificing performance or durability.

3M[™] Performance Spray Gun Mix Less. Paint More. Spray Smart.

3M [™] Performance Spray Gun System	UPC	Part #	Qty/Case	Description
3M [™] Performance Spray Gun System with 3M [™] PPS [™] Series 2.0 System				
	04054596831346	26778	1 Kit/Case	For Gravity Application Kit includes: 1 - Performance Spray Gun 1 - Air Control Valve 1 - Locking Collar 15 - Gravity Atomizing Heads (5 each of 1.2, 1.3, 1.4) 1 - 3M™ PPS™ Series 2.0 System
3M™ Performance Spray Gun	00051131268326	26832	4/Case	Includes: 1 – Performance Spray Gun 1 – Air control valve Lightweight, impact-resistant body made from advanced composite material quickly converts between pressure-fed systems and gravity-fed 3M™ PPS™ Series 2.0 Spray Cup System. Easy to change, replaceable nozzles range from 1.1 – 2.0. Designed for comfort. The simple, innovative design means fewer parts to maintain or rebuild.

H/O Products	UPC	Part #	Size	Qty/Case	Description	
3M™ PPS™ Series 2.0	00051131261211	26121	Midi (13.5 fl. oz.)	0/0	A pressurized (H/O) hard cup and collar set that supports and holds 3M™ PPS™ Series 2.0 lids and	
Type H/O Pressure Cup	00051131261242	26124	Large (28 fl. oz.)	- 2/Case	flexible liners. This product is intended for use in place of metal cups on most pressure spray guns.	
3M [™] Performance Spray Gun H/O Conversion Pack	00051131268371	26837	_	4/Case	Equips the 3M [™] Performance Spray Gun to use 3M [™] PPS [™] Series 2.0 Type H/O Pressure Cups. This upgrade adds an air pressure port to the gun for spraying high-viscosity coatings.	

3M [™] Performance Gravity System	UPC	Part #	Color	Size	Qty/Case	Description
3M [™] Performance Gravity HVLP Atomizing Head Refill	00051131267091	26709	O White	0.9	25/Case	
TTT	00051131267121	26712	Blue	1.2	25/Case	
TTT	00051131267138	26713	• Green 1.3	1.3		Used for spraying a wide range
	00051131267145	26714	Orange	1.4	25/Case	coatings, including high-viscosity coatings, sprayable fillers, high-build primers, primer surfacers, sealers, single-stage top coats, solvent-based paints,
	00051131267169	26716	Purple	1.6	25/Case	waterborne paints and clear coats.
	00051131267183	26718	Ø Clear	1.8	25/Case	
	00051131267206	26720	• Red	2.0	25/Case	
3M [™] Performance Gravity HVLP Atomizing Head Refill Kit	00051131267305	26730	Blue Green Orange Red Purple Oclear	1.2 – 2.0	5 Kits/Case	Kit includes: Six Atomizing Heads One of each size: 1.2, 1.3, 1.4, 1.6, 1.8, 2.0

Accessories an	nd Replacement Parts	UPC	Part #	Qty/Case	Description
	O-Ring Kit	00051131268418	26841	4/Case	3M™ Performance Spray Gun Replacement O-Ring Kit.
\Box	Locking Collar	00051131268357	26835	20/Case	Ensures a solid connection between the 3M™ Performance Spray Gun and atomizing heads.
•	Spray Gun Needle	00051131268388	26838	1/Case	Use replacement needle when spray gun needle is damaged, bent or leaks.
	Rebuild Kit	00051131268401	26840	4/Case	Includes exterior replacement parts, all required interior seals, springs, screws and parts. Instruction manual provides specific details on how to rebuild.

Paint Process Paint Process





Engineered for peak performance.

3M[™] PPS[™] Series 2.0 is our most advanced Spray Cup System. It's packed with features to help you perfect your paint jobs.

Domed Lid with Full-Diameter Filter. More paint below the filter improves flow and consistency, while reducing spitting from start to finish.

New Cup in Every Lid and Liner Kit Start with a clean cup more often, reducing paint build-up. On-cup ratios and fill markings eliminate traditional mixing cups.

Sealing Plug Included

Allows you to seal and protect coatings upside down with greater stability when not in use. Use fewer lids by keeping filters wet.



Wide Spout Adapter with Four-Point Connection

Maximizes stability while spraying. Makes cleaning easier.

Quarter-Turn Lid Locking System

Comes with every lid. Stays cleaner. Locks faster. Fewer parts to keep track of.

Access Window

Allows painter to hold the liner for cleaner, easier lid removal when refilling. Also easier to check paint levels.



3M[™] PPS[™] Series 2.0 System

Highest performing disposable spray cup system.

3M [™] PPS [™] Series 2.0) Spray Cup System	UPC	Part #	Size	Filter	Qty/Case	Description	
		00051131260245	26024	Large (28 oz., 850mL)				
		00051131260009	26000	Standard (22 oz., 650mL)				
-		00051131261129	26112	Midi (13.5 oz., 400mL)	200 Micron			
	0.070	00051131261143	26114	Mini (6.8 oz., 200mL)			Highest performing disposable spray cup system for mixing/measuring,	
	3M™ PPS™ Series 2.0 Spray Cup System Kit	00051131260283	26028	Micro (3 fl. oz., 90mL)			filtering, spraying in any direction (360° spray	
78	Kit	00051131263253	26325	Large (28 oz., 850mL)		1 Kit/Case	rotation) and protecting coatings not in use.	
4 1	THE .	00051131263017	26301	Standard (22 oz., 650mL)			Kit contains: 50 lids and liners, 32 sealing plugs,	
		00051131263123	26312	Midi (13.5 oz., 400mL)	125 Micron		1 reusable hard cup.	
		00051131263147	26314	Mini (6.8 oz., 200mL)				
		00051131260283	26328	Micro (3 fl. oz., 90mL)				
	3M [™] PPS [™] Series 2.0 Spray Cup System UV Kit	4054596313415	26710	Standard (22 oz., 650mL)	200 Micron	- 1 Kit/Case	Protects daylight sensitive materials — like UV-curing primers, sealers, base and clear coats — and helps you measure, mix, filter and spray	
		4054596313439	20730	Standard (22 oz., 650mL)	125 Micron		with ease. UV Kit contains: 50 black lids and liners, 32 black sealing plugs, 1 reusable hard cup.	
30 PS - 2603	3M™ PPS™ Series 2.0 Spray Cup System Starter Kit	00051131261723	26172	Standard (22 oz., 650mL)	200		Convenient way to get started with our 3M™ PPS™ Series 2.0 Spray Cup System. Kits are available in Midi and Standard sizes, excellent for	
	Starter Kit	00051131261709	26170	Midi (13.5 oz., 400mL)	Micron	2 Kits/Case	most mid-range repairs. Starter Kit contains: 6 lids and liners, 16 sealing plugs, 1 reusable hard cup.	
3M [™] PPS [™] Series 2.0 Spray Cup System 12-Pack Refill Kit	Spray Cup System	00051131261730	26173	Standard (22 oz., 650mL)	200	2 Kits/Case	Simple, cost-effective way to keep our 3M™ PPS™ Series 2.0 Spray Cup System stocked and ready. Kits are available in Midi and	
	Refill Kit	00051131261716	26171	Midi (13.5 oz., 400mL)	Micron	Z KIIS/Case	Standard sizes, excellent for most mid-range repairs. Refill Kit contains: 12 lids and liners, 16 sealing plugs.	

For Industrial/Occupational use only.

Paint Process
Paint Process



See page 54 for tips on choosing the right 3M™ PPS™ Series 2.0 Spray Cup for your job.

3M [™] PPS [™] Seri	es 2.0 Spray Cup System	UPC	Part #	Size	Filter	Qty/Case	Description
		00051131262003	26200	Large/Standard	200		Features quarter-turn lid locking system, helping eliminate cross-threading and paint build-up. Full-diameter filters built into
	3M [™] PPS [™] Series 2.0	00051131262041	26204	Midi/Mini/Micro	Micron		
	Lid	00051131261990	26199	Large/Standard	125	25/Case	every lid maximize filtration and fluid flow. Domed design and wide
		00051131262058	26205	Midi/Mini/Micro	Micron		spout allow up to 3 fl. oz. (90mL) to be held below the filter, reducing inconsistent spray due
		00051131261501	26150	Large/Standard Type H/O Pressure Lid	200 Micron		to air-entrapment and sputter.
F 1 12		00051131260238	26023	Large (28 oz., 850mL)			
₩	3M [™] PPS [™] Series 2.0	00051131260016	26001	Standard (22 oz., 650mL)		8 Cups/Box	Hard cups designed specifically for 3M™ PPS™ Series 2.0. Mix ratios built into every hard cup — no need
3	Cup	00051131261228	26122	Midi (13.5 oz., 400mL)	- 8 Cups/Bo		for separate inserts. 'Max Fill' notation allows users to fit maximum amount of fluid in cup.
2 1	1	00051131261150	26115	Mini (6.8 oz., 200mL)			maximum amount of fluid in cup.
0	3M [™] PPS [™] Series 2.0 Universal Shaker Core	0005113126458	26458	Fits all lid sizes of 3M™ PPS™ Series 2.0	_	12/Case	Fits on top of the domed lid and fits into the 1/4-turn lid locking system, creating a stable, durable and even surface for clamping cup tightly into paint shakers.
	3M [™] PPS [™] Series 2.0 Shaker Core and Support Cup Kit	00051131264595	26459	Fits standard and large sizes of 3M™ PPS™ Series 2.0	_	1/Case	Kit creates stable, durable and even surfaces for clamping 3M™ PPS™ Series 2.0 hard cups tightly into paint shakers. The support cup prevents bending or crushing of the hard cup when shaking by redirecting the force of the shaker clamp onto the support cup.
	3M [™] PPS [™] Series 2.0 Sealing Plug	00021200063084	26432	Fits all lid sizes of 3M™ PPS™ Series 2.0	_	576/Case	Wide, flat design makes a stable base when cups are turned upside down. Excellent for temporary sealing and protection of coatings. Keep filters wet for longer life, fewer lid replacements. Use to seal lid while mixing in paint shakers.

For Industrial/Occupational use only.

3M [™] PPS [™] Seri	es 2.0 Spray Cup System	UPC	Part #	Size / Description	Qty/Case	Description
M SM	3M [™] PPS [™] Lid and Liner Dispenser	00051131162198	16219	Lid Dispenser Fits all sizes 3M™ PPS™ Series 2.0	- 1/Case	Dispenses all available liner sizes for 3M™ PPS™ Series 2.0. Offers exceptional convenience to access 3M™ PPS™ liners. Keeps liners clean, neat, organized and free from contamination. Top-loading access for reloading 3M™ PPS™ liners. Wall mountable.
B		00051131162990	16299	Liner Dispenser Fits all sizes 3M™ PPS™ Series 2.0		
dille		00051131260030	26003	Type 2 #S2 3M™ PPS™ 1.0 Legacy Part # 16003		Specifically designed adapters allows painters to use the 3M™ PPS™ Series 2.0 with virtually any spray gun. Stainless steel adapter offers exceptional durability. Threaded adapter is easy to install. Need a new 3M™ PPS™ Series 2.0 or 3M™ PPS™ Adapter for your spray gun? Find a complete list of adapters at 3MCollision.com/PPSadapters
	3M [™] PPS [™] Series 2.0 and 3M [™] PPS [™]	00051131260160	26016	Type 9 #S9 3M™ PPS™ 1.0 Legacy Part # 16016		
	Adapters	00051131260467	26046	Type 15 #\$15 3M™ PPS™ 1.0 Legacy Part # 160046	4/Case	
	Most Popular Sizes	00051131261358	26135	Type 40 #S40 3M™ PPS™ 1.0 Legacy Part # 16135		
W		00051131261396	26139	Type 43 #S43 3M™ PPS™ 1.0 Legacy Part # 16139		


Accessories

Accessories		UPC	Part #	Size / Description	Qty/Case	Description
and the second	3M [™] High Power Spray Gun Cleaner Low VOC	00051131266896	26689	15 oz. (426g) Aerosol Can	6/Case	Specifically formulated for removing waterborne and solvent-based coatings from metals, plastic and composite surfaces. This low VOC spray gun cleaner meets the requirements of SCAQMD Rule 1171.
	3M™ SUN GUN™ II Light Kit	00051131165502	16550	Kit includes: 3M™ SUN GUN™ light with 50 watt bulb, rechargeable battery and charger with power supply	1/Case	Replicate natural sunlight to better match automotive and industrial paint colors. Evaluate damage for better estimates of cost of repair. Locate defects prior to painting vehicle or substrate. Identify imperfections in paint quality. Improve the professionalism of automotive and industrial paint jobs.

Paint Finishing

3M products designed to work together for buffing, polishing, and repairing post-paint defects such as dirt nibs, sand scratches and swirl marks. The result: better paint finishes in less time.

Paint Finishing Guide 29 Paint Defect Removal and Scratch Refinement 30 Paint Finishing Systems 32 Wool and Foam Pads 34



Choose the paint finishing system that's right for you.

Paint Defect Removal

Remove dirt nibs and level excess surface texture over large or small areas.



3M™ Hookit™ Purple Finishing Film Abrasive Disc

P1200 / P1500 / P2000



3M™ Trizact™ Hookit™ Clear Coat Sanding Disc

1500

OR



3M™ Paint Defect Removal Abrasive Circle Sheet

1000 / 1500 / 2000 / 2500 / 3000

Refinement

Further refine the scratches left after defect removal to help reduce compounding time.



3M™ Trizact™ Hookit™ Foam Discs

3000

3M™ Trizact™ Hookit™ Foam Discs 5000 / 6000



3M™ Trizact™ Hookit[™] Foam Discs

8000

Compounding

Helps remove previous sand scratches.



3M™ Perfect-It™ EX AC Compound

Skip Rubbing Compound Step

Polishing

Helps remove compound



3M™ Perfect-It™ **EX Machine Polish**

Swirl Elimination

Helps eliminate fine swirl marks, especially those that show up on dark colored vehicles.



3M™ Perfect-It™ **EX Ultrafine Machine** Polish



3M™ Perfect-It™ 1-Step Finishing System

Post-Paint Post-Paint

Paint Defect Removal and Scratch Refinement 600 grit and finer

Fine Abrasive Disc	s	UPC	Part #	Grade	Size	Qty/Case	Description	
		00051131306714	30671	P600				
		00051131306707	30670	P800				
		00051131306691	30669	P1000	- 6"			
		00051131306684	30668	P1200				
-		00051131306677	30667	P1500				
SM SM SM S		00051131306660	30666	P2000				
120		00051131305717	30571	P600				
		00051131305700	30570	P800		200 Discs/Case	Features an updated coating that levels surface defects on clear coat and greatly	
	3M™ Hookit™ Purple Finishing Film	00051131305694	30569	P1000	5"		reduces pigtails. Aluminum oxide abrasive cuts fast, lasts a long time, resists loading	
ON SM SM	Abrasive Disc	00051131305687	30568	P1200			with or without hole pattern designs and leaves a consistent, easy-to-polish finish.	
Fig. 1. St. St. St. St. St. St. St. St. St. St		00051131305670	30567	P1500			Our 3M™ Hookit™ attachment system makes disc change-outs fast and easy.	
		00051131305663	30566	P2000				
		00051131303713	30371	P600	- 3" -			
12.0		00051131303706	30370	P800				
		00051131303690	30369	P1000				
		00051131303683	30368	P1200				
		00051131303676	30367	P1500				
		00051131303669	30366	P2000				
		00051131307711	30771	P600				
		00051131307704	30770	P800				
		00051131307698	30769	P1000	6"			
		00051131307681	30768	P1200	7-Hole			
	3M™ Hookit™ Purple	00051131307674	30767	P1500			Premium dust-free finishing discs available in 7 hole, and 17 hole patterns designed to	
the state of the s	Finishing Film Disc	00051131307667	30766	P2000		200 Discs/Case	meet your dust extraction needs. Specially formulated coating reduces pigtails and	
26. 265	Dust Free	00051131347809	34780	P600		ZOO DISCS/ Case	boosts abrasive life. Flexible, durable film backing increases conformability.	
	Dustifiee	00051131347816	34781	P800	6" 17-Hole		3M™ Hookit™ attachment system makes for fast, efficient disc change-outs.	
W 200 200		00051131347823	34782	P1000				
		00051131347830	34783	P1200				
		00051131347847	34784	P1500				
		00051131347854	34785	P2000				

Fine Abrasive Disc	cs	UPC	Part #	Grade	Size	Qty/Case	Description	
	3M [™] Trizact [™] Hookit [™] Blending Disc	00051131020900	02090	P1000	6"	60 Discs/Case	Ideal for scuff sanding and blending panels. Foam backing adds control, preserves orange peel for better	
	P1000	00051131020917	02091	P1000	3"	1 60 Discs/Case	texture matching. Recommended to be used damp to limit loading and extend disc life.	
174 Th	3M™ Trizact™ Hookit™	00051131020887	02088	P1500	6"		Part of the 3M™ Perfect-It™ Paint Finishing System for high gloss,	
Timest = 0	Clear Coat Sanding Disc	04046719907366	02095	P1500	5"	100 Discs/Case	deep color finishes. Ideal for spot repairs, including	
0 "	P1500	04046719907434	02094	P1500	3"		leveling dust nibs and orange peel, before sand scratch removal.	
		00051131020856	02085	P3000				
		00051131306622	30662	P5000	6"			
		00051131308060	30806	P8000			Part of the 3M™ Perfect-It™ Paint Finishing System for high gloss,	
	3M™ Trizact™ Hookit™ Foam Abrasive Disc	00051131020962	02096	P3000		60 Discs/Case	deep color finishes. Foam abrasive discs for scuff sanding, blending and removing	
	P3000 and finer	00051131305625	30562	P5000	5"		fine grade sand scratches prior to compounding on spot and large panel repairs. Long lasting,	
		00051131308053	30805	P8000			even-wearing abrasive can help reduce or eliminate extra materials	
		00051131020870	02087	P3000			and even full stages of the paint finishing process in specific cases.	
		00051131303621	30362	P5000	3"			
		00051131308046	30804	P8000				
150000	3M™ Trizact™ Hookit™ Foam Sheets	04054596019737	30290	P3000	_	60 Sheets/Case	Ideal for painted surfaces where hand sanding is preferred and for	
		00051131302891	30289	P5000	_		hard-to-reach areas. Foam abrasive sheet for scuff sanding, blending and removing fine grade sand	
	P3000 and finer	00051131308039	30803	P8000		50 Sheets/Case	scratches prior to compounding.	
		00051131338890	33889	P1000				
7000 2500 7500 3000	3M™ Paint Defect	00051131338920	33892	P1500	_		Small circular abrasive minimizes repair area — attaches to small handheld cylinder for cutting out	
	Removal Abrasive Circle Sheet P1000 – P3000	00051131338951	33895	P2000	32mm	100 Sheets/Case	nibs by hand. Durable film backing holds up during dry or wet sanding. Coated aluminum oxide abrasive is	
		00051131338982	33898	P2500	_		optimized for sanding small areas. 3M™ Stikit™ attachment.	
		00051131339019	33901	P3000				
		00051131339095	33909	_	30mm x 29mm	10/Case	Handheld sanding cylinder. May be used both dry and wet.	

See page 38 for Tools and Accessories.

See page 38 for Tools and Accessories.

Post-Paint Post-Paint





3M™ Perfect-It™ 1-Step Paint Finishing System without Rubbing Compound


When it comes to paint finishing, having the right tools and products can make all the difference. As part of this system, compounding can be eliminated by sanding with 3M™ Trizact™ 8000, our incredibly fine abrasive grade. Follow up with our 3M™ Perfect-It™ 1-Step Finishing Material and corresponding purple 3M™ Perfect-It™ 1-Step Foam Finishing Pad to help achieve a finish you desire.

3M [™] Perfect	-It [™] 1-Step System	UPC	Part #	Size	Qty/Case	Description
		00051131308084	30808	6"		Follow the 3000 grade 3M™ Trizact™ Abrasive step by refining
	3M™ Trizact™ Hookit™ Foam Disc Kit	00051131308022	30802	6"	40 Kits/Case	the sanded finish with the 8000 grade 3M™ Trizact™ Abrasive before polishing.
		00051131308077	30807	3"		Multi-grade kit: 3000 and 8000. See page 31 for other grades and sizes.
<u>*</u>	3M™ Perfect-It™	00051131330443	33044	1 Pint (16 fl. oz.)	6/Case	- Fast cutting finishing material designed to help remove
1-Step Finishing Material	1-Step Finishing	00051131330399	33039	1 Quart (32 fl. oz.)	6/Case	3000 and 8000 grade 3M™ Trizact™ Abrasives scratches. Helps eliminate the use of traditional rubbing compounds and can leave a high-gloss finish with minimum swirl marks.
	00051131330405	33040	1 Gallon (128 fl. oz.)	4/Case	Use with purple foam finishing pad.	
and the same of th		00051131330337	33033	4"	12/Case	- Purple foam pad can help compound and polish in one
	Finishing Pad	00051131330344	33034	6"	- 6/Case	step — you can achieve a high-gloss finish without the time and expense of traditional compounding. Also available in single-sided pads with 3M™ Hookit™ attachment for quick
		00051131330351	33035	8"	o, case	change-outs.

See page 38 for Tools and Accessories.







Classic 3M[™] Perfect-It[™] Paint Finishing System with Rubbing Compound

For those who prefer to compound, our classic 3M™ Perfect-It™ Paint Finishing System offers products for every stage of the paint finishing process. The EX platform helps deliver fast cut and long working time, with minimal sling for easy cleanup. From compounding to swirl removal, our classic system can leave a refined finish on a variety of painted surfaces.

Compound a	and Polishes	UPC	Part #	Size	Qty/Case	Description
		00051131360570	36057	1 Pint (16 fl. oz.)	6/Case	Our best-performing rubbing compound for removing P1200+
Management	3M™ Perfect-It™ EX AC Rubbing Compound	00051131360600	36060	1 Quart (32 fl. oz.)	6/Case	sand scratches and surface defects before polishing, even on the latest clear coats. It is formulated to perform in all conditions, including high heat and humidity, without sticking to panels or leaving film residue. It delivers a longer working time, yet still
		00051131360617	36061	1 Gallon (128 fl. oz.)	4/Case	reduces sling for easier cleanup.
<u>.</u>	3M™ Perfect-It™ EX Machine Polish	00051131360938	36093	1 Pint (16 fl. oz.)	6/Case	
Section 1		00051131060944	06094	1 Quart (32 fl. oz.)	6/Case	We've combined innovative ingredients with our high-performance liquid mineral technology to create a machine polish that cuts, handles, and cleans up better. Helps deliver long working time, with minimal sling for easy cleanup.
		00051131060951	06095	1 Gallon (128 fl. oz.)	4/Case	
4		00051131390621	39062	1 Pint (16 fl. oz.)	6/Case	Our high-performance ultrafine machine polish has a unique
M COOK	3M™ Perfect-It™ EX Ultrafine Machine Polish	00051131060685	06068	1 Quart (32 fl. oz.)	6/Case	formula to quickly and effectively eliminate swirl marks. It produces a high gloss finish, even on the most difficult dark-colored vehicles. It has good handling and easy cleanup
		00051131060692	06069	1 Gallon (128 fl. oz.)	4/Case	allowing you to use less.

Achieve a showroom-grade paint finish with specially engineered wool and foam pads.

Wool and Foam			Part #	Color	Size	Qty/Case	Description	
	3M™ Perfect-It™ Wool	00051131332874	33287	- O White Wool	6"	- 6/Case	100% Wool. Fastest cut and less heat.	
3		00051131057548	05753	O writte wool	9"	0/ Case		
	Compounding Pad	00051131332805	33288	Low Lint	6"	- 6/Case	Low Lint 100% Wool. Reduces lint, better finish.	
		00051131332799	33279	O White Wool	9"	0, 0400		
THE RESERVE THE PERSON NAMED IN	BM™ Perfect-It [™] Wool Polishing Pad	00051131057531	05754	• Yellow Wool	9"	6/Case	Wool blend. Removes compound swirl marks and fine paint surface defects.	
attre.	3M [™] Perfect-It [™] Foam Compounding Pad	00051131300415	30041		4"	12/Case	Eliminate lint, finest finish. Our highest-	
0		00051131332843	33284	O White Foam	6"	- 6/Case	performing foam compounding pads for refining sand scratches, slow-speed polishing, denibbing and more. Foam face pattern provides more surface contact, holds	
4111		00051131057067	05706		8"		compound better and reduces slinging.	
	3M™ Perfect-It™ Foam Polishing Pad	00051131300422	30042		4"	12/Case	Soft foam buffing pad used to buff out fine	
CARCINICIDE - DESCRIPTION		00051131332850	33285	● Gray Foam	6"	- 6/Case	scratches created from compounding steps. Waffle face gives you greater surface contact area over contoured surfaces, minimizes heat buildup and helps eliminates swirl marks, hold	
		00051131057074	05707		8"		the polish and reduce slinging.	
		00051131300439	30043		4"	12/Case	- Helps to eliminate swirl marks on painted	
	3M [™] Perfect-It [™] Foam Ultrafine Polishing Pad	00051131332867	33286	Blue Foam	6"	- 6/Case	surfaces, even on difficult dark colored cars. Waffle face design holds liquid polish. Applies polish evenly without releasing excess polish that may cause ripples in the finish.	
		00051131057081	05708		8"		tnat may cause rippies in the finish.	
100.00	BM™ Perfect-It™ Quick Connect Adaptor	00051131057524	05752	Silver / Purple	5/8-11"	10/Case	Quick Connect system makes it easy to quickly lock, center and changeout the pads to a large range of standard rotary polishers.	

Detailing Products

For any automotive surface you need to look great—chrome, metal, rubber, SRC, paint and more—3M has a solution. Each of our detailing products is scientifically formulated for removing contaminants and bringing out the luster where it matters most.

Glass and Surface Cleaners 35

Wax and Glaze Cleaners 36

Upholstery and 36

Leather Cleaners 37

Detailing Cloths 37



Deliver clean, shiny repairs.

Products designed by professionals, for professionals.

Glass and S	Surface Cleaners	UPC	Part #	Size	Qty/Case	Description
		00070382013578	D10705	5 Gallon Drum	1/Case	Fast and effective for both interior and exterior cleaning across many surfaces. Advanced formula is solvent-free
	Meguiar's® Citrus Power Cleaner Plus	00070382013561	D10701	1 Gallon Container	4/Case	and low foaming for safe and effective cleaning. Safe on carpet, upholstery, leather, plastics, engines, wheel
		00070382010256	D20107PK12	32 oz. Bottle	12/Case	wells, and more. Ideal for use in hot or cold extractors, air-powered tools and via spray bottle.
	Meguiar's® Super Degreaser	00070382208059	D10805	5 Gallon Drum	1/Case	
		00070382208011	D10801	1 Gallon Container	4/Case	Strong and fast acting for the toughest jobs. Residue-free performance. Pleasant fragrance.
		00070382008727	D20108	32 oz. Bottle	12/Case	
	Meguiar's® Glass Cleaner Concentrate	00070382120054	D12005	5 Gallon Drum	1/Case	Glass cleaner concentrate easily and consistently
		00070382120016	D12001	1 Gallon Container	4/Case	removes tough vinyl fog residue and smoker's film. Removes road grime, dirt and bug splatter leaving crystal clear, streak-free glass. Ease and convenience
		00070382008734	D20120	32 oz. Bottle	12/Case	of a spray-on, wipe-off product saves on time.

See page 38 for Tools and Accessories.

Wax and Gla	ze Cleaners	UPC	Part #	Size	Qty/Case	Description		
	Meguiar's [®] Citrus Blast Wash & Wax	00070382013592	D11305	5 Gallon Drum	1/Case	Citrus Blast scent and high lubricity cleaners are sure to make this a new favorite bucket wash among pros and enthusiasts. Specially formulated to clean all exterior vehicles surfaces using less time and water. Premium		
***************************************		00070382013585	D11301	1 Gallon Container	4/Case	carnauba wax protection offers noticeable pop and gloss. Unique formula allows foam to quickly break and saves precious water during rinse step.		
Latible DETAIL!"	Meguiar's® Mirror Glaze® Professional Detailing Clay	00070382720001	C2000 Mild	200g	10.10	Quickly and easily removes bonded surface contaminants. Restores a "smooth as glass" finish.		
		00070382721008	C2100 Aggressive	Tub	12/Case	Completely non-abrasive and safe on clear coat and single stage paint.		
	Meguiar's [®] Mirror Glaze [®] Final Inspection	00070382134013	M3401	1 Gallon Container	4/Case	Quick and easy to use mist-on and wipe-off formula that will safely remove fresh and light contaminants while maintaining an amazing shine. Use to evaluate		
		00070382134167	M3416	16 oz. Bottle	6/Case	paint repairs or look for surface defects. Spray and wipe for quick clean-up of compound, polish, and residue. Safe and effective on all paint finishes including clear coats.		

Upholstery a	nd Leather Cleaners	UPC	Part #	Size	Qty/Case	Description
- LET SEL	Meguiar's [®] Pro Fiber Rinse & Tannin Stain Remover	00070382009410	D10601	1 Gallon Container	4/Case	Fast tannin stain remover (Coffee, tea, wine, etc.). Carpet and cloth seats pH neutralizer. Minimizes re-soiling.
	Meguiar's [®] Pro Protein Stain Remover	00070382010096	D11601	1 Gallon Container	4/Case	Fast protein based stain remover (Milk, food, and organic matter). Effective on microfiber interiors. Concentrated formula.
	Meguiar's® Leather Cleaner & Conditioner	00070382180027	D18001	1 Gallon Container	4/Case	Formulated to enhance the appearance of interior leather and vinyl surfaces. Thick, rich lotion that leaves a non-oily, natural, soft, supple finish. Gentle and specialized cleaners coupled with conditioning agents.
	Meguiar's® Odor Eliminator	00070382002350	G2316	16 oz. Bottle	6/Case	Makes your vehicle smell fresh and clean anytime. Removes even the toughest odors — like smoke, spoiled food, pet accidents, and more — while instantly freshening automotive interiors. Easy to use and convenient trigger spray, just spray and the odors will permanently go away.

Meguiar's® Wheel Brightener Meguiar's® Non-Acid Wheel and Tire Cleaner Meguiar's® Silicone Free Dressing Meguiar's® Silicone Free Dressing Meguiar's® Silicone Brightener D14001	nd ke grime se-off
Meguiar's® Wheel Brightener 00070382240011 D14001 1 Gallon Container 4/Case easily removes tough and stubborn brak dust. Effective at removing tar, dirt, and with little or no scrubbing. Spray-on, how with water, wipe. Concentrate can be dup to 4:1. Meguiar's® Non-Acid Wheel and Tire Cleaner 00070382008628 D14305 5 Gallon Drum 1/Case Effective and easy cleaning on wheels a tires. Quickly removes brake dust, road light grease and dirt. Spray on, lightly aghose off. Meguiar's® Silicone Free Dressing 00070382261054 D16105 5 Gallon Drum 1/Case High-performance dressing that can be used in any silicone-sensitive environme Produces an incredibly deep, rich glossy on all exterior rubber and plastic surface	ke grime se-off
Meguiar's® Non-Acid Wheel and Tire Cleaner Meguiar's® Silicone Free Dressing Meguiar's® Silicone Free Dressing Meguiar's® Silicone Free Dressing D20140 D14305 D14305 D14305 D14305 D14305 D14305 D14305 D14305 D14305 D14306 D14301 D	ilutea
Meguiar's® Non-Acid Wheel and Tire Cleaner D14301 D1	
Meguiar's® Non-Acid Wheel and Tire Cleaner 00070382008611 D14301 1 Gallon Container 4/Case tires. Quickly removes brake dust, road light grease and dirt. Spray on, lightly ag hose off. 00070382009472 D20143 32 oz. Bottle 12/Case Meguiar's® Silicone Free Dressing 00070382261054 D16105 5 Gallon Drum 1/Case High-performance dressing that can be used in any silicone-sensitive environment of produces an incredibly deep, rich glossy on all exterior rubber and plastic surface	
Meguiar's® Silicone Free Dressing D20143 Bottle 12/Case Bottle 12/Case Bottle 1/Case High-performance dressing that can be used in any silicone-sensitive environme Produces an incredibly deep, rich glossy on all exterior rubber and plastic surface	grime,
Meguiar's® Silicone Free Dressing Migh-performance dressing that can be used in any silicone-sensitive environme Produces an incredibly deep, rich glossy on all exterior rubber and plastic surface	
Meguiar's® Silicone Free Dressing O0070382261016 D16101 D16101 I Gallon Container 4/Case used in any silicone-sensitive environment produces an incredibly deep, rich glossy on all exterior rubber and plastic surface	
VOC compliant formula	ent. y shine
00070382008833 D20161PK12 32 oz. Bottle 12/Case VOC-compliant formula.	
00070382013929 D180105 5 Gallon Drum 1/Case Highly effective pro-strength iron removengineered for both wheels and paint. R	
Meguiar's® Wheel & Paint Iron DECON Meguiar's® Wheel & O0070382013912 D180101 D180101 1 Gallon Container 4/Case removes iron and changes colors. Gentle neutral formula is safe on all wheels and brake components. Gel formula clings to to remove road grime, grease and iron.	l painted o wheels
00070382014117 D201801PK12 32 oz. Bottle 12/Case and effectively removes iron particles from body panels, too.	

Detailing Cloth		UPC	Part #	Color	Size	Qty/Case	Description
THE PARTY OF THE P	3M™ Perfect-It [™] Detailing Cloths	00051131060166	06016	Yellow	- 12" x 14"	6/Pack	Cloth removes oily or filmy residue including waxes, polishes, glazes and fingerprints and is ideal for paint, chrome, glass, dashboards and more. Paint shop safe.
Manufacture of the second of t	Detailing Cloths	50051131060208	06020	Light Blue			

Tools and Accessories

Choosing the right abrasives for your paint finishing and automotive repair project is critical — and so is using the right tool. 3M offers full systems of high-quality metal grinding and sanding tools, disc backup pads and accessories to optimize abrasive performance and maximize productivity. Whether your job calls for an angle grinder, a sanding tool or a buffer, 3M has you covered with the power tools, accessories and service you need.

Festool Automotive
Systems 40

3M™ Power Tools 44

Sanding Accessories 45

Paint Shop Accessories 47



A compact system with sweeping benefits.

3M and Festool together, bringing you one of the most effective and comprehensive surface preparation and finishing systems in the collision repair industry.



Profitability + Efficiency

Helps reduce the amount of dust in the air from sanding, which can lead to less rework, helping drive improved cycle time and process efficiency.

- Helps reduce cleanup time
- Can enhance workplace efficiency by reducing time spent searching for tools and materials
- Workcenter helps enable the use of abrasives to end of life, which can lead to reduced material spend
- Increased technician mobility

Health + Safety

Designed with the technician's safety in mind.

- Integrated dust extraction system helps reduce dust
- IAS anti-static hose
- Ergonomic, non-slip tool design
- Pad brake means less tool free spin
- Helps improve shop cleanliness

For Industrial/Occupational use only.

Tools and Accessories Tools and Accessories

Festool Automotive Systems

Build the system that's right for you.

Festool Power Too	ls	UPC	Part #	Description	Size	Stroke Rate	Qty/Case	Description
Rotary and Orbit Sand	ders							
		04014549286548	29951	LEX 3 150/3		3mm		
	Festool Automotive Systems Compressed Air Eccentric Sander LEX 3	04014549286197	29950	LEX 3 150/5	6"	5mm	1/Case	Contains: Operation tool, sanding pad, bottle of cleaning and lubricating oil.
		04014549286241	29952	LEX 3 150/7		7mm		
	Festool Automotive Systems Compressed Air Eccentric Sander LEX 3 77/2.5	04014549277935	29949	LEX 3 77/2.5	3"	2.5mm	1/Case	Contains: Operation tool, sanding pad, bottle of cleaning and lubricating oil.
	Festool Automotive Systems Random Orbit Sanders ETS EC	04014549286012	29943	ETS EC 150/3 EQ	C	3mm	- 1/Case	Low profile.
		04014549286159	29945	ETS EC 150/5 EQ	- 6"	5mm		Contains: Operation tool, sanding pad.
	Festool Automotive Systems Geared Eccentric Sander RO 150 FEQ-Plus	04014549286487	29941	RO 150 FEQ-Plus	6"	5mm	1/Case	Contains: Operation tool, sanding pad, Systainer SYS 3 T-LOC.
Polisher								
d =1 1 =	•	04014549277850	29940	SHINEX RAP 150-14 FE	6"	_	1/Case	Contains: Operation tool, polishing pad, additional side-mounted hand grip.
<u>.</u>	Polisher SHINEX	00051131057524	05752	3M™ Quick Connect Adaptor	14mm		10/0	Allows quick changes of buffing pads.
i	RAP 150-14-FE	00051131336605	33660	3M™ Screw On Buffing Pad Adaptor	14mm	_	- 10/Case	Attaches buffing pads or backup pads to polishers.



Sanding Blocks		UPC	Part #	Size	Qty/Case	Description	
		00051131052161	05216	4.5" x 11.5"	3/Case		
	3M™ Hookit™ Sanding Block Dust Free	00051131052093	05209	2.75" x 15.59"	1/Case	Has small holes for use with a vacuum system to limit dust and loading. Helps reduce hand fatigue and make sanding challenging locations easier.	
		00051131052086	05208	2.75" x 7.5"	- 5/Case	Sanding blocks deliver more consistent and effective hand sanding results.	
		00051131052079	05207	2.75" x 5"	5/ Case		
S		04014549278475	29911	3.15" x 15.75"		Sanding block vacuums while you sand and	
	Festool Automotive Systems Sanding Blocks HSK-A	04014549278482	29912	3.15" x 7.88"	1/Case	is easy to handle and control. Versatile system is perfect for everything from flat surfaces to contours. Abrasive changes are quick and	
		04014549278451	29909	3.15" x 5.12"		easy to save time.	

Tools and Accessories Tools and Accessories

Festool Sanding and Interface Pads	UPC	Part #	Size	Description	Case/Qty	Description					
	Festool Sanding F	ads ST-	STF								
	04014549289129	30002	7.25"	Soft							
	04014549332412	30063		Medium		Pad offers high performance sanding.					
	04014549332429	30064	6"	Soft	5/Case	Backing Pads come in ultra soft, soft and hard options. MULTI-JETSTREAM 2 Technology increases airflow. Compatible					
	04014549332474	30068		Hard		with all LEX 3 and ETS EC sanders sanding.					
Festool Automotive	04014549278673	29956	3"	Hard							
Festool Automotive Systems Sanding	Festool Interface	Festool Interface Pads									
and Interface Pads	04014549332498	30093	6"	15mm thick		Pad offers optimal thickness for sanding					
	04014549332481	30092		5mm thick	10/Case	curved components. Increased airflow results in cooler running. The hook and					
	04014549278628	29930	3"	10mm thick		loop design offers quick abrasive changes.					
ATT	Festool Protection	Pads									
	04014549362396	30089	6"	_	2 Pads/Pack, 10 Packs/Case (20/Case)	Pad helps prolong the life of the backup pad and maintain consistent attachment of net abrasive discs.					

Festool Mobile I	Oust Extractor	UPC	Part #	Size	Qty/Case	Description
CO	Festool Automotive Systems Mobile Dust Extractor CT 36	04014549282946	29947	9.5 Gallon Dimensions: 24.8" x 14.4" x 23.5"	1/Case	Contains: SELFCLEAN filter bag, suction hose, hose holder, Sys doc, cable holder, in a carton.
			29889	16.4 ft.		Suction hose is suitable for sanding
	Festool Automotive Systems CT Suction Hose Plug-It	04014549278086	29890	32.8 ft.	1/Case	application. Resists temperatures to 158°F (70°C). Comes complete with rotating adapter and reducing sleeve
		04014549305065	30006	5m, Anti-static, Smooth		with bayonet fitting.
	Festool Automotive Systems Suction Hose	04014549278376	29899	16.4 ft.	1/Case	Pliable 27mm hose resists kinking and tearing. Includes rotating connector — compatible with wide range of Festool equipment. Prevents clogging inside the hose for efficient work time.
		04014549278536	29916	16.4 ft.		2-in-1 hose and IAS interface are easy
	Festool Automotive Systems IAS 3-Light AS Hose	04014549288085	30005	32.8 ft.	1/Case	to use and save time when changing tools. Rotating adapter ensures smooth, rapid
		04014549278581	29924	24 ft.		working progress and saves time.

Festool Accessorie	es	UPC	Part #	Size	Qty/Case	Description
		04014549278093	29892	_	5.10	Festool Y Piece Adapter, Anti-static
7	Festool Automotive	00051131386006	29895	_	5/Case	Festool Adapter AD IAS
- Op	Systems Hose Adaptors	04014549278239	29920	_	1/Case	Festool IAS Double Adapter
		04014549278345	29959	_	5/Case	Festool Extraction Adapter
	Festool Automotive Systems IAS Adapter 3-SD Non VAC Airline	04014549278543	29917	90mm	1/Case	Use for connecting compatible Festool compressed air sanders directly to hoses. Works with Festool IAS 3 interface sanders.
(HE	Festool Automotive Systems Compressed Air Module	04014549278178	29901	Festool CT 26/36 dust extractors	1/Case	Ideal for high production environments. Air module drives pneumatic sanders with tool triggered activation. Required accessory for use with all Festool pneumatic tools.
	Festool Automotive Systems Sortainer Sys 4 TL SORT/3	04014549278314	29964	15.6" x 11.7" x 12.7"	1/Case	Contains three large drawers for convenient storage and transport. Drawers lock in place, preventing equipment loss during transport. Flush construction — drawers won't jam even if equipment shifts.
	Festool Automotive Systems Workcenter WCR 1000	04014549278185	29921	41.3" x 14.3" x 21.5 – 30.9"	1/Case	Connects without tools to nearly any Festool mobile dust extractor. Adjustable height columns help keep equipment within easy reach, allow for Systainer storage.
	Festool Automotive Systems Toolcenter TC3000/2	04014549278697	29948	37.8" x 18.5" x 42.1" 3kg / 94.8 lbs	1/Case	Durable, mobile storage and transport of machines and tools. Lockable cabinet provides secure storage. Lower dock is designed for attaching and storing Festool dust extractors. Includes hose holder hook; additional accessories available.
	Festool Automotive Systems Main Filter	04014549278222	29938	HEPA-HF-CT, 26/36/48	1/Case	Certified filtering system. Design allows full use of canister and filter bag volume. Reduces dust in a shop environment and is compliant with EPA RRP guidelines.

Tools and Accessories Tools and Accessories

Festool Access	sories	UPC	Part #	Dimensions	Qty/Case	Description	
O	Festool Automotive Systems Self Cleaning Filter Bags	04014549278420	29905	CLEANTEC 26 and CLEANTEC 36	5/Case	High-quality cloth filter bag works with mobile dust extractors Self-cleaning feature cleans dust deposits inside the filter bag automatically.	
	Festool Automotive Systems Cleaning and Lubricating Oil	04014549278321	29894	50mL bottle	10/Case	Formula is suitable for LEX and LRS models. Cleaning properties keep residue from building up. Lubricating properties allow gears to operate smoothly.	
	Festool Automotive Systems	04014549278260	29931	LEX 3/77	5.40	Genuine Festool replace part offers compatibility to the system that is designed	
	Replacement Air Inlet LEX 3	04014549278277	29932	LEX 3/150	- 5/Case	to exchange a damaged air connection piece. Replacement piece is designed to maintain optimal performance.	
\bigcirc	Festool Automotive Systems O-Rings	04014549278284	29954	Universal	20/Case	Replacement for Festool sanders including LEX 3 and LRS. Airtight seal helps ensure peak performance of sanding and dust extraction equipment.	

3M[™] Power Tools

3M Orbital Sande	ers	UPC	Part #	Size	Max RPM	Motor HP (W)	Qty/ Case	Description	
	3M [™] Non-Vacuum Orbital Sander — Original Series	00051141203317	20331	3" x 4" 1/8" Orbit	10,000	0.24 (179)	1/Case	Ideal for sanding in tight areas or on vertical surfaces.	Non-Vac 3M™ Hookit™ 20433
	3M [™] Orbital Sanders — Elite Series	00051141285276	28527	2-3/4" x 7-3/4" 1/8" Orbit	10,000	0.28 (209)	1/Case	Ideal for sanding in tight areas or on vertical surfaces.	Non-Vac 3M™ Hookit™ 28531
		00051141285283	28528						Central Vac 3M™ Hookit™ 28531
		00051141285290	28529						Self-Gen Vac* 3M™ Hookit™ 28531

^{*}One (1) each of the following included: $3M^{\mathbb{N}}$ Clean Sanding Filter Bag, Filter Bag Adapter, Hose Seal.

Sanding Accessories

Sanding Disc Pads a	nd Blocks	UPC	Part #	Size	Qty/Case	Description	
	3M™ Hookit™ Clean Sanding Low	00051141204253	20425	6" Diameter 11/16" Thick	10/Case	Multi-hole pattern maximizes dust extraction. Soft density foam provides flexibility for reduced edge cutting and increased conformability. Loading is	
	Profile Finishing Disc Pad	00051141202907	20290	5" Diameter 11/16" Thick		significantly reduced to prolong life of abrasive. 3M™ Hookit™ for quick disc changeouts. 10 degree blunt tapered edge.	
	3M [™] Hookit [™] Clean Sanding Low Profile Disc Pad	00051141204659	20465	6" Diameter 3/8" Thick	10/Case	Constructed of soft density foam with a 10 degree blunt tapered edge and is recommended for finishing applications on flat or contoured surfaces where dust evacuation is needed.	
- 3	3M™ Hookit™ Soft Interface Pad	00051131057777	05777	6" Diameter 1/2" Thick	- 10/Case	Adds support to disc pad for improved abrasive cut and closer edge sanding. Soft foam construction conforms to contours for a finer finish. Hole	
(ii)	interrace rad	00051131057715	05771	3" Diameter 1/2" Thick	107 Gusc	configurations help clear dust from the work surface. Reduces vibration from orbital sanding tool. 3M™ Hookit™ for quick disc changeouts.	
SSA * none	3M™ Hookit™ Flexible Abrasive Interface Foam Pad	00051131343504	34350	3" x 5"	10/Case	Interface foam pad provides flexibility to sand curves and contours and hard-to-reach locations. Use for sanding primer, blending and paint finishing. Use with 3M [™] Orbital Sander, PN 20331 and 3M [™] Hookit [™] Flexible Abrasive Hand Sheets.	
		00051131358256	35825	133mm x 67mm	- 24/Case	These 3M™ Hookit™ blocks combine the lightweigh flexibility of traditional foam blocks with the dust - extraction power and control of rigid dust-free	
		00051131358263	35826	178mm x 67mm	24/ Oase		
	3M™ Hookit™ Dust Extraction Flexible Sanding Block	00051131358270	35827	273mm x 67mm	12/Case	sanding blocks. They feature a convex face which can help you easily restore contours and bodylines, while still providing a firm backing for abrasives. They include a vacuum regulator that lets the	
		00051131358287	35828	406mm x 67mm	8/Case	operator adjust suction for easier block control when sanding.	
		00051131358294	35289	Kit — 4 sizes	10/Case		
		00051131358300	35830	133mm x 67mm	- 24/Case	These blocks combine the lightweight flexibility	
	3M™ Hookit™ Dust Extraction Flexible Radius Sanding Block	00051131358317	35831	178mm x 67mm		of traditional foam blocks with the dust extraction power and control of dust-free sanding blocks. The blocks flex to help easily restore contours and bodylines, while providing a firm backing for	
		00051131358324	35832	273mm x 67mm	12/Case	abrasives. Features 3M™ Hookit™ attachment system. They include a vacuum regulator that lets the operator adjust suction for easier block control when sanding.	
<u>-</u>		00051131358331	35833	Kit – 3 sizes	10/Case		

Tools and Accessories

Back-Up Pads		UPC	Part #	Density	Size	Qty/Case	Description
	3M™ Hookit™ Disc Pad	00051131057791	05779	Medium	8"	1/Case	Medium density foam construction provides support and flexibility for finer finishing and longer pad life.
	2M™ Catl.ta™ Diag Dad	00051144055760	05576	Medium	6"	5/Case	Medium or firm densities provide versatility for light to aggressive sanding. Durable
	3M™ Stikit™ Disc Pad	00051144055791	05579	or Firm	8"	1/Case	foam body provides yield for consistent abrasive contact, increases pad life.

Hand Sanding		UPC	Part #	Size	Qty/Case	Description
		00051131056886	05688	Rectangle 1-1/2" x 2-5/8" x 16"	8/Case	
-		00051131056879	05687	Rectangle 1-1/2" x 2-5/8" x 10-3/4"	12/Case	
		00051131056862	05686	Rectangle 1-1/2" x 2-5/8" x 5-1/4"		
3M 3M	3M™ Hookit™ Hand	00051131056855	05685	Rectangle 7/8" x 1-3/8" x 10-3/4"	04/0	
3M	Sanding Blocks	00051131056909	05690	Rectangle 5/8" x 2-1/2" x 5-3/8"	24/Case	Helps make sanding more comfortable and more productive in hard-to-sand locations. Range
*		00051131056893	05689	Round 1-1/4" x 10-3/4"		of sizes increases capabilities for precision hand sanding. Bright yellow design helps to stand out in dusty shop conditions.
		00051131056916	05691	Teardrop 2-1/8" x 10-3/4"	12/Case	
		00051131056848	05684	Various Shapes 6 Block Sizes	6 Kits/Case	
	3M [™] Stikit [™] Hand Sanding Blocks	00051131056718	05671	Stick (3 sizes) 10-3/4", 8", 5-1/4"	10 Kits/Case	
		00051131056923	05692	Various Shapes 6 Block Sizes	6 Kits/Case	

Paint Shop Accessories

Paint Shop Accessori	es	UPC	Part #	Size	Qty/Case	Description
	3M [™] P.A.R.T.S. Holding Rack	50051131025146	02514	30-1/2" x 36" x 34-1/4" Tabletop Form	1/Case	16-gauge steel construction provides durability and long product life. Adjustable to 4 positions for optimal paint coverage. Tubular construction, rounded corners and pads protect panels from scratches and dings. Holds up to 200 lbs. in flat tabletop position to support a full range of parts and panels. Folds for easy, efficient storage.
	3M [™] S.M.A.R.T. Bumper Stand	00051131025042	02504	66" x 55" Weighs 37 lbs	1/Case	Stand positions bumper fascias and bumper covers at optimal height for painting and repair. System rotates 90° and locks in five positions. Locking positions hold bumper fascias and covers securely in place. Caster wheels allow for easy mobility in the stop. Accessory makes the job easier for automotive technicians.
	3M™ C.A.R.T.S.	00051131025103	02510	19-3/4" x 29-1/2" x 32"	1/Case	Three large storage shelves help organize tools and supplies. Sturdy metal construction provides durability. Rubber caster wheels allow technicians to keep cart within easy reach. Epoxy powder coating offers corrosion protection.
3M 3M	3M [™] Abrasive Organizer	00051131025004	02500	33" x 12-1/8" x 31"	1/Case	Powerfully displays affiliation with trusted 3M brand. Fits in anywhere in the shop — suitable for hanging on walls or placement on shelves. 24-gauge steel construction resists dents and dings. Includes locking clasp for padlock so users can keep products secure. Keeps 3M abrasive products and sanding supplies organized.

Personal Safety Equipment

Providing PPE to help protect the health of your technicians helps protect the whole business. 3M's personal protective products can help you protect workers: A paint shop's most valuable resource!

Respirators 50 Hearing Protection 52 Eye and Face Protection 53 Coveralls 53

Not a complete list. Please choose the right products for each application and exposure assessment.

Visit 3M.com/ppesafety for more information.



Personal Safety Equipment

Personal Safety Equipment

Respirators

Powered Air Purifying Respir	ator (PAPR)		UPC	Part #	Qty/Case
3M [™] Versaflo [™] Powered Air F	Purifying Respirator Painter's Ki	t TR-800-PSK			
		Painter's Kit Includes: TR-830 Intrinsically Safe Battery M-206 Respiratory Faceshield Assembly BT-20L Breathing Tube TR-6510N (OV/HE) Cartridge TR-641N Single Station Battery Charger BT-922 Breathing Tube Cover TR-802N Intrinsically Safe PAPR Unit TR-838 Battery Attachment Tool TR-627 Easy Clean Belt TR-6500 Filter Cover TR-971 Airflow Indicator TR-653 Storage and Cleaning Kit UL-certified with an intrinsically safe (IS) rating of Division 1: IS Class I, II, III; Division 1 (includes Division 2) Groups C, D, E, F, G; T4, under the most current standard (UL 60079, 6th Edition, 2013).	00076308942489	94248	1/Case
	3M [™] Versaflo [™] Organic Vapor for TR-600/800 PAPR	·/HEPA Cartridge TR-6510N	50051131373612	37361	5/Case
_	3M [™] Versaflo [™] Filter Cover TI for R-6500 Series Cartridges		00051131373815	37381	1/Case
Dr.	3M [™] Versaflo [™] Respiratory Fa with Comfort Faceseal	ceshield Assembly M-206	00051131372993	37299	1/Case
	3M™ Versaflo™ Standard Viso	r M-925	00051131373235	37323	5/Case
	3M™ Versaflo™ Length Adjust	ing Breathing Tube BT-30	00051131173798	17379	1/Case
	3M™ Versaflo™ Back Pack Ada for TR-600/800 PAPR	aptor TR-655	00051131373853	37385	1/Case
	3M™ Versaflo™ Back Pack BPh for TR-600/800 PAPR	(-01	00051131173583	17358	1/Case

A WARNING: RESPIRATORS

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 29 CFR 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. *Misuse may result in sickness or death.* For correct use, consult supervisor and the products *User Instructions*, or call 3M Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.



Respirators and Fi	ilters	SKU	UPC	Product #	Size	Qty/Case
	3M™ Particulate Respirator, N95	70070757557	50051138543438	8511/54343(AAD)	_	80/Case
	3M [™] Particulate Welding Respirator, N95	50051131071891	50051131071891	8515/07189(AAD)	_	80/Case
1	3M [™] Ultimate FX Full Face Respirator	70071510807	50051135894212	FF-402/89421(AAD)	М	4/Case
	3M [™] 6000 Series Full Facepiece Reusable Respirator	70070709053	50051138541465	6800/54146(AAD)	М	4/Case
		70070797173	50051138660685	51P71/07191(AAD)	S	
	3M [™] 5000 Series Half Facepiece Disposable Respirator, Organic	70070797181	50051138660692	52P71/07192(AAD)	М	12/Case
	Vapor, P95	70070797199	50051138660708	53P71/07193(AAD)	L	
	3M [™] 7500 Series Half Facepiece	70071042785	50051131370826	7502/37082(AAD)	М	
325	Reusable Respirator	70071042793	50051131370833	7503/37083(AAD)	L	- 10/Case
		70070797777	00051131071810	07181	S	
	3M [™] 6000 Series Half Facepiece Reusable Respirator	70070797785	00051131071827	07182	М	20/Case
		70070797793	00051131071834	07183	L	
1000	3M [™] Particulate Filter 2091, P100	70070614410	50051131070009	2091/07000(AAD)	_	100.15
	3M [™] Particulate Filter, P95	70070757417	50051131071945	5P71/07194(AAD)	_	100/Case
	3M [™] Organic Vapor Cartridge, 6001	70070316776	50051138216745	6001/07046(AAD)	_	60/Case

Not a complete list. Please choose the right products for each application and exposure assessment. Visit **3M.com/ppesafety** for more information.

See Respirator Warning on Page 50

Personal Safety Equipment

Hearing Protection

Earmuffs and Earplugs		SKU	UPC / Part #	Product #	Qty/Case
	3M [™] PELTOR [™] Optime [™] 105 Earmuffs H10A, Over-the-Head	XH001651187	10093045081018	H10A	10/Case
	3M [™] PELTOR [™] X Series X4A Over-the Head, Light Green	XA007707863	10093045937261	X4A	10/Case
A	3M [™] PELTOR [™] Optime [™] 95 Earmuffs, Behind-the-Head H6B/V	XH001651211	10093045080622	08062	10/Case
L	3M [™] Foam Earplugs 1100, Uncorded	HC000664637	50051138290080	29008(AAD)	1000 Pair/Case
	3M [™] Foam Earplugs 1110, Corded	HC000664934	50051138290097	29009(AAD)	500 Pair/Case
	3M™ E-A-R™ UltraFit™ Corded Earplugs in Poly Bag	70071515772	10080529400038	340-4004	400 Pair/Case
	3M™ E-A-R™ Push-Ins™ Corded Earplugs in Poly Bag	70071520947	10080529180015	318-1001	400 Pair/Case
	3M [™] E-A-R [™] Earplugs P1401, Corded	70071561495	0093045934024	93402	400 Pair/Case

Not a complete list. Please choose the right products for each application and exposure assessment. Visit **3M.com/ppesafety** for more information.

▲ WARNING: HEARING PROTECTION

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For correct use, consult supervisor and the products User Instructions, or call 3M Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

Eye and Face Protection

Safety Glasses and Faceshield		SKU	UPC / Part #	Product #	Color	Qty/Case
	3M [™] SecureFit [™] Protective Eyewear, Anti-fog Lens,	70071676251	10078371657175	SF201AF	Ø Clear	- 20/Case
		70071647674	10078371657199	SF203AF	Amber	
	3M [™] Virtua [™] Protective Eyewear	70071695087	10078371620995	62099	Ø Clear	20/Case
	3M [™] Ratchet Headgear H8A with 3M [™] Clear Polycarbonate Faceshield WP96	70071522265	10078371827837	82783	⊘ Transparent	5/Case

Coveralls

Coveralls		SKU	UPC	Product #	Size	Qty/Case
	3M [™] Disposable Chemical Protective Coveralls	7100213270	00076308945657	4540+-M	М	25/Case
		7100213271	00076308945664	4540+-L	L	
		7100213268	00076308945671	4540+-XL	XL	
		7100213262	00076308945688	4540+-XXL	XXL	
		7100213296	00076308945695	4540+-3XL	3XL	
	3M™ Disposable Protective Coveralls	7000088986	04046719632640	4520-BLK-L	М	- 25/Case
		7000088988	04046719632664	4520-BLK-XL	XL	
		7000088986	04046719632671	4520-BLK-XXL	XXL	
		7000088990	04046719632688	4520-BLK-3XL	3XL	

Not a complete list. Please choose the right products for each application and exposure assessment. Visit **3M.com/ppesafety** for more information.

A WARNING: PROTECTIVE EYEWEAR

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For correct use, selection, and applications against flying particles, optical radiation and/or splash consult supervisor, and the products and WARNINGS on the package, or call 3M Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

3M™ PPS™ Series 2.0 Spray Cup System Choose the cup that fits the job.

Five sizes. Two filter options. H/O pressure cups for high viscosity materials. And opaque kits for UV coatings. You can have an unrivaled selection at your fingertips. And with 3M™ PPS™ Series 2.0 Adapters, they're compatible with nearly every spray gun on the market.



Spot Repairs


Micro Cups — Ideal for areas requiring 3 fl. oz. (90mL) or less of material. EPA 6H compliant.





1-Panel Repairs


Mini Cups — Ideal for areas requiring 6.8 fl. oz. (200mL) or less of material.





2-Panel Repairs

Midi Cups — Ideal for areas requiring 13.5 fl. oz. (400mL) or less of material, such as bumpers.





3-Panel Repairs

Standard Cups — Ideal for areas requiring 22 fl. oz. (650mL) or less of material.





4-Panel Repairs

Large Cups — Ideal for areas requiring 28 fl. oz. (850mL) or less of material, including large, clear coat batches.



3M Standard Operating Procedures (SOPs)

For truly spectacular results coming out of your paint shop, discover the best practices, processes and procedures to bring into it.


In our SOPs you will find step-by-step procedures from start to finish, including how to mask a vehicle, feather prime block, preparing bumpers and e-coat panels and mixing and spraying using disposable paint cups. These SOPs are recommended for helping ensure you create the most suitable panels for car paint application.



















Click or Scan QR CODE to link directly to the Automotive SOPs.
Or visit 3MCollision.com to download a guide specific to your needs.





3MCollision.com





/3MCollision



/3MCollision



/3MCollision



/3MCollision

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., CSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. Warranty claims must be made within one (1) year from the date of 3M's shipment.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Disclaimer: 3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., U.S. OSHA, ANSI), as well as all product literature, user instructions, warnings, and limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, or death. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit 3M.com.

3M

Automotive Aftermarket Division 3M Center, Building 223-6S-07 St. Paul, MN 55144-1000

Phone Web 1-877-666-2277 3MCollision.com

3M, Cubitron, E-A-R, Highland, Hookit, Optime, PELTOR, Perfect-It, PPS, Push-Ins, Scotch, Scotch-Brite, Scotchblok, SecureFit, Stikit, SUN GUN, Trizact, UltraFit, Versaflo, Virtua and Wetordry are trademarks of 3M Company. All other trademarks are property of their respective owners. © 3M 2022. All rights reserved. 60-4402-8006-7 Rev 4/1