

# 3M™ 2720 Series

## Technical Data Sheet

### Description

The 3M™ 2720 series offers maximum protection and simple stylish design. Products feature slim-line fixed-length temple arms and a rimless wrap-around lens for increased coverage. The range includes clear, grey and amber lens options. Provides a unique combination of performance, comfort, fit, and application versatility.

### Applications

The range covers a variety of hazards and specific tasks. These products can be used in a wide range of applications including Painting, plastering and other forms of DIY, Foundry work, Engineering, General assembly, Woodworking and Construction.

### Standards

3M™ 2720 Series have been tested and certified to AS/NZS 1337.1:2010 and have a medium impact (I) rating.

### Maintenance/cleaning

If the lens becomes scratched or pitted it should be replaced. Avoid exposure or contact of the lens with vapour or liquids which may cause surface crazing and reduce the impact resistance. Inspect and clean the spectacles regularly and replace if broken or damaged.

Thoroughly clean all surfaces with lens cleaner or mild soap solution. Do not clean spectacle with solvents. Air dry or pat dry with clean, soft cloth or tissue. The use of solvents, harsh detergents or abrasives is not recommended. Avoid exposure to MEK, Sulphuric Acid, Methylene Chloride, Toluene, Paint Thinner & Acetone.

### Disposal

As 3M™ 2720 Series and their components are subject to dirt, dusts and liquids, etc, they cannot be recycled. If the product is to be disposed of, it should be disassembled and disposed of as solid waste. Please see local authority regulations for disposal advice and locations.



### Specifications

|               | 2720          |
|---------------|---------------|
| Frame         | Polycarbonate |
| Side Arms     | Polycarbonate |
| Weight        | 24g           |
| Lens Material | Polycarbonate |
| Lens Types    | Clear         |
| Ratings       | Medium Impact |

## Lens Markings

Markings on eye protectors are a requirement for certification. It assists users in identifying their intended use. They are identified by the following:

| Standard         | Lens Marking  | Explanations  |
|------------------|---|---|
| AS/NZS 1337:2010 | I = Medium Impact<br>O = Outdoor/Indoor<br>(untinted or amber)            | OUTDOOR UNTINTED<br>(FOR INDOOR AND OUTDOOR USE)<br>These protectors are intended for indoor and outdoor use where no optical radiation hazards exist other than solar radiation.   |
|                  | I = Medium Impact<br>(outdoor tinted, smoke,<br>brown or photo chromatic) | OUTDOOR TINTED<br>These protectors are intended for outdoor use where no optical radiation hazards exist other than solar radiation. They are intended to provide adequate protection against sun glare and ultraviolet radiation from the sun. |

Impact protection is determined by the test velocity of a steel ball projectile. A ballistic test rig fires either a 6.00mm or a 6.35mm projectile ball at speeds from 12m, up to 190m per second.

| Standard         | Rating            | Impact Protection Situations  | Type of Protection                                |
|------------------|-------------------|---|---|
| AS/NZS 1336:2014 | Low Impact        | Hammering, handling wire, brick chipping by hand                    | Spectacles  |
| AS/NZS 1336:2014 | Medium Impact     | Grinding, machining metals, woodworking                             | Spectacles, Eshields or lightweight visor systems |
| AS/NZS 1336:2014 | High Impact       | Concrete cutting, high speed disc grinding, metal cutting           | Visor systems only                                |
| AS/NZS 1336:2014 | Extra High Impact | Abrasive shot blasting, ballistic, military, electrical maintenance | Visor systems only                                |

Australian/New Zealand Standards AS/NZS 1336:2014 is an excellent reference document and provides assistance.

Medium impact safety spectacles provide protection from medium energy flying particles. For more information on tinted lenses and compliance testing to AS/NZS 1067 (sunglass standard) contact 3M.

## Ordering Information

| 3M Code     | Model #          | Description                      |
|-------------|------------------|----------------------------------|
| 70071649522 | 2720-00000-100AS | Blue Frame/Clear Lens in Polybag |

## Important Notice

To the extent permitted by law, 3M shall not be liable for any loss or damage including any loss of business, loss of profits, or for any indirect, special, incidental or consequential loss or damage arising from reliance upon any information herein provided by 3M. Nothing in this statement will be deemed to exclude or restrict 3M's liability for death or personal injury arising from its negligence.



**3M Australia Pty Ltd**  
**Personal Safety Division**  
 Bldg A, 1 Rivett Road  
 North Ryde NSW 2113  
 TechAssist Helpline: 1800 024 464  
 Customer Service: 1300 363 565  
 Email: techassist@mmm.com  
 Web: www.3M.com/au/ppesafety

**3M New Zealand Ltd**  
**Personal Safety Division**  
 94 Apollo Drive, Rosedale  
 Auckland 0632  
 TechAssist Helpline: 0800 364 357  
 Customer Service: 0800 252 627  
 Email: techassist@mmm.com  
 Web: www.3M.com/nz/ppesafety

3M is a trademarks of 3M Company.  
 Please recycle. Printed in Australia.  
 © 3M 2019. All rights reserved.  
 AV019444007