



3M FALL PROTECTION  
3833 SALA WAY  
RED WING, MN 55066

## Declaration of Conformity

In accordance with ANSI/ASSP Z359.7-2019

|   |                    |
|---|--------------------|
| <b>Declaration Number:</b> 1234093  | <b>Revision:</b> A |
| <b>Manufacturer name and address:</b> 3M FALL PROTECTION 3833 SALA WAY RED WING, MN 55066 |                    |
| <b>Product Information:</b> LANYARD   |                    |
| <b>Model #:</b> 1234093   |                    |

Manufacturer declares that the product listed above is in conformity with the requirements of the following standard(s):

|  |
|--|
| <b>Standard(s) to which product was tested and for which conformity is claimed, designation and year.</b><br>ANSI Z359.3<br>2019 |
|--|

|   |
|---|
| <b>ISO 17025-accredited test laboratory address and contact information:</b><br>3M FALL PROTECTION<br>3833 SALA WAY<br>RED WING, MN 55066 |
|---|

|   |
|---|
| <b>ISO Accrediting Agency:</b> ANAB, certificate number L2209 |
|---|

|   |
|---|
| <b>Test report(s) reference:</b> 39576, 39579,39572,39571, 39577, 39595,41621 |
|---|

Authorized Signature:

Name (printed): James P. Gardner Jr., Ph.D

Title (printec Global Laboratory Manager

Date: 10/17/2019