



Tegaderm™

CHG Chlorhexidine Gluconate
I.V. Securement Dressings

3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Port Dressing

Oncology patients are vulnerable—and in the fight against infection, the dressing you use really matters. 3M™ Tegaderm™ I.V. Port Dressings are specifically designed for implanted venous ports, offering both antimicrobial protection and the comfort your patients deserve.



Site visibility

Transparent dressing and gel pad enable early identification of complications at the insertion site.

Consistent application


The integrated CHG gel pad and dressing are designed to ensure standardized, correct application.¹

Catheter securement

Designed to minimize catheter movement and dislodgement.

1. Kohan CA, Boyce JM. A Different Experience with Two Different Chlorhexidine Gluconate Dressings for Use on Central Venous Devices. *Am J Infect Control*. 2013;41(6):S142–S143.

3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Port Dressing



3M™ Tegaderm™ Chlorhexidine Gluconate (CHG) I.V. Port Dressings

Product Name	Product Number	Size	Each/Box	Boxes/Case	HCPCS Code
3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Port Dressing	1665	CHG gel pad device 2 7/16 in x 1 15/16 in 6,2 cm x 4,9 cm Dressing 4 3/4 in x 4 3/4 in 12 cm x 12 cm	25 dressings + devices/box	4 boxes/case	A4221
3M™ Tegaderm™ Transparent Film Dressing with Adhesive-Free Window	1668	Dressing 4 3/4 in x 4 3/4 in 12 cm x 12 cm	25 dressings/box	4 boxes/case	A4221

Disclaimer: HCPCS codes have been provided to assist you in the preparation of insurance claims. Please note, however, that the reimbursement information provided by 3M Health Care and its representatives is intended to provide general information relevant to coverage and coding for 3M products. Insurers' reimbursement policies can vary and the use of the codes discussed here does not guarantee that an insurer will cover or pay at any particular level. Health care providers should exercise independent clinical judgement in choosing the codes which most accurately describe the products provided.

Important Safety Information for 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Port Dressings

Do not use Tegaderm™ CHG I.V. Port Dressings on premature infants or infants younger than two months of age. Use of this product on premature infants may result in hypersensitivity reactions or necrosis of the skin. The safety and effectiveness of Tegaderm™ CHG I.V. Port Dressings has not been established in children under 18 years of age. For full prescribing information, see the Instructions for Use (IFU). Rx Only.



To learn more, visit us at 3M.com/TegadermCHG, contact your 3M Medical Solutions representative or call the 3M Health Care Customer Helpline at 1-800-228-3957. Outside of the United States, contact the local 3M subsidiary.

Medical Solutions Division
3M Health Care
2510 Conway Avenue
St. Paul, MN 55144 USA

Phone 1-800-228-3957
Web 3M.com/Medical

Please recycle. Printed in U.S.A.
© 3M 2015, 2019. All rights reserved.
3M and Tegaderm are trademarks of 3M.
Used under license in Canada.
70-2011-5667-9

¹ Hensler JP, Schwab DL, Olson LK, Palka-Santini M. Growth inhibition of microorganisms involved in CRBSIs by an antimicrobial transparent I.V. dressing containing chlorhexidine gluconate (CHG). Poster session presented at: 19th Annual Conference of the European Society of Clinical Microbiology and Infectious Diseases 2009; May 16–19, 2009.

² Centers for Disease Control and Prevention. Guidelines for the Prevention of Intravascular Catheter-Related Infections, 2011. <http://www.cdc.gov/hicpac/pdf/guidelines/bsi-guidelines-2011.pdf>.