



Automotive Aftermarket Division

3M™ 05907/05917 Polyolefin Adhesion Promoter

1) Part Numbers

3M™ 05907	:	500 ml (368 g) Aerosol
3M™ 05917	:	200 ml (147 g) Aerosol

2) Description and end uses

3M™ 05907/05917 promotes adhesion of 3M™ 05900 and 3M™ 05901 Flexible Parts Repair Material to polyolefin and ethylene propylene plastic identified by the mould marks PP, EP, TPO or EPDM on the back of the part.

3) Physical Properties

Colour	Clear / Light Amber
Packaging	05907 : 368g (500ml) Aerosol can 05917 : 147g (200ml) Aerosol can
Drying time	10 Minutes
Solvent	Toluene
% Solids (Typical)	2.2%
VOC	720 g/litre

4) Directions for Use

- Clean the repair area with soap and water.
- Use 3M™ 08985 Plastic Parts Cleaner to remove grease and tar.
- Grind the surface of the actual damage using a Scotch-Brite™ SC-DR Brown or Red Disc tapering about 3 to 4 cm around the actual damage.
- Feather edge from centre of the repair area into the paint with 3M™ 255P 180 gold Disc.
- Wipe with a clean, dry rag.
- Apply one coat of 3M™ 05907/05917 Polyolefin adhesion Promoter over the sanded surface and allow to dry for 10 minutes.
- Complete the next step in the repair process by applying 3M™ 05900 or 05901 F.P.R.M. according to instructions.



Technical Data Sheet

Effective: 21/05/19 Supersedes: 17/6/16

- *Important:* After every sanding step in the repair process which exposes the plastic surfaces, 3M 05907/05917 Polyolefin Adhesion Promoter must be applied to ensure adhesion of the next product in the repair sequence. Invert can and spray to purge nozzle.

5) Storage

Protect from sunlight.

Cool dry place. Best results are obtained when material is stored and applied at room temperature, 15 to 30°C. Storage temperature must not exceed 50°C.

Shelf life: 24 months from date of manufacture under normal storage conditions. Refer to 'lot number' and 'best before date' on can.

6) Safety

Please refer to the Material Safety Data Sheet or contact your local 3M™ Toxicological Department.

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or incandescent material. Keep out of reach of children.

3M™ 05907/05917 Polyolefin Adhesion Promoter is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable but the accuracy or completeness thereof is not guaranteed. Please ensure before using our product that it is suitable for your intended use. All questions of reliability relating to this product are governed by the Terms of Sale subject, where applicable, to the prevailing law.



Technical Data Sheet

Effective: 21/05/19 Supersedes: 17/6/16

For Additional Health and Safety Information

3M South Africa & Sub-Saharan Africa, 146A Kelvin Drive, Woodmead, Sandton, South Africa, Tel: (0861) 225536
3M (East) AG Representation Office Tirane, Rruga Sami Frasheri, Pallati i Ri Perxhola Kati 2 Ap2, 1000 Albania
3M Arabia, LLC, Building 24-25 3M Saudi Arabia Zone C, Business Gate, Airport Road, Riyadh, Saudi Arabia
3M Bulgaria, Mladost 4, Business Park, bl.4, 2nd floor, Sofia 1766, Bulgaria
3M Česko, spol. s r.o., V Parku 2343/24, 148 00 - Praha 4, Czech Republic
3M (East) AG, Branch office Croatia, Avenija Većeslava Holjevca 40, 10 000 Zagreb, Croatia, Tel: +385 1 2499750, www.3m.com.hr
3M Egypt, Finance Center , New Cairo , Plot 140 , Banking Sector , 5th settlement , Cairo , Egypt
3M Hellas MEPE, Automotive Aftermarket Division, 20 Kifisias Avenue, 151 25 Marousi, Greece, Phone: +30 210 68 85 300, innovation.gr@mmm.com , www.3M.gr
3M Hungária Kft, Neumann János u. 1/E, 1117 Budapest, Hungary
3M Israel, 91 Medinat Hayehudim St., Herzliya, Israel
3M Kenya Ltd, Victoria Towers, 3rd Floor, Kilimanjaro Av, Upperhill, Kenya
3M Gulf Limited, Ein El Mreisseh, Saint Charles City Center, 4th. Floor, P.O.Box: 11-5025, Riad el Solh, Beirut 1107 2180 Lebanon
3M Minnesota Mining & Manufacturing Nigeria Limited, No 2 Sheraton Opebi Link Road, Ikeja, Lagos Nigeria
3M Pakistan, Islamic Chamber of Commerce Building, ST-2/A, Block 9, KDA Scheme 5, Clifton, Karachi, Pakistan
3M Poland, Al. Katowicka 117, Kajetany, 05-830 Nadarzyn, Poland, Telefon: +48 22 739 60 00, www.3m.pl/kontakt
3M Gulf (Representation Office), Suhaim Bin Hamad St., Al Mana Towers Tower B, 2nd Floor, Office No.4, Doha Qatar, P.O.Box 14685
3M Romania, 12 Meneuului St., Bucharest Business Park, Building D, District 1 013713 Bucharest, Romania
3M (East) AG, Representation Office Serbia, Airport City, Omladinskih brigada 90B, 11070 Belgrade, Serbia, Tel: +381 11 2209 400, www.3m.co.rs/3M/sr_RS/3m-south-east-europe/
3M Slovensko s.r.o., Polus Tower 2, Vajnorská 100/B, 83104 Bratislava
3M (East) AG, Branch office Slovenia, Cesta v Gorice 8, 1000, Ljubljana, Slovenia, Tel: +386 1 2003 630, www.3m.com/3M/sl_SI/3m-south-east-europe/
3M Sanayi ve Ticaret As, Barbaros Mah., Mor Sümbül Sok., No:7/3F, 27-51, Nidakule Ataşehir Güney, 34746 Ataşehir, İstanbul, Turkey
3M Gulf Limited, Dubai Internet City, Building No. 11, 3rd Floor, U.A.E

© 3M 2019. 3M and Scotch-Brite are trademarks of the 3M company. All rights reserved