

Solutions scaled to fit your needs.



Devices shown are not true to size and scale.



3M™ Attest™ Auto-reader 490 and 3M™ Attest™ Mini Auto-reader 490M

Get results for both steam and vaporized hydrogen peroxide (VH2O2) in one reader in just 24 minutes.* 3M offers its dual auto-readers in two sizes to meet your facility's operational needs and budget.



Standardize across facilities

Two size options enable you to standardize practice across multiple facilities for efficiency and training ease.



Raise the standard of care

Help protect patients from the risk of infection with every load monitoring. With fast 24-minute BI results— it's possible.



Increase ease of use

Place any Attest 1491 or 1492V (for steam) or 1295 (for VH2O2) BI in any well of the reader at the same time.



Be connected

Connect with 3M product apps to get real time BI results and quickly integrate data into your facility's tracking system.

Proven innovation you can trust



3M is a leader in rapid self-contained BI technology for steam, vaporized hydrogen peroxide and ethylene oxide.


*When used with 3M™ Attest™ Mini Auto-reader 490M or with 3M™ Attest™ Auto-reader 490 or 490H with software version 4.2.7 or greater.

Maximizing space and affordability across facilities

With 3M™ Attest™ Auto-reader size options you can standardize practice across multiple facilities for efficiency and training ease.

Our auto-readers are compatible with the following 3M™ Attest™ biological indicators:

- 1491 Steam*
- 1492V Steam*
- 1295 VH2O2*



Learn how to save with 3M steam and VH2O2 sterilization monitoring solutions. Visit go.3M.com/490kit.

	Catalog No.	Product	Description	Packaging	Shipping
VH2O2	490	3M™ Attest™ Auto-reader	22.2(W) x 8.25(H) x 22.2(D) cm	1 unit/box	1 box/case
	490M	3M™ Attest™ Mini Auto-reader	15.5(W) x 8.25(H) x 5.25(D) cm	1 unit/box	1 box/case
STEAM	41482V	3M™ Attest™ Super Rapid 5 Steam-Plus Challenge Pack	Dynamic-air-removal (Pre-vacuum and SFPP): 132°C (270°F) 4 min.	24 each/box	1 box/case
	41482VF		135°C (275°F) 3 min.	24 each/box	1 box/case
	1491	3M™ Attest™ Super Rapid Readout Biological Indicator	Gravity: 132°C (270°F) 3 min. and 10 min. 135°C (275°F) 3 min. and 10 min.	50 each/box	4 boxes/case
	1492V	3M™ Attest™ Super Rapid Readout Biological Indicator	Dynamic-air-removal (Pre-vacuum and SFPP): 132°C (270°F) 3 min. and 4 min. 135°C (275°F) 3 min.	50 each/box	4 boxes/case
VH2O2	1295	3M™ Attest™ Rapid Readout Biological Indicator	Vaporized Hydrogen Peroxide (VH2O2)	30 each/bag	4 bags/case

Together we can raise the standard of patient care. For more information, contact your 3M representative or visit go.3M.com/Sterilization.



3M Company
2510 Conway Ave.
St. Paul, MN 55144 USA

Phone 1-800-228-3957
Web 3M.com/Medical

*Refer to the indications for use provided in the biological indicator Instructions for Use. The indications for use should align with the sterilization cycle to be monitored.

© 2023 3M. All rights reserved. 3M and other marks and/or registered marks of 3M. Unauthorized use prohibited. Please recycle. Printed in USA. EN_US_70-2011-7940-8