3M Splittable Flying Splice Tape 8387

Product Data Sheet

June 2015 Supersedes: NEW

Product Description	A splittable tape construction designed for straight line flying splices, furnished with aggressive adhesives on both sides for good adhesion to film substrates, and a coated paper liner with liner score for easy manual application.
Key Features	 designed for film substrates designed for straight line flying splices for a wide variety of film substrates, such as Polyethylene, BOPP, polyester, cast polypropylene, aluminium foil and paper. designed so that no fibers are present after splitting, thereby preventing contamination of the central impression drum, and removing the need for costly cleaning to remove fiber residues after splicing.

Physical Properties

Adhesive Type Splicing side	Rubber adhesive	e
Adhesive Type Reel side	Acrylic adhesive	
Tape Colour	Pink (splicing sid Black (reel side)	de)
Carrier	Splicing side: Polyester Reel side: LDPE	
Thickness (ASTM D-3652) Tape Liner Total Splittable Layer	Before splitting 0.183 mm 0.077 mm 0.260 mm Fiber-free cleava	After splitting Splice side 0.104 mm Reel side 0.076 mm able layer
Release Liner	Coated easy-release paper	

Physical Properties	Repulpability	Construction is not repulpable
	Bonding Strength	Designed for high affinity to film substrates

Storage	3M [™] Splittable Flying Splice Tape 8387 should be stored in the original carton at 16°C – 27°C and 40 – 60% Relative Humidity. It is recommended that the protective liner be removed just prior to splicing, rather than leaving film rolls with prepared splice patterns in storage without the protective liner.	
Shelf Life	12 months from date of manufacture by 3M when stored in the original carton at the conditions specified in "Storage."	
For Additional Information	To request additional product information or to arrange for sales assistance, please call your local sales representative. Address correspondence to: 3M	
Important Notice	All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method or application. All questions of liability relating to this product are governed by the terms of the sale subject, where applicable, to the prevailing law.	
Values presented have been determined by standard test methods and are average values not to be used for specification purposes. Our recommendations on the use of our products are based on tests believed to be reliable but we would ask that you conduct your own tests to determine their suitability for your applications. This is because 3M cannot accept any responsibility or liability direct or consequential for loss or damage caused as a result of our recommendations.		

3M is a trademark of the 3M Company.

3M Bulgaria

Mladost 4 Business Park, bl.4, 2nd floor Sofia 1766 Bulgaria

3M Česko, spol. s r. o.

V Parku 2343/24 148 00 - Praha 4 Czech Republic

3M East AG

Branch Office Serbia Airport City Omladinskih brigada 90B 11070 Belgrade Serbia

3M (East) AG

Branch Office Croatia Avenija Većeslava Holjevca 40 10010 Zagreb Croatia

3M (East) AG Branch Office Slovenia Cesta v Gorice 8 1000 Ljubljana Slovenia

3M (East) AG Representation Office Tirane

Rruga Sami Frasheri Pallati i Ri Perxhola Kati 2 Ap2 1000 Albania

3M Hellas MEPE

20 Kifissias Ave. 15125 Maroussi Athens Greece

3M Hungária Kft

Neumann János u. 1/E. 1117 Budapest Hungary

3M Israel

91 Medinat Hayehudim St. Herzliya Israel

3M Poland Sp. z o.o.

Aleja Katowicka 117 Kajetany 05-830 Nadarzyn Poland

3M Romania

Bucharest Business Park 12 Menuetului St. Building D, District 1 0 137 13 Bucharest Romania

3M Sanayi ve Ticaret A.Ş.

Barbaros Mah., Mor Sümbül Sok. No:7/3F, 27-51, Nidakule Ataşehir Güney 34746 Atasehir, İstanbul Turkey

3M Slovensko s.r.o.

Polus Tower 2 Vajnorská 142 Bratislava 83104 Slovakia