



**V.A.C.®**  
Therapy

# 3M™ V.A.C.® Simplicity Therapy System

## Wound healing at the touch of a button

### Easy to Operate

- Simple interface minimizes device training time
- Automatically delivers the most commonly prescribed NPWT setting of Continuous -125 mm Hg
- 3M™ SensaT.R.A.C.™ Technology continually monitors and regulates prescribed pressure at the wound site
- Quick Release canisters allow for efficient replacement
- Multi-orientational canister allows for patient mobility and product position flexibility
- 300ml canister minimizes canister changes
- Long battery life (14+ hours) with fast recharge time

### Patient Comfort

- Lightweight and portable
- Carrying case allows discreet delivery of therapy on-the-go
- Alarms help provide patient safety



### Specifications:

3M™ V.A.C.® Simplicity Therapy Unit: P/N 414063  
Dimension: 7.6" (19.3cm) W x 6" (12.2cm) H x 6.4" (6.4cm) D  
Weight: 2.3 lbs. (1.04 kg)  
Canister volume: 300 ml  
Battery Life: 14+ hours (recharge time <6 hours)  
Electrical Charger/External Supply Input:  
100-240 VAC .72 A @ 115 VAC 50/60 Hz  
Charger/External Supply Output: 12 V, 3.3 A  
Maximum Electrical Leakage: <100 Microamps  
IEC Classification: Type B Applied Part, Class II, IPX0  
Specifications are subject to change without notice.

### Therapy Options:

Negative Pressure: -125 mmHg  
Mode of Operation: Continuous  
Intensity: High

### Storage Conditions:

Temperature Range: -4°F (-20°C) to 140°F (60°C)  
Relative Humidity Range: 0-95% non-condensing

### Operating Conditions:

Temperature Range: 41°F (5°C) to 104°F (40°C)  
Relative Humidity Range: 0-95% non-condensing

**3M Company**  
2510 Conway Ave  
St. Paul, MN 55144 USA

Phone 1-800-275-4524 (NPWT products)  
1-800-228-3957  
Web 3M.com/medical

**NOTE: Specific indications, contraindications, warnings, precautions and safety information exist for these products and therapies. Please consult a physician and product instructions for use prior to application. Rx only.**

© 2021 3M. All rights reserved. 3M and the other marks shown are marks and/or registered marks. Unauthorized use prohibited.  
70-2013-1026-8 PRA-PM-US-00151 (05/21)