

# Types of respirators and protection factors.

The higher the exposure the greater the protection and reduction in exposure required.

In AS/NZS 1715, different combinations of respirators are assigned a required minimum protection factor (RMPF) for clean shaven, fit tested and trained wearers. The RMPF is the minimum reduction in exposure required to reduce the wearers exposure beneath the Workplace Exposure Standard (WES). Ideally the wearers exposure is reduced well below the WES.

The RMPF is based on the characteristics of the respirator in question such as:

1. Air Purifying or Air supplied?
2. Positive or negative pressure?
3. Tight fitting facepiece or loose fitting head top?
4. Sealing area of the tight fitting facepiece – half face or full face?
5. Rating of the filter and class of the cartridge?

Examples of, but not limited to, respirator and filter combinations

<b>RMPF 100+</b>	<ul style="list-style-type: none"> <li>• Self Contained Breathing Appratus (SCBA) positive pressure demand.</li> <li>• Powered Air Purifying Respirator (PAPR) with Class PAPR-P3 particulate filter with a full facepiece.</li> <li>• Full facepiece or head covering with airline respirator supplied air continuous flow.</li> </ul>	PAPR-P3 PAPR-P3 SCBA SCBA Supplied Air Continuous Flow Supplied Air Continuous Flow Supplied Air Continuous Flow Supplied Air Continuous Flow	<p>100x + WES</p>
<b>RMPF Up to 100 or up to 5000 ppm^^</b>	<ul style="list-style-type: none"> <li>• Full face reusable respirators with P3 particulate filter.</li> <li>• Full Facepiece Reusable respirators with Class 2 gas and vapour cartridge.^</li> </ul>	P3 P3 A2^^ A2B2E2K2^^	<p>100x WES</p>
<b>RMPF Up to 50 or up to 1000 ppm^</b>	<ul style="list-style-type: none"> <li>• Full Facepiece Reusable respirators with P2 particulate filter.</li> <li>• Powered Air Purifying Respirator (PAPR) with Class PAPR-P2 particulate filter with any headcovering or full facepiece.</li> <li>• Powered Air Purifying Respirator (PAPR) with Class PAPR-P3 particulate filter with any headcovering.</li> <li>• Full Facepiece Reusable respirators with Class Aus or Class 1 gas and vapour cartridge.^</li> </ul>	P2 PAPR-P3 PAPR-P3 Supplied Air Continuous Flow A1^ PAPR-P3 PAPR-P3 PAPR-P3	<p>50x WES</p>
<b>RMPF Up to 10 or up to 1000 ppm</b>	<ul style="list-style-type: none"> <li>• Disposable respirators P1 or P2.</li> <li>• Half face Reusable respirators with P1, P2, P3 Particulate Filter.</li> <li>• Class AUS, 1, 2, 3 gas &amp; vapour cartridge.</li> <li>• Powered Air Purifying Respirator (PAPR) with Class PAPR-P1 particulate filter with any headcovering.</li> <li>• Powered Air Purifying Respirator (PAPR) with Class PAPR-AUS, 1, 2 Gas &amp; vapour cartridge with any headcovering or facepiece.</li> </ul>	P2 P2 P1 P1 P2 P2 A2P2 A1B1E1K1P3 A1P2 P2 P3 PAPR-P3 PAPR-A1	<p>10x WES</p>

Increasing Protection Factor

Nuisance Level Exposure

Action Level - 50% of WES to implement controls

Workplace Exposure Standard (WES)