

Introducing the new

# 3M™ Performance Spray Gun

## The Smarter Way to Spray.

The 3M™ Performance Spray Gun was designed specifically to deliver best-in-class performance while saving you time. You'll experience faster cleanup, faster changeovers and faster cycle times. It's the best of 3M Science, all packed into the lightest spray gun in the world.







# Precision Performance

After 10 years of relentless research and development, we are excited to introduce the 3M™ Performance Spray Gun — a revolution in spray gun technology that delivers top-of-the-line spray performance with unrivaled productivity.

The secret lives inside our advanced interchangeable nozzle technology. In six different sizes from 1.2 to 2.0, each atomizing head is optimized for consistent atomization and superior transfer efficiency — across a full range of high-performance automotive coatings. Spray solid colours, metallics, pearls, clear coats, sealers, and primers with the same premium performance you expect from your best spray gun. And every time you swap out the replaceable nozzle for a fresh one, you can expect like-new spray performance.

Third-party tested and painter approved, the 3M™ Performance Spray Gun is designed to perform, so you can spend less time worrying about your spray gun and more time upping your game.







### Faster Cycle Times

Because paint never passes through the body of the spray gun and only through the disposable cup and nozzle, your cleanup and changeover process can be streamlined. No more paint gunking up internal components, no more breaking down your spray gun or soaking in solvent, no more cross contamination putting your job at risk.



### Cleans in Seconds

With quick-change replaceable 3M™ Performance Gravity HVLP Atomizing Heads, cleanup is a snap. Simply twist the locking collar, remove the atomizing head and wipe the needle clean. Swap with a new nozzle, and you're ready to spray your next job.



### Lightest in the World

Up to 50% lighter than conventional metal spray guns, the advanced impact-resistant, stainless steel-reinforced composite body was optimized by kinesiologist for improved comfort. It's a difference you will see and feel — both in your hand, and in the quality and efficiency of your jobs.

---

### Specifications

**Air Consumption:** 370 SLPM [13 SCFM]  
**Recommended Air Inlet Pressure:** 1.38 Bar  
**Maximum Operating Temperature:** 50 °C  
**Maximum Operating Overpressure:** 10 Bar  
**Weight:** 238 g  
**Air Inlet:** 1/4 BSP/NPS  
**Nozzle Orifice Sizes:** 1.2, 1.3, 1.4, 1.6, 1.8, 2.0



## Spray Gun and Systems

### Part No. Components

#### 3M™ Performance Spray Gun System

26778 1 spray gun, 1 air control valve,  
1 locking collar, 15 gravity atomizing  
heads, 1 3M™ PPS™ Series 2.0  
mixing cup, 5 lids and liners,  
3 sealing plugs

#### 3M™ Performance Spray Gun

26832 Spray gun and air control valve

## Replacement Parts and Accessories

### Part No. Product

#### 3M™ Performance Spray Gun

26835 Locking Collar  
26840 Rebuild Kit  
26838 Needle

## HVLP Atomizing Head Refill Kits

Part No.	Color	Size	Quantity
26712	Blue	1.2	5
26713	Green	1.3	5
26714	Orange	1.4	5
26716	Purple	1.6	5
26718	Clear	1.8	5
26720	Red	2.0	5
26730	Variety Kit	6 sizes (1.2, 1.3, 1.4, 1.6, 1.8, 2.0)	6

## Guaranteed Trial Order.

If you aren't 100% satisfied,  
return to 3M for a full refund  
within 14 days of purchase.  
No questions asked.

Contact your local 3M  
representative to get started.



**3M Automotive Aftermarket Division AU**  
Building A, 1 Rivett Rd  
North Ryde, NSW, 2113

Phone 136-136  
Web [www.3M.com.au/collisionrepair](http://www.3M.com.au/collisionrepair)

**3M Automotive Aftermarket Division NZ**  
94 Apollo Drive  
Rosedale, Albany  
North Shore City Auckland  
Phone 0800 362 886  
Web [www.3M.co.nz/collisionrepair](http://www.3M.co.nz/collisionrepair)



/3Mcollision



/3Mcollision



/3Mcollision



/3MAADAustralia

**Product Selection and Use:** Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for proper evaluation (including, but not limited to, fitness for purpose and suitability of application), selection, and use of 3M products. Safety products should always be selected and used in accordance with all applicable regulations and standards (e.g., OSHA, ANSI, and others), after conducting a proper hazard assessment. Failure to properly evaluate, select, and use a 3M product may result in injury, sickness, death, and/or harm to property. Dispose of used atomizing heads, residual paint/coatings, used containers/materials, and PPS in accordance with local regulations.

**Limitation of Liability:** Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M and PPS are trademarks of 3M Company. All other trademarks are property of their respective owners. Please recycle.  
© 3M 2020. All rights reserved. AV011480611