

# 3M™ Tegaderm™ Dressings Portfolio

## A family of reliable I.V. dressings.

For over 40 years, 3M has collaborated with health care professionals around the world to develop products that simplify and help improve patient care practices.

3M continues to develop products that help protect patients and prevent the risks of costly complications.

## Aligns to standards and guidelines.

3M's solutions not only help protect your patients, but they also meet the guidelines below for care and maintenance of vascular access devices.

### ► FDA

3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing is the only transparent dressing cleared and proven to reduce CRBSI.<sup>1</sup>

### ► CDC

For patients aged 18 years and older: Chlorhexidine-impregnated dressings with an FDA-cleared label that specifies a clinical indication for CRBSI or CABSIs are recommended to protect the insertion site of short-term, non-tunneled CVCs (Category IA).<sup>2</sup>


### ► INS

Use a sterile dressing, combined with or integrated with a securement device, on all peripheral and CVADs to protect the site, provide securement and a microbial barrier, and to promote skin health. Std. 42, pg. S11

Use chlorhexidine-impregnated dressings for all patients 18 years and older with short-term, nontunneled central vascular access devices (CVADs). Use for arterial catheters and other CVADs when other catheter-associated bloodstream infection (CABSIs) prevention strategies are not effective. Std. 50, pg. S154 (Level I)

Assess VAD site and surrounding area to monitor skin, dressing and securement device integrity by inspection, and use palpation through the intact dressing to assess complications. Std. 42, pg. S119 (Level V).<sup>3</sup>

## Inspired by you: A timeline of innovation.



## Dressing Portfolio Overview

		3M™ PICC/CVC Securement Device + Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing	3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing	3M™ Tegaderm™ Antimicrobial I.V. Advanced Securement Dressing	3M™ PICC/CVC Securement Device + Tegaderm™ I.V. Advanced Securement Dressing	3M™ Tegaderm™ I.V. Advanced Securement Dressing	3M™ Tegaderm™ Transparent Film Dressing
<b>Antimicrobial Protection</b>	Cleared and proven to reduce CRBSIs for CVCs and arterial lines	●	●				
	Suppression of regrowth of skin flora at one, three, and seven days	●	●	●			
<b>Catheter Securement</b>	Seven-day wear time and meets INS definition of securement device <sup>3</sup>	+	●	●	+	●	
<b>Transparent Bacterial and Viral Barrier</b>	Provides a waterproof, sterile barrier to external contaminants	●	●	●	●	●	●

1. U.S. Food and Drug Administration, Department of Health & Human Services. 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing 510(k) K153410 approval letter, May 15, 2017. Retrieved June 18, 2020 from [https://www.accessdata.fda.gov/cdrh\\_docs/pdf15/K153410.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf15/K153410.pdf).  
 2. Centers for Disease Control and Prevention (CDC): O'Grady NP, Alexander M, Burns LA, et al. Guidelines for the prevention of intravascular catheter-related infections. *Clin Infect Dis.* 2011;52(9):e162-e193.  
 3. Gorski LA, Hadaway L, Hagle ME, et al. Infusion Therapy Standards of Practice, 8th Edition. *J Infus Nurs.* 2021;44(suppl 1):S1-S224. doi:10.1097/NAN.0000000000000396. Refer to the document to view verbatim, comprehensive standards and practice recommendations.


## Antimicrobial Protection

Suppression of regrowth of skin flora at one, three and seven days, meets the INS recommendation to use chlorhexidine-impregnated dressings to reduce risk of catheter-associated bloodstream infection.<sup>3</sup>

**3M™ PICC/CVC  
Securement Device  
+ Tegaderm™ CHG  
Chlorhexidine Gluconate  
I.V. Securement Dressing**


**1877-  
2100**

**Dressing Size:**  
3-1/2 in. x 4-1/2 in.  
(8,5 cm x 11,5 cm)  
**Device Size:**  
2 in. x 2-1/8 in.  
(5,1 cm x 5,4 cm)



**1879-  
2100**


**Dressing Size:**  
4 in. x 6-1/8 in.  
(10 cm x 15,5 cm)  
**Device Size:**  
2 in. x 2-1/8 in.  
(5,1 cm x 5,4 cm)



**3M™ Tegaderm™  
CHG Chlorhexidine  
Gluconate  
I.V. Securement Dressing**


**1657**

3-1/2 in. x 4-1/2 in.  
(8,5 cm x 11,5 cm)




**1658**

4 in. x 4-3/4 in.  
(10 cm x 12 cm)



**1659**

4 in. x 6-1/8 in.  
(10 cm x 15,5 cm)



**1664**

**CHG Gel Pad Device Size:**  
2-7/16 in. x 1-15/16 in.  
(6,2 cm x 4,9 cm)

Can also be used for a wide  
variety of percutaneous devices.




**3M™ Tegaderm™  
CHG Chlorhexidine  
Gluconate  
I.V. Port Dressing**

**1665**

**Dressing Size:**  
4-3/4 in. x 4-3/4 in.  
(12 cm x 12 cm)

**CHG Gel Pad Device Size:**  
2-7/16 in. x 1-15/16 in.  
(6,2 cm x 4,9 cm)



**3M™ Tegaderm™  
Antimicrobial I.V.  
Advanced  
Securement Dressing**

**9132**

2-3/4 in. x 3-3/8 in.  
(7 cm x 8,5 cm)




## Catheter Securement

Seven-day wear time and meets the INS definition of securement device.<sup>3</sup>

**3M™ PICC/CVC  
Securement Device  
+ Tegaderm™  
I.V. Advanced  
Securement Dressing**


**1837-  
2100**

**Dressing Size:**  
3-1/2 in. x 4-1/2 in.  
(8,5 cm x 11,5 cm)  
**Device Size:**  
2 in. x 2-1/8 in.  
(5,1 cm x 5,4 cm)



**1839-  
2100**

**Dressing Size:**  
4 in. x 6-1/8 in.  
(10 cm x 15,5 cm)  
**Device Size:**  
2 in. x 2-1/8 in.  
(5,1 cm x 5,4 cm)



**3M™ Tegaderm™  
I.V. Advanced  
Securement Dressing**


**1685**

3-1/2 in. x 4-1/2 in.  
(8,5 cm x 11,5 cm)




**1688**

4 in. x 4-3/4 in.  
(10 cm x 12 cm)




**1689**

4 in. x 6-1/8 in.  
(10 cm x 15,5 cm)



**1668**

4-3/4 in. x 4-3/4 in.  
(12 cm x 12 cm)



## Bacterial and Viral Barrier


Provides a waterproof sterile barrier to external contaminants.

**3M™ Tegaderm™  
I.V. Transparent  
Film Dressing with Adhesive-  
Free Window**

**3M™ Tegaderm™  
Diamond Pattern  
Film Dressing**


**3M™ Tegaderm™  
HP Transparent  
Film Dressing**

**3M™ Tegaderm™  
Transparent  
Film Dressing**




**1686**

4 in. x 4-3/4 in.  
(10 cm x 12 cm)




**1679**

4 in. x 4-1/2 in.  
(10 cm x 11,5 cm)




**9536HP**

4 in. x 4-3/4 in.  
(10 cm x 12 cm)




**9546HP**

4 in. x 4-1/2 in.  
(10 cm x 11,5 cm)



**1626W**

4 in. x 4-3/4 in.  
(10 cm x 12 cm)



**1630**

4 in. x 4-1/2 in.  
(10 cm x 11,5 cm)

**Central  
Vascular  
Catheter**

**Peripheral  
Intravenous  
Catheter**

**Pediatrics**


**1882**

2-3/4 in. x 3-3/8 in.  
(7 cm x 8,5 cm)




**1683**

2-1/2 in. x 2-3/4 in.  
(6,5 cm x 7 cm)




**1682**

2 in. x 2-1/4 in.  
(5 cm x 5,7 cm)




**1680**

1-1/2 in. x 1-3/4 in.  
(3,8 cm x 4,5 cm)




**1684**

2-3/8 in. x 2-3/4 in.  
(6 cm x 7 cm)



**9534HP**

2-3/8 in. x 2-3/4 in.  
(6 cm x 7 cm)



**9525HP**

2-1/2 in. x 2-3/4 in.  
(6,5 cm x 7 cm)




**9519HP**

2-3/8 in. x 2-3/8 in.  
(6 cm x 6 cm)




**1624W**

2-3/8 in. x 2-3/4 in.  
(6 cm x 7 cm)



**1622W**

1-3/4 in. x 1-3/4 in.  
(4,4 cm x 4,4 cm)



**3M Company**  
2510 Conway Avenue  
St. Paul, MN 55144-1000 USA

Phone 1-800-228-3957  
Web 3M.com/Medical

Please recycle. Printed in U.S.A. © 2022 3M. All rights reserved.  
3M and the other marks shown are marks and/or registered marks.  
Unauthorized use prohibited. Used under license in Canada.  
70-2013-1250-0

**Important Safety Information for Tegaderm CHG I.V. Securement Dressings and Tegaderm CHG Gel Pad.** Do not use Tegaderm CHG I.V. Securement Dressings or Tegaderm CHG Gel Pad on premature infants or infants younger than two months of age. Use of these products on premature infants may result in hypersensitivity reactions or necrosis of the skin. The safety and effectiveness of Tegaderm CHG I.V. Securement Dressings and Tegaderm CHG Gel Pad has not been established in children under 18 years of age. For full prescribing information, see the Instructions for Use (IFU). Rx Only.