



3M Science.
Applied to Life.™

3M Industrial Maintenance and Repair Solutions for
Electrical Installations

We have
your solution.





Keep your electrical systems and equipment running.

A complete set of solutions that help you solve problems.

The proper and safe functioning of your operations requires reliable electrical installation. As the electrical maintenance and repair professional, you need to pay attention to every detail to avoid unnecessary downtime. Each repair must be done efficiently with no room for error.

3M has low and medium voltage solutions to help you get the job done quickly – and done right – the first time. You're ready to tackle any job because you have the power of high-quality, reliable 3M Electrical Maintenance and Repair Solutions.

 **Electrical Maintenance and Repair**

We've got the supplies you need for connecting, terminating, insulating and sealing your electrical connections.

Low voltage cable connection, insulation and identification

Cable re-jacketing and protection

Medium voltage cable splicing and terminations

Electrical installation firestop solutions

Other essential solutions



Wherever the job takes you, we have your solution.

From start to finish, 3M provides customized solutions to help you solve your challenging electrical maintenance installations.

This is a partial product listing. For a complete listing, please ask your 3M representative.

Low voltage cable connection, insulation and identification

Insulate & help protect electrical cables



A

Scotch® Super 33+™ Vinyl Electrical Tape

Premium grade tape that provides electrical insulation for all wires and cables rated up to 600V.

- 7 mils thickness
- Resists UV rays, abrasion, moisture, solvents, etc.
- Flame retardant
- Temperature range: 0 to 221 °F (-18 to 105 °C)

Connect low voltage wiring



A

3M™ Performance Plus™ Wire Connectors

One connector that does the job of two traditional low voltage connectors.

- Strong bite for a secure, reliable connection
- Flexible spring expands for greater wire range and reuse

Repair motors and electrical equipment splice connections



A

3M™ Motor Lead Inline Splice Kits

Splice kits for splicing motor lead cables to incoming feeder cables.

- Splice kits 5300 – 5319 are CSA certified for applications up to 600 volts
- Can accommodate the following splice configurations:
 - Pigtails (stub) connections 1000 Volts and less
 - Inline connections 1000 volts and less
 - Pigtail (stub) connections, 5/8 kV shielded and non-shielded feeders
 - Inline connections, 5/8 kV shielded and non-shielded feeders

Phase and cable identification




A

Scotch® Vinyl Color Coding Electrical Tape 35

Premium grade, 7 mil thick, color coded electrical tape for electrical insulation up to 600V.

- Used in phase identification and color coding
- Resists UV rays, abrasion, moisture, alkalis, solvents and acids
- Flame retardant
- Temperature range: 14 to 221 °F (-10 to 105 °C)

Quick wire identification



A

3M™ ScotchCode™ Wire Marker Tape Dispenser STD

A compact, carry-along dispenser with ten refillable compartments which hold eight-foot rolls of non-smear polyester tape for most electrical identification jobs.

- Dispenses either pre-printed numbers 0-9 (STD-0-9, STD-0-9X) or NEMA colors (STD-C, STD-CX), to be used for general identification jobs
- The tapes resist solvents, oil and water and adheres firmly to insulation surfaces
- Dispenses only the desired length

Cable Jacket Repair and Protection

Protect low voltage connections



B Scotch® Vinyl Mastic Tapes 2200 and 2210

Self-fusing, rubber-based insulating compound laminated to a flexible all-weather grade vinyl (PVC) backing.

- Primary insulation up to 600V
- Provides moisture sealing and abrasion resistance
- Easy to install, flexible and sunlight resistant

Medium voltage (MV) cable splicing and terminations

Splice medium voltage cables



C 3M™ MV Splices

Medium voltage cable accessories used for connecting in both indoor and outdoor applications.

- High quality silicone rubber insulates the splice while allowing the heat to dissipate
- Geometric stress control design regulates the distribution of the electrical field

Jacket repair for low and medium voltage cables



B Scotch® Cable Jacket Repair Tape 2234

Quick and easy-to-use tape to fully repair the jacket of low and medium voltage cables, regardless of size.

- Insulates and helps protect damaged cable jackets
- Flame retardant and abrasion resistant
- Flexible and sunlight resistant

Terminate medium voltage cables



C 3M™ MV Terminations

Medium voltage cable accessories used for terminating in both indoor and outdoor applications

- Presents silicone rubber insulation that is track-resistant and hydrophobic
- High dielectric-constant material that regulates the distribution of electric field stress

Electrical installation firestop solutions

Firestop cables and conduit



D **3M™ Fire Barrier Rated Foam**
A two-part urethane, smoke, sound and firestopping foam. This intumescent foam can be used to fill the annular space created by pipes and cables penetrating through fire-rated construction.

- Firestop tested and rated up to 2 hours
- Meets ASTM E814 (UL 1479) and CAN/ULC S115
- Finish your firestop installations more than 3X faster
- Expands up to 5 times in volume during installation

Firestop wall openings



D **3M™ Fire Barrier Moldable Putty Pads MPP+ and Stix MP+**
A one-part firestop material used in various fire-rated assemblies, such as electrical box protection and wall openings. Ready to use in convenient pads or sticks.

- Firestop tested up to 4-hours
- Meets ASTM E814 (UL 1479) and CAN/ULC S115
- Will not dry out or crumble
- Provides draft and cold smoke seal, helps reduce noise transfer

Firestop cables and conduit



D **3M™ Fire Barrier Sealant CP 25WB+**
A high-performance, intumescent latex-based sealant offering outstanding fire performance.

- Firestop tested for through penetration applications up to 4 hours
- Meets ASTM E814 (UL 1479) and CAN/ULC-S115
- Acoustic barrier and provides L-Rating (smoke seal)
- Bonds to concrete, metal, wood, plastic and cable jacketing

Other essential solutions

Clean and prep for electrical connections



E **3M™ Novec™ Contact Cleaner**
An aerosol solvent cleaner that effectively removes light hydrocarbon, fluorocarbon and silicone oils as well as dust and particulates from sensitive electrical and electronic equipment.

- Non-flammable and plastic-safe, including compatibility with ABS, polycarbonate, and acrylic
- Non-ozone depleting and contains no HCFCs, HFCs, nPB or HAPs
- Compliant with OTC VOC regulations
- Ideal for use on energized components

Protect your hands



E **3M™ Comfort Grip Gloves**
General use gloves with excellent dexterity and grip, even in wet or oily conditions.

- Good for general material handling and electrical component assembly
- Long-lasting, durable and washable

Secure Cable Wires



E **3M™ Cable Ties**
Secure wire bundles and quickly harness components.

- Features a self-locking head
- Most are designed to handle a wide temperature range without slipping

- B
- C
- D

Underground
Manhole
Vault
Area

Control Room

- A
- E

Production Area

- A
- B

- C

Substation
Room

- A
- B

Switch
Gear
Room

- C

Substation
Room 2

- C

Transformer
Room

- A
- C

Maintenance
Room

- A

Tool
Crib

Instrument
Closet

Maintenance
Closet

- A

Offices

Entrance

Facility
Grounds

- A
- B

Meeting Room

- A

- A

Dormitory



Everything you need to get it all done.

With an enormous array of trusted maintenance, repair, cleaning and safety products from 3M, there's no task too big, no process too complex. Together, with your ingenuity and our technology, we can get things done.

3M Industrial Maintenance and Repair Solutions for:

 **Machines and Equipment**

 **Surfaces**

 **Cleaning and Disinfecting**

 **Electrical**

 **HVAC and Plumbing**

 **Metal**

 **Fleet and Vehicles**

 **Grounds and Outdoors**

Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Warranty and Limited Reliability: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OR TRADE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. **Limitation of Liability:** Except for the limited remedy above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted, including warranty, contract, negligence or strict liability. **For industrial/occupational use only.** Not intended, labeled or packaged for consumer sale or use.



Electrical Markets Division

13011 McCallen Pass Blvd., Bldg C.

Austin TX, 78753

800-200-0265

www.3M.com

© 3M 2022. All rights reserved. 3M, Scotch, Scotchlok, Scotchcode, Super 33+, Novec, Performance Plus are trademarks of 3M Company.