

#### **Case Study:** 3M<sup>™</sup> Clarity<sup>™</sup> Aligners

# **Esthetically reducing** embrasures with barrel-shaped incisors without bonding.

**Age:** 16

**Original malocclusion:** Class I

**Total number of aligners:** 13 (dual arch)

Wear interval: Weekly

**Treatment time:** 3 months

#### **IPR:** Total IPR Upper Arch = 0.2 mm

By Stage		Entire Case				Total IPR Upper Arch = 0.2mm							Total IPR Lower Arch = 0mm				
	R8	R7	R6	R5	R4	R3	R2	R1	L1	L2	L3	L4	L5	L6	L7	L8	
Upper Arch						.2											
Lower Arch																	

**Profile at rest** 

Face at rest

Face smiling

#### Case courtesy of:

Dr. Adam Schuhof Oradell, NJ – USA

#### Initial












CCL15 p1

# Initial



# Occlusal – maxillary

Occlusal – mandibular

# Final



#### Initial







#### Retracted buccal – right

Retracted anterior biting

Retracted buccal – left

#### Final









### Tx design



#### Initial



#### Final

# Anterior open







# Learn more at **3M.com/ClarityCasesAU** and **3M.com/ClarityCasesNZ**

© 3M 2021. All rights reserved. 3M and Clarity are trademarks of 3M.

