

**Case Study:** 3M<sup>™</sup> Clarity<sup>™</sup> Aligners

# Asymmetric Class III with mild upper and lower crowding

**Age:** 29

**Chief concern:** Front top teeth and bottom teeth rubbing together

**Case diagnostics:** Class I skeletal, asymmetrical Class III malocclusion with traumatic incisor occlusion and mild upper and lower crowding

**Total number of aligners:** 47 total aligners (11 aligners in Initial Tx Design), (16 aligners in Refinement 1), (12 aligners in Refinement 2), (8 aligners in Refinement 3)

**Wear interval:** 2 week changes for stages 1-2. Weekly changes with attachment placement at the beginning of stage 3

**Treatment time:** 25 months (includes 19 weeks "logistics" wait time and a two month delay due to COVID-19 pandemic office closure) **Profile at rest** 

Face at rest


Face smiling

**Case courtesy of:** Dr. David Hime

Austin, TX – USA


Initial







**Progress** - 2 years, 2 months











### Initial




Occlusal – maxillary



Occlusal – mandibular





Final







### Initial



Retracted buccal – right





Retracted anterior biting

Retracted buccal – left





## Progress - 1 year, 7 months

### Final








DCP11 p3

# Panoramic radiograph



Initial

## Final

Ceph.

DCP11 p4

## Tx Design Video

Treatment Plan Attachment Strategy Key Movements Summary of Final Results

DCP11 p5



# Learn more at **3M.com/ClarityCasesAU** and **3M.com/ClarityCasesNZ**

© 3M 2021. All rights reserved. 3M and Clarity are trademarks of 3M.

