

Case Study: 3M™ Clarity™ Aligners Flex + Force

Lateral incisor control.

Age: 46

Chief concern: I don't care about my overbite; I just don't like my top front teeth and want to fix them as fast as possible

Case diagnostics: Skeletal Class II, dental Class II subdivision right (1/2 cusp), 50% OB, 4mm OJ, mild upper and lower crowding

Total number of aligners: Initial Tx Design: 24 aligners
3M™ Clarity™ Aligners Flex:
Stages 1-17 upper and lower arches
3M™ Clarity™ Aligners Force:
Stages 18-24 upper and lower arches

Refinement 1 – Tx Design: 6 aligners
3M™ Clarity™ Aligners Flex:
Stages 24-27 upper and lower arches
3M™ Clarity™ Aligners Force:
Stages 28-29 upper and lower arches

Wear interval: 7 days

Treatment time: 7 months

Case courtesy of:
Dr. Doug Palaganas
Great Neck, NY – USA

Initial

Final

Profile at rest



Face at rest



Face smiling



Initial

Progress - Aligner 24

Final

**Occlusal –
maxillary**



**Occlusal –
mandibular**



Initial

Progress - Aligner 24

Final

**Retracted
buccal – right**



**Retracted
anterior
biting**



**Retracted
buccal – left**



Panoramic radiograph

Initial



Final




Cephalometric radiograph

Initial



Final



Tx Design Video

- Treatment Plan
- Attachment Strategy
- Key Movements
- Summary of Final Results

Learn more at **3M.com/ClarityCasesAU**
and **3M.com/ClarityCasesNZ**