


3M Science.
Applied to Life.™



Introducing the new

3M™ Perfect-It™
Random Orbital
Polishing System

Refinishing. Redefined.



Take the pressure out of paint finishing.

Introducing the 3M™ Perfect-It™ Random Orbital Polisher — a professional-grade set of tools, pads and polishes — typically used in detailing shops, re-engineered for the collision repair industry. Unconventional, but welcomed change in process that allows you to get that show car shine, as if the car had never been touched. It's paint finishing redefined.

We've turned one of the most feared steps in automotive repair into one that any technician can master on their first go. Experience a system designed to work together — an easy-to-use polishing tool with specially-formulated liquids and pads. Your technicians should have no more fear of swirls, burn through, or other pitfalls common with traditional rotary buffing systems. Don't let paint finishing control you. It's time to take back control of the finish.



Consistent Swirl-Free Finish



The combined circular and oscillating motion of the 3M™ Perfect-It™ Random Orbital Polisher eliminates the dreaded swirl marks common with traditional rotary tools. Paired with our specially-designed pads, compound and polish, you can expect a consistent high-quality finish on any job big or small.

Avoid Burn Through and Rework



Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job. It may feel different, but with this system, you can have confidence that your paint job won't be ruined in the final stages of repair.

Designed For All Skill Levels



Achieving your ideal finish has never been easier. Whether you're a painter, detailer, novice or seasoned expert, the 3M™ Perfect-It™ Random Orbital Polishing System was designed to help deliver sleek, consistent results — at any skill level. Let your pride reflect in every polish.

Rotation speed control from 1 up to 6



Fast-cutting compound and high-quality polish engineered to perform with polisher



Trigger button with a progressive speed and locking function



User-friendly, comfortable handle design

Well-balanced and easy to operate with one hand



Bottle cap color matches pad color for easy identification

Single-sided 3M™ Hookit™ pad attachment for easy change-outs



Combined circular and oscillating motion eliminates swirl marks and other defects

A system designed to work together.

After this, there's no going back.

Get a show car finish today.



3M™ Perfect-It™ Random Orbital Polisher

Product	Description	Part No.
3M™ Perfect-It™ Random Orbital Polisher - 15mm	120 V / 60 Hz / Plug A	34100
3M™ Perfect-It™ Random Orbital Polisher - 21mm	120 V / 60 Hz / Plug A	34101

3M™ Perfect-It™ Random Orbital Pads

Product	Size	Qty	Part No.
3M™ Perfect-It™ Random Orbital Coarse Wool Compounding Pad (White)	5"/130 mm	2 Pads /Bag	34120
	6"/150 mm		34124
3M™ Perfect-It™ Random Orbital Medium Wool Compounding Pad (White)	5"/130 mm	2 Pads /Bag	34121
	6"/150 mm		34125
3M™ Perfect-It™ Random Orbital Foam Compounding Pad (White)	5"/130 mm	2 Pads /Bag	34122
	6"/150 mm		34126
3M™ Perfect-It™ Random Orbital Foam Polishing Pad (Purple)	5"/130 mm	2 Pads /Bag	34123
	6"/150 mm		34127

3M™ Perfect-It™ Random Orbital Compound and Polish

Product	Size	Part No.
	16 oz/473.18 ml	34130
3M™ Perfect-It™ Random Orbital Compound	32 oz/0.95 Liter	34131
	1 gal/3.79 Liter	34132
	16 oz/473.18 ml	34133
3M™ Perfect-It™ Random Orbital Polish	32 oz/0.95 Liter	34134
	1 gal/3.79 Liter	34135

3M™ Perfect-It™ Random Orbital Accessories

Product	Size/Color	Qty	Part No.
3M™ Perfect-It™ Random Orbital Back-Up Pads	5" / 130mm	-	34128
	6" / 150mm	-	34129
3M™ Conditioning Brush	Red	10/Case	05761
3M™ Microfiber Detail Cloth	Blue	6/Pack	06020



Automotive Aftermarket Division
3M Center
Building 223-06S-07
St. Paul, MN 55144-1000
1-877-666-2277

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. Warranty claims must be made within one (1) year from the date of 3M's shipment.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Disclaimer: 3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., U.S. OSHA, ANSI), as well as all product literature, user instructions, warnings, and limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, or death. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit www.3M.com

For more information, visit us at
3M.com/swirlfree