

Product Description

3M™ Safety-Walk™ 3200 is a floor matting having a flexible vinyl open mesh structure. The open mesh structure allows water to run through the matting so the surface stays drier than the surrounding area. The resilient surface is comfortable for bare feet, while the vinyl is formulated for resistance to chlorinated water, body oils, fungus, mildew, and UV radiation. The matting is suitable for use in barefoot traffic areas to help provide slip-resistant footing. Typical applications include locker rooms, corridors, and the areas around saunas and showers. 3M™ Safety-Walk™ 3200 is not recommended in showers or in areas exposed to direct water, and not recommended for wet shoe traffic.

Product Line

3M™ Safety-Walk™ 3200

- Pre-cut mats
 - 0.9 m x 6 m

Characteristics

The values displayed are the results of illustrative lab test measurements made according to the indicated external norm and shall not be considered as a commitment from 3M.

Characteristics	Value
Material	Vinyl
Colors	Dark Blue
Thickness	5.5 +/- 0.5 mm
Weight	3.48 +/- 0.15 kg/m ²
Dimensional stability (Length and width may change)	+/- 3%
Antistatic properties AATCC-134	0.9 kV
Flammability EN 13501	Bfl, s1
Slip resistance DIN EN 16165	R10 / V10
Service temperature	-29°C to +60°C

Flammability

Flammability standards are different from country to country. Ask your local 3M contact for details, please.

Accessories

- 3M™ Mat Edging Medium Profile (black, grey)
- 3M™ Matting Adhesive

Disposal

Post-consumer waste can be disposed of in appropriate containers or/and be incinerated. The European directive waste disposal code is 20-01-39 for plastic material. Refer to your local waste handling procedure for potential recycling.

Country of Origin

Made in USA

ISO 9001 certified manufacturing plant

Health and Safety

When handling any chemical products, read the manufacturer's container labels and the Safety Data Sheets (SDS) for important health, safety and environmental information.

[Follow the link to obtain SDS sheets for 3M products on 3M.com/SDS.](#)

[Follow the link to obtain information about substances of very high concern \(SVHC\).](#)

IMPORTANT! When using any equipment, always follow the manufacturer's instructions for safe operation.

Limited Remedy

Unsuitable End Uses

This bulletin provides technical information only.

3M recommended product end uses are listed in each 3M product bulletin. End uses not listed in the applicable 3M Product Bulletins are typically not eligible for 3M Warranties. For non-recommended and/or non-warranted end uses or applications, users must test and approve the end uses or applications, assume any associated risks, and acknowledge that 3M has no liability for such end uses or applications. Please contact your 3M representative with any questions about applications, end uses, and warranties.

Limitations of liability

All questions of warranty and liability relating to this product are governed by the terms and conditions of the sale, subject, where applicable, to the prevailing law.

3M and Nomad are trademarks of 3M. All other trademarks are the property of their respective owners. The use of trademark signs and brand names in this bulletin is based on US standards. These standards may vary from country to country outside the USA.

3M United Kingdom PLC

Commercial Solutions Division
Cain Road
Bracknell, RG12 8HT
UK

3M Ireland Ltd.

The Iveagh Building
The Park, Carrickmines
Dublin 18
Ireland

© 3M 2023. All rights reserved.