For Metalworking, and General Industrial

3M Application Profile: Bundling





Scotch® Filament Tape 898 can be easily applied by hand to hold rebar in organized bundles.

Application Description:

This tape enables temporary bundling and wrapping of parts, such as rods, pipes, angle metal, and electrical conduits. It keeps parts secured during storage and transportation.

Application Benefit:

 Assists with efficient loading of materials while holding in place and protecting parts from shifting, which can cause damage to parts

Key Application Requirements:

- Conformable, strong backing that resists stretch under tension
- Resists cutting from sharp edges that can break as well as tear the tape, causing materials to unbundle
- Attaches and holds to a variety of surfaces in addition to adhering to its own backside
- Removes cleanly after use



Scotch® Bi-Directional Filament Tape 8959 can be used to bundle heavy rolls of material such as carpet during shipping and handling.

Engineered Industrial Tapes

For Metalworking, and General Industrial

Tape Benefits:

- Fast, one-piece removal: Reduces time and removal complexity
- Nick and scratch resistance:
 Reduces yield loss, compared to metal bands and wires that can damage surfaces
- Safety: Helps minimize employee injuries compared to environments utilizing sharp metal bands and wires
- Easy to Apply/Immediate use:
 Simplifies the application process and doesn't require additional tools or operators

Products	
Scotch® Filament Tape 890 HD	
Scotch® Filament Tape 898	
Scotch® Filament Tape 893	
Filament Tape 8934	
Tartan™ Filament Tape 8934	
Additional Applications	
Metalworking	Rebar, pipes
General Industrial	Plastic tubes, carpets, packages



Industrial Adhesives and Tapes Division 3M Center St. Paul, MN 55144-1000 Phone 800-362-3550

3M and Tartan are trademarks of 3M Company. Scotch is a registered trademark of 3M Company

© 3M 2023. All rights reserved. Please recycle.

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. Warranty claims must be made within one (1) year from the date of 3M's shipment.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Disclaimer: 3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., U.S. OSHA, ANSI), as well as all product literature, user instructions, warnings, and other limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, death, or property damage. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit www.3M.com.[1].