

3M™ PELTOR™ Bull's Eye I Earmuffs

Technical datasheet



Product description

The 3M™ PELTOR™ Bull's Eye range of earmuffs are designed to provide a moderate to high level of attenuation that meets the needs of sports shooters and hunters. When correctly selected and worn these earmuffs can help reduce exposure to hazardous levels of noise.

Key features

- ▶ Reduces noise levels up to 28dB SNR
- ▶ Modern, stylish, slim line cup design
- ▶ Bevelled cup increases compatibility with hunting and shooting/ weapons as minimises interference between the hearing protector and the rifle butt
- ▶ Folding headband for easy storage in a pocket or bag
- ▶ Stainless steel headband design helps maintain constant pressure during wear time
- ▶ Soft wide foam cushions helps reduce pressure around the ears and improves comfort and wearability
- ▶ Replaceable cushions and inserts are available separately to extend the life of your earmuffs
- ▶ Earmuffs are available in either black or green colour

Applications

3M™ PELTOR™ Bull's Eye I Earmuffs are ideal for protection against noise arising from many sports shooting and hunting activities. Examples of typical applications include:

- ▶ Sport shooting, including clay pigeon
- ▶ Hunting

Standards and approvals

Hereby, 3M Svenska AB declares that the product is in compliance with appropriate Directives or Regulations to fulfill the requirements for the CE and/or UKCA marking.

The full text of the Declaration of Conformity is available at the following internet address: www.3M.com/PELTOR/DOC.

A copy of the Declaration of Conformity and additional information required in the Directives or Regulations can also be obtained by contacting 3M in the country of purchase.

3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations and guidance on how to adjust attenuation label value(s). In the absence of applicable regulations, it is recommended that the attenuation label value(s) be reduced to better estimate typical protection.



Material listing

Component	Material
Headband/neckband and cover/sleeve	Stainless steel wire, PVC, Acetal
Helmet attachment arm	N/A
Cups	ABS (acrylonitrile butadiene styrene)
Insert (liner)	Polyurethane foam
Cushions and cushion covers	Polyurethane foam and PVC
Cushion cover	PVC (polyvinyl chloride)

Accessories/replacement

The cushions and inserts on the 3M™ PELTOR™ Bull's Eye I earmuffs can be replaced with the hygiene kits listed below to maintain consistent protection, hygiene, and comfort.

Hygiene kits:


Earmuff model	Hygiene kit
3M™ PELTOR™ Bull's Eye I Earmuffs (H515FB)	HYX1

In addition, HY100 sweat pads are also available that can be placed on the cushions to help absorb moisture and sweat.

Attenuation values and weight

3M™ PELTOR™ Bull's Eye I Earmuffs (H515FB foldable headband)

EN 352-1:2020

	Frequency (Hz) <i>f</i>							H	M	L	SNR	
	125	250	500	1000	2000	4000	8000					
Mf (dB)	16.2	17.0	26.4	33.5	37.1	39.1	34.3	35.8	27.4	20.2	29.9	168 g
SD (dB)	4.1	2.7	2.9	4.6	2.8	3.6	4.7	2.7	2.4	2.7	2.4	
APVf (dB)	12.1	14.3	23.5	28.9	34.3	35.5	29.6	33	25	18	28	

Attenuation table key:

f = Test frequency

Mf = Mean attenuation value

SD = Standard deviation

APVf (Mf - SD) = Assumed Protection Value

H = High-frequency attenuation value (predicted noise level reduction for noise with LC – LA = -2dB)

M = Medium-frequency attenuation value (predicted noise level reduction for noise with LC – LA = +2dB)

L = Low-frequency attenuation value (predicted noise level reduction for noise with LC – LA = +10dB)

SNR = Single Number Rating (the value that is subtracted from the measured C-weighted sound pressure level, LC in order to estimate the effective A-weighted sound pressure level inside the ear).

Important notice

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application.

As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable national and/or European regulations and standards. Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: A limitation of liability applies to the 3M product(s). For warranty statement and limitation of liability, refer to your supply agreement or the 3M terms & conditions of sale.

3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use.

Personal Safety Division

3M United Kingdom PLC
3M Centre
Cain Road, Bracknell
Berkshire RG12 8HT
t: 0870 60 800 60
www.3M.co.uk/safety

3M Ireland Limited
The Iveagh Building
The Park
Carrickmines
Dublin 18
Ireland

© 3M 2023. 3M and PELTOR are trademarks of 3M Company.
All rights reserved.

