

# Put the Power of Two to work for you

The strengths of 3M™ Kerramax Care™ Super-Absorbent Dressing and 3M™ Coban™ 2 Two-Layer Compression System can help you manage venous leg ulcers (VLU)



## A combination your patients can count on

The combination of 3M™ Kerramax Care™ Dressing and 3M™ Coban™ 2 Two-Layer Compression System is designed to help clinicians and patients with the management of VLUs. The low profile of Kerramax Care Dressing and its ability to absorb and retain exudate even under compression, makes it a great partner with compression therapy.<sup>12</sup> The Coban 2 Compression System is a two-layer compression bandage system that is designed to deliver therapeutic compression required for treating patients with VLUs.3

Wounds International recently published eight case studies evaluating the clinical performance of Kerramax Care Dressing and Coban 2 Compression System. Outcomes show that patients with VLUs being treated in different care settings were satisfied with the combined treatment. It was reported that Kerramax Care Dressing stayed in place during wear time under compression, retained exudate and no strikethrough or leakage was observed.1

# 3M™ Kerramax Care™ Super-Absorbent Dressing



3M™ Kerramax Care™ Super-Absorbent Dressing

Chronic, highly exuding wounds are difficult for both clinician and patient. Excess fluid can make achieving an optimum moisture balance difficult and can lead to maceration.

Kerramax Care Dressing with advanced Exu-Safe™ Technology absorbs and retains high levels of serous and viscous fluid away from the periwound skin and wound bed, helping to reduce skin maceration, even under compression.<sup>1,4</sup>

The high absorption and retention of Kerramax Care Dressing can enable fewer dressing changes and minimize disturbance to the wound bed.4,5

A positive patient experience can lead to reduced stress and anxiety when dealing with chronic wounds, which can help to reduce pain and improve patient compliance with treatment. Kerramax Care Dressing is designed for patient comfort.4,5

of patients



Scored the dressing between 8-10 highlighting a high level of comfort and positive patient experience.4

happy to continue



90% of responses indicated they would be happy to continue using Kerramax Care Dressings as their first choice for the management of highly exuding wounds.4

#### Key benefits



Absorbs and retains high levels of exudate<sup>4,5</sup>



Low profile, soft, conformable and foldable<sup>2</sup>



Helps to sequester bacteria and MMPs to the dressing



Easy to apply (using either side)



Can be used under compression<sup>5</sup>



Can be left in place for seven days





Venous leg ulcers affect 1% to 2% of the population, with the prevalence increasing ≤4% for those aged >65 years.7

area reduction of

A monthly surface 30%

provides a baseline healing rate for VLUs managed with compression therapy and advanced dressings.8

# 3M™ Coban™ 2 Two-Layer Compression System and 3M™ Coban™ 2 Lite Two-Layer Compression System

The Coban 2 Compression System and Coban 2 Lite Compression System provide effective compression therapy, which has been shown to contribute to effective VLU management through edema reduction, decreased pain and improvement in a patient's daily activities.9,10,11

Coban 2 Compression System is easy to apply and remove, is designed to stay in place<sup>9,10</sup> and allows for normal footwear, increasing patient compliance and the potential for more effective treatment.9,11



3M™ Coban™ 2 Two-Layer Compression System



3M™ Coban™ 2 Lite Two-Layer Compression System

49%

of VLUs can be healed by compression<sup>12</sup>



Coban 2 Compression System is also effective at reducing lymphedema and chronic edema



### Key benefits



Fast and easy applications



Therapeutic compression that stays in place



Comfortable to improve patient compliance



Not made with natural rubber latex



Conforms to patient anatomy



**Provides** consistent compression



Helps enable a more normal lifestyle

#### 3M™ Kerramax Care™ Super-Absorbent Dressing

Solventum Code	Size (inches)	Dressings/Box
PRD500-025	5 cm x 5 cm (2 in x 2 in)	10 ea/bx
PRD500-050	10 cm x 10 cm (4 in x 4 in)	10 ea/bx
PRD500-100	13.5 cm x 15.5 cm (5 in x 6 in)	10 ea/bx
PRD500-120	10 cm x 22 cm (4 in x 9 in)	10 ea/bx
PRD500-240	20 cm x 22 cm (8 in x 9 in)	10 ea/bx
PRD500-380-B10	20 cm x 30 cm (8 in x 12 in)	10 ea/bx
PRD500-600-B10	20 cm x 50 cm (8 in x 20 in)	10 ea/bx

## View case studies to see how these

products provide optimal environments for managing VLUs:



#### 3M™ Coban™ 2 Two-Layer Compression System and 3M™ Coban™ Lite Two-Layer Compression System

Coban 2 Compression System, with the purple core and packaging, provides high compression and is ideal for treating the majority of patients with ABPI greater than or equal to 0.8. Coban 2 Lite Compression System, with the green core and packaging, provides a reduced resting pressure compared to Coban 2 Compression System. Designed for those limbs with small circumferences (e.g. fingers, arms, toes), for patients less tolerant of compression therapy, including those who have mixed aetiology, are new to compression or where tolerance is not known. Suitable for ABPI 0.5 and above.

Description	Solventum Code	Roll Dimensions	Rolls/Box	Boxes/ Case
Coban 2 Compression System for patients with ABPI ≥ 0.8	2094N	Roll 1 - 4 in x 2.9 yd (10 cm x 2.7 m) Roll 2 - 4 in x 3.8 yd (10 cm x 3.5 m)	2 rolls, 1 of each layer	8
Coban 2 Compression System for patients with ABPI ≥ 0.8	2094XL	Roll 1 - 4 in x 3.8 yd (10 cm x 3.5 m) Roll 2 - 4 in x 4.9 yd (10 cm x 4.5 m)	2 rolls, 1 of each layer	8
Coban 2 Compression System for patients with ABPI ≥ 0.8	20096	Roll 1 - 6 in x 3.8 yd (15 cm x 3.5 m) Roll 2 - 6 in x 4.9 yd (15 cm x 4.5 m)	2 rolls, 1 of each layer	8
Coban 2 Lite Compression System for patients with ABPI ≥ 0.5	2794E	Roll 1 - 4 in x 2.9 yd (10 cm x 2.7 m) Roll 2 - 4 in x 3.4 yd (10 cm x 3.2 m)	2 rolls, 1 of each layer	8

NOTE: Specific indications, contraindications, warnings, precautions and safety information exist for these products and therapies. Please consult a clinician and product Instructions for Use prior to application. This material is intended for health care professionals. Rx only.

#### References:

- 1. Hughes, MA, et al. 3M<sup>™</sup> Kerramax Care<sup>™</sup> Super Absorbent Dressing and 3M<sup>™</sup> Coban<sup>™</sup> 2 Two-Layer Compression System case series supplement. Wounds International (2022), London, UK.
- 2. Jackson S, Lovett J, Stephenson C. An assessment of the conformability of superabsorbent dressings. Poster presented at: Wounds UK Annual Conference 2016, UK.
- Vowden P, Kerr A, Mosti G: Demystifying mild, moderate and high compression systems -when and how to introduce "lighter" compression. Position document Wounds International. Nov 2020.
- 4. Hughes, M. A large-scale evaluation of managing moderate and highly exuding wounds in the community. Wounds UK. 2017;13(3):78-85.
- 5. Jones J, Barraud J. An evaluation of Kerramax Care in the management of moderate to heavily exuding wounds. Br J Community Nurs. 2014 Mar; Suppl: S8, S50-53
- 6. Singh G, Byrne C, Thomason H, McBain A. Investigating the microbial and metalloprotease sequestration properties of superabsorbent wound dressings. Sci Rep. 2022; 12 (1): 4747
- Schul MW, Melin MM, Keaton TJ. Venous leg ulcers and prevalence of surgically correctable reflux disease in a national registry. J Vasc Surg Venous Lymphat Disord. 2023 May;11(3):511-516. doi: 10.1016/j.jvsv.2022.11.005. Epub 2023 Jan 19. PMID: 36681297.
- 8. Rajhathy, Erin M.; Murray, Heather D.; Roberge, Veronica A.; Woo, Kevin Y. Healing Rates of Venous Leg Ulcers Managed With Compression Therapy: A Secondary Analysis of Data. Journal of Wound, Ostomy and Continence Nursing 47(5):p 477-483, September/October 2020. | DOI: 10.1097/WON.000000000000000000
- 9. Mosti G, Crespi A, Mattaliano V: Comparison Between a New, Two-component Compression System With Zinc Paste Bandages for Leg Ulcer Healing: A Prospective, Multicenter, Randomized, Controlled Trial Monitoring Sub-bandage Pressures WOUNDS 2011;23(5):126–134
- Moffatt C. et al: A preliminary randomized controlled study to determine the application frequency of a new lymphoedema bandaging system, British Journal of Dermatology, Volume 166, Issue 3, March 2012, Pages 624-632
- 11. Moffatt C et al.: A randomised controlled 8-week crossover clinical evaluation of the 3M™ Coban™ 2 Layer Compression System versus Profore™ to evaluate the product performance in patients with venous leg ulcers
- 12. Guest JF, Fuller GW. Relative cost-effectiveness of three compression bandages in treating newly diagnosed venous leg ulcers in the UK. J Wound Care. 2023 Mar 2;32(3):146-158.



Available in Canada from:
3M Healthcare Canada Company Limited
75 Courtneypark Drive, West Unit 4
Mississauga, ON
LSW 0E3
Canada
Phone 1-833-954-0525 | Web 3M.ca/Medical

Contact your local Solventum representative for education and visit our website for more information.

#### Solventum, formerly 3M Health Care

©Solventum 2024. Solventum, the S logo, Kerramax Care and Coban are trademarks of Solventum or its affiliates. 3M and the 3M logo are trademarks of 3M. Other trademarks are the property of their respective owners. All Rights Reserved. CA\_EN\_70-2013-1662-0

