
3M Science. Applied to Life.™

Masking Simplified

The right tape to get the job done



In 1925, after working with automotive painters, 3M introduced the world's first masking tape to improve the painting process.

In today's world, over 100 years later, the painting process has greatly evolved, demanding consistent masking products that provide the reliable convenience you demand in a busy shop.

From premium performance to cost effective solutions, or anything in between, 3M has you covered. You can count on 3M to provide a simple and straightforward lineup of masking tape that will meet your performance needs. With 3M masking tape, you can roll with a confident paint job.

3M™ Performance Green Masking Tape 233+

A premium all around masking tape with superior conformability and excellent clean removal.

- High adhesion with solvent and moisture resistance
- Superior conformability with clean removal
- UV resistance for up to 3 days
- Solvent-free, proprietary adhesive

Dimensions	Part No.	Rolls / Sleeve	Rolls / Carton
1/8 in x 60 yds (3 mm x 55 m)	26343	12	144
¼ in x 60 yds (6 mm x 55 m)	26344	12	96
½ in x 60 yds (12 mm x 55 m)	26332	12	48
¾ in x 60 yds (18 mm x 55 m)	26334	12	48
1 in x 60 yds (24 mm x 55 m)	26336	6	24
1 ½ in x 60 yds (36 mm x 55 m)	26338	4	16
2 in x 60 yds (48 mm x 55 m)	26340	3	12
3 in x 60 yds (72 mm x 55 m)	26341	2	8
3.75 in x 60 yds (96 mm x 55 m)	44608	2	8




3M™ High Performance Blue Masking Tape 3434

A specialty premium masking tape with superior adhesion for challenging surfaces and environments.

- Superior performance in humid and challenging environments
- Adhesion on Low Surface Energy (LSE) plastics
- Great conformability for adhesion to irregular surfaces
- Clean removal

Dimensions	Part No.	Rolls / Sleeve	Rolls / Carton
¾ in x 54.6 yds (18 mm x 50 m)	07895	12	48
1 in x 54.6 yds (24 mm x 50 m)	07897	9	36
1 ½ in x 54.6 yds (36 mm x 50 m)	07898	6	24
2 in x 54.6 yds (48 mm x 50 m)	07899	5	20



3M™ Performance Yellow Masking Tape 388N

A balanced all around masking tape with excellent stick and stay.

- Excels in a variety of general masking applications
- Conformability for efficient application
- Clean, fast removal without adhesive residue
- Solvent-free, proprietary adhesive

Dimensions	Part No.	Rolls / Sleeve	Rolls / Case
¾ in x 60 yds (18 mm x 55 m)	06652	12	48
1 in x 60 yds (24 mm x 55 m)	06653	9	36
1 ½ in x 60 yds (36 mm x 55 m)	06654	6	24
2 in x 60 yds (48 mm x 55 m)	06656	6	24



3M™ Automotive Masking Tape 2308

A cost-effective masking tape good for everyday use.

- Designed for general masking applications
- Good adhesion with adhesive transfer resistance and effortless unmasking
- Solvent resistance and easy tear
- Solvent-free, proprietary adhesive

Dimensions	Part No.	Rolls/Sleeve	Rolls / Case
¾ in x 60 yds (18 mm x 55 m)	06545	12	48
1 ½ in x 60 yds (36 mm x 55 m)	06547	6	24
2 in x 60 yds (48 mm x 55 m)	06548	6	24




Overview Performance Comparison Table

Attributes / Product Lines	3M™ Performance Green Masking Tape 233+	3M™ High Performance Blue Masking Tape 3434	3M™ Performance Yellow Masking Tape 388N	3M™ Automotive Masking Tape 2308
	A premium all around masking tape with superior conformability and excellent clean removal	A specialty high adhesion masking tape with superior adhesion for critical surfaces and for challeging environments	A balanced all around masking tape with excellent stick and stay	A cost-effective masking tape good for everyday use
Adhesion	◕	●	◕	◔
Conformabilty	●	◑	◕	◔
Sliver resistance	●	◑	◕	◔
Adhesive Transfer resistance	●	◕	◕	◕
Flaking resistance	●	◕	●	◕
Temperature resistance (30mins)	250°F	230°F	250°F	250°F
Humidity resistance	◕	●	◕	◑
Abrasion resistance	●	◕	●	◔
Outdoor / UV resistance (3 days)	✓	✓	✓	
Prevents bleed through	✓	✓	✓	✓

3M offers Masking Tape as part of full masking systems for a quality finish, as well as controlling dust and overspray and maximizing shop efficiency.

3M™ Plastic Sheeting Multi-Tier Performance



Tiered Performance Sheeting to meet your needs for tear, temperature, paint flaking resistance, and tape repositioning properties.

Dimensions	Part No.	Quantity
12'x400'	06723	1/Pack
16'x400'	06724	1/Pack
20'x250'	06742	1/Pack
12'x400'	06727	1/Pack
16'x400'	06728	1/Pack
16'x250'	06725	1/Pack

3M™ Soft Edge Foam Masking Tape PLUS



Foam tape eliminates hard paint lines in jamb areas, helps reduce rework, and offers a more simplified application compared to masking with conventional tape.

Dimensions	Part No.	Quantity
21 mm x 7 m	50421	1/Pack

3M™ Perforated Trim Masking Tape



Features a rigid band along one edge that slips gently behind moldings, lifting them slightly away from the body allowing paint to flow beneath.

Dimensions	Part No.	Rolls / Case
5 mm, 50 mm x 10 m	06345	6
7 mm, 50 mm x 10 m	06347	6
10 mm, 50 mm x 10 m	06349	6
15 mm, 50 mm x 10 m	06348	6

3M™ Smooth Transition Tape, White



Applied on top of the standard masking products protecting the surroundings of the repair area to create a smooth paint edge.

Dimensions	Part No.	Quantity	Rolls/Case
6,35 mm x 9 m	06800	Single	60

Find out more about 3M™ Masking Products:



View our masking application process chart:

Download PDF

Automotive Aftermarket Division
3M Center, Building 223-6S-07
St. Paul, MN 55144-1000

Phone 1-877-666-2277
Web 3MCollision.com

For additional information, including important safety and warranty information, regarding 3M Automotive Aftermarket Products, please visit: www.3MCollision.com/info

3M is a trademarks of 3M Company. All other trademarks are property of their respective owners. Please recycle. © 3M 2026. All rights reserved.