



# Product Change Notice: 3M™ Round, Jacketed, Flat Cable Series 3759, .050” 28 AWG Stranded, PVC

**Issue Number:** 539

**Date:** May 31, 2004

**To:** 3M Electronic Solutions Division Global Copy List  
3M Electronic Solutions Division Distribution List  
3M Electronic Solutions Manufacturing Rep Firm List  
Mara Guzman, 3M EMD

## Product Change

**Product:** All Versions TS-0070

3759/09(300')	80610802573
3759/10(300')	80610802615
3759/14(300')	80610802656
3759/15(300')	80610802698
3759/16(300')	80610802730
3759/20(300')	80610802771
3759/24(300')	80610802813
3759/25(300')	80610802854
3759/26(300')	80610802896
3759/34(300')	80610802946
3759/36(300')	80610802987
3759/37(300')	80610803027
3759/40(300')	80610803068
3759/50(300')	80610803100
3759/60(300')	80610803142
3759/64(300')	80610803183

## Enhancement:

3M ESD is pleased to announce 3M Round, Jacketed, Flat Cable Series 3759 is now RoHS Compliant.

3M's intent is to offer products that allow our customers to be in compliance with European Union directive 2002/95/EC (Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment). 3M's determination of compliance is based on the current RoHS legislation and certification

from 3M raw material suppliers. This change does not affect the form, fit or function of the cable, therefore product numbers and stock numbers will remain unchanged. The description, as well as the factory run number, will be updated to include “RC” for RoHS Compliant.

The 3M™ Round Conductor Flat Cable Series 3759 is available in standard lengths of 300 feet with a minimum order quantity of one roll.

No new literature will be issued at this time. Please use the latest revision of TS-0070 which lists the RoHS and WEEE compliance in the Features and Benefits section.

### **Actions Required:**

- Please notify customers of this enhancement.

Thank you for your continued support of 3M products.

*Please direct all correspondence on this matter to:*

*Jeff Bullion*

*Copper Product Marketing*

*Phone: 512-984-5982*

*Email: jbullion@mmm.com*

*3M is a trademark of 3M Company.*

### **Important Notice**

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

### **Warranty; Limited Remedy; Limited Liability.**

This product will be free from defects in material and manufacture for a period of one (1) year from the date of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any loss or damage arising from this 3M product, whether direct, indirect, special, incidental or consequential regardless of the legal theory asserted.**



**Electronic Solutions Division**

6801 River Place Blvd.

Austin, TX 78726-9000

[www.3M.com/interconnects](http://www.3M.com/interconnects)

© 3M 2004