



Tilt-up solutions



3M™ Hi-Strength Laminating 92 Cylinder Spray Adhesive for larger application

- High strength and high temperature resistance
- Tacky, industrial grade adhesive for use in a wide variety of applications
- Bond reveals, chamfers, shoe plates and inlays to the casting slab replacing mechanical fasteners
- Eliminate slab repairs needed when using mechanical fasteners or other nailing methods
- High holding power, high heat and moisture resistance





3M™ Hi-Strength 90 Spray Adhesive Inverted for Tilt-Up reveal strip application

- High temperature and moisture resistant
- Fast drying
- No extra equipment needed
- Inverted can allows for easy application

Available in regular, inverted and low VOC









3M[™] Insulation Polystyrene 78 Inverted

- Designed specifically for bonding expanding polystyrene foams (EPS)
- Forms a bond stronger than the polystyrene foam
- Will not dissolve or degrade polystyrene
- Sprays with a lace pattern optimized for foam bonding

Available in regular and inverted





Ordering information

ize	Application	Name	UPC	SAPID
<u></u>				
Î	High strength, fast, contact adhesive 17.6 oz	90	00-021200-30023-3	700002392
ٳؙؙٙٙٚ	Lead Product	90 Inverted	00-051111-07278-3	7010292719
	High strength, fast, contact adhesive 12.23 oz	90	00-076308-86235-0	7010366483
	Low VOC CA Compliant Aerosol	90 CA - Low VOC	00-051111-97957-0	7000121418
	High strength, fast, contact adhesive	90	00-021200-41554-8	700002860
	Polystyrene Bonding	78	00-021200-41593-7	700004659
Ç	Polystyrene Bonding	78 Inverted	00-051111-07279-0	700004659 ⁻
	Polystyrene Bonding	70	00-048011-61690-2	7100138479
	Lead Product	92 (6)	00-048011-61697-1	7100138900
	Adhesive Remover	3M Citrus Based Adhesive Remover	00-021200-39296-2	7000121409
	Adhesive Remover	3M Citrus Based Adhesive Remover	00-021200-49048-4	7000121410
	Adhesive Remover	3M Citrus Based Adhesive Remover Low VOC	00-051111-97974-7	7000121420
	Adhesive Remover	3M Citrus Based Adhesive Remover Cylinder	00-051115-25748-3	7100138124
	Low VOC CA Compliant Cylinder	90CA (100)	00-048011-61703-9	7100139132
qui	pment			
	6' Hose		00-051115-25036-1	700004665
	12' Hose		00-048011-61988-0	700002862
	25' Hose		00-048011-61989-7	700004665
fj-	3M™ Standard Output Cylinder Adhesive Applicator w/9501 Tip		00-048011-61706-0	700002862
A-	3M™ Standard Output Cylinder Adhesive Applicator ex w/18" Extension Wand & 9501 Tip		00-051115-25779-7	700004666

Warranty and Limited Remedy: 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted.

Industrial Adhesives and Tapes Division Building & Construction Market 3M Center, Bldg 220-5E-06 St. Paul, MN 55144 1-866-513-4026 www.3M.com/construction