



Waterproofing solutions





3M™ HoldFast 70 Adhesive

- Very fast tacking spray and stick
- Bonds polystyrene when applied within recommended coverage

3M™ General Purpose 60 CA Adhesive

- Very high coverage for great value from every cylinder
- Meets California VOC regulations
 - Complies with SCAQMD rule 1168, contact adhesive
- Not recommended for use on polystyrene foam



3M™ Polystyrene Insulation 78 Spray Adhesive (24 oz. aerosol)

- Fast, easy pushbutton spray to attach polystyrene to concrete and cinder block
- Controlled spray pattern minimizes overspray and clean-up
- Spray adjusts 1-5" for targeted application, most efficient use of adhesive with less waste
- Bonds with strength greater than the foam itself
- Bonds without attacking the foam





3M™ Hi-Strength 90 Spray Adhesive (24 oz. aerosol)

- Stick poly draping to itself, concrete, brick, metal, wood, and more
- Apply to both surfaces for a fast high strength bond

Available in regular, inverted and low VOC









Ordering information

ze	Application	Name	UPC	SAPID
	Polystyrene Bonding	78	00-021200-41593-7	700004659
	Polystyrene Bonding	78 Inverted	00-051111-07279-0	700004659
	High Temperature Polystyrene Bonding	78 HT Blue	00-051115-31594-7	7100139314
	Polystyrene Bonding	78ET Green	00-048011-61695-7	700004660
	Polystyrene Bonding	78ET Clear	00-048011-61693-3	7100138815
	Polystyrene Bonding/Drainboard bonding - Lead Product	70	00-048011-61690-2	7100138479
	Low VOC CA Compliant cylinder	60CA	00-048011-61687-2	7100138900
<u> </u>	Plastic sheet seaming	90	00-021200-30023-3	700002392
<u> </u>	Plastic sheet seaming Low VOC CA Compliant Aerosol	90CA - Low VOC	00-051111-97957-0	7000121418
	Adhesive Remover	3M Citrus Based Adhesive Remover	00-021200-49048-4	7000121410
	Adhesive Remover	3M Citrus Based Adhesive (www.) Remover Low VOC	00-051111-97974-7	7000121420
	Adhesive Remover	3M Citrus Based Adhesive Remover Cylinder	00-051115-25748-3	7100138124
quip	oment			
)	6' hose		00-051115-25036-1	700004665
5	12' hose		00-048011-61988-0	700002862
	25' hose		00-048011-61989-7	700004665
•	3M™ Standard Output Cylinder Adhesive Applicator w/9501 Tip		00-048011-61706-0	700002862
6 -	3M™ High Output Cylinder Adhesive Applicator w/qss Tip*		00-051111-07329-2	700002863

Use with HF70 only*

Warranty and Limited Remedy: 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential,

Industrial Adhesives and Tapes Division
Building & Construction Market
3M Center, Bldg 220-5E-06
St. Paul, MN 55144
1-866-513-4026
www.3M.com/construction