



3M™ Petroleum Sorbent Products



HP-255

3M™ Petroleum Sorbent Pad, High Capacity HP-255

Twice as thick as a standard pad, these petroleum sorbent pads offer high capacity in a low-profile design. That means you can get extra sorbency into tight areas. They can be placed directly on items or tucked in and around hard to reach areas to catch and help contain lubricants. This pad can also be used to wipe contaminated surfaces.



T-126

3M™ Petroleum Sorbent Sweep T-126

These sweeps are excellent for sweeping thin slicks on water where mechanical skimmers fail. Constructed with a durable rope encased in reinforced sorbent material, these sweeps facilitate sweeping action over large surface areas. Sweeps can also be placed downstream from booms to help recover any escaping traces of oil.



T-156

3M™ Petroleum Sorbent Pad T-156

The T-156 sorbent pad is extremely easy to apply, retrieve, and reuse. Pads are recommended for congested areas such as under docks, in shallow water, rocky shorelines, marshes, and beaches. Pads can also be used to wipe off oil-contaminated rocks, boats, and equipment.



T-270

3M™ Petroleum Sorbent Boom T-270

These booms can be linked together by built-in connectors to overlap and deploy over large areas. Designed for long-term deployment, they are recommended for controlling and absorbing spills and effluent discharges in ditches, streams, rivers, lakes, and terminal docks and piers. They are UV resistant, will not deteriorate or disintegrate and have an inner scrim to eliminate linting. Unlike non-sorbent containment booms, these booms absorb the oil as they aid in containing it.



T-280

3M™ Petroleum Sorbent Double Boom T-280

This double boom features a unique double-cylinder design to maximize absorption and minimize the escape of traces of oil in flowing water. It also is constructed more rigidly to facilitate handling in those hard-to-get at areas and to make it easier to turn over for full saturation.

Product Code	Approx. Dimensions	Approximate Sorbent Capacity	UPC	Stock ID	Packaging
HP-255	17" x 19"	33 Gallons/Bale	5 00 51138 21543 4	70-0703-1379-9	50 Pads/Bale
T-126	21" x 100'	25 Gallons/Sweep	0 00 21200 16048 6	98-0711-0196-2	1 Sweep/ Bale
T-156	17" x 19"	40.5 Gallons/Bale	5 00 21200 16050 4	98-0711-0198-8	100 Pads/Bale
T-270	8" Diameter x 10'	20 Gallons/Boom	5 00 21200 16054 2	98-0711-0633-4	4 Booms/ Bale
T-280	4" Diameter x 10'	10 Gallons/Boom	5 00 21200 16085 6	98-0711-0807-4	4 Double Booms/ Bale



WARNING

Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the Material Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



Occupational Health and Environmental Safety Division
 3M Center
 Building 235-2NW-70
 St. Paul, MN 55144-1000

3M Canada Company OH&ESD
 P.O. Box 5757
 London, Ontario N6A 4T1
 Canada

For More Information

Technical Assistance in US 1-800-243-4630
 Technical Assistance in Canada 1-800-267-4414
www.3M.com/OccSafety

Please recycle. Printed in USA.
 © 2010 3M. All rights reserved.
 3M is a trademark of 3M Company