



3M™ Peltor™ H505B Welding Helmet Ear Muff

Product Description

The 3M™ Peltor™ H505B Welding Helmet Ear Muff, available in neck band version only, is designed to be used with welding shields in particular the 3M™ Speedglas™ 9100. These ear muffs provide moderate level of attenuation that meets the needs of most welding industry applications. When correctly selected and worn these products help reduce exposure to hazardous levels of noise and loud sounds.

Key Features

- Modern, stylish slim line cup design
- Liquid sealing rings for improved comfort
- Neckband design helps improve compatibility with other protective equipment
- Relatively large space inside cup helps reduce moisture and heat build-up
- Soft wide cushions helps reduce pressure around the ears and improves comfort and wearability
- Easy to replace cushions and inserts helps keep them hygienically clean

Applications

3M™ Peltor™ H505B Welding Helmet Ear Muff, although ideal for use in the welding industry, can also be used in a wide range of other industrial application to protect against hazardous noise and loud sounds.

Examples of typical applications include:

- Welding Industry
- Agriculture
- Automotive Construction
- Chemical & pharmaceutical manufacture
- Light engineering
- Woodworking

Standard & Approval

3M™ Peltor™ H505B Welding Helmet Ear Muff is tested to AS/NZS 1270:2002 and CE approved against the European Standard EN352-1:2002. This product meets the Basic Safety Requirements as laid out in Annex II of the European Community Directive 89/686/EEC. This product has been examined at the design stage by the Finnish Institute of Occupational Health (FIOH), Topeliuksenkatu 41aA, FIN-00250 Helsinki, Finland (Notified Body number 0403).

Materials

The following materials are used in the manufacture of this product.

Component	Materials
Headband	Stainless Steel wire, PVC and Acetal
Cups	ABS and TPE
Insert	Polyether
Cushions	Polyether and Glycerine
Cushion cover	PVC
Head strap	Polyester

Product Range



3M™ Peltor™
H505B Welding
Helmet Ear Muff

Attenuation values

3M™ Peltor™ H505B Welding Helmet Ear Muff

Frequency (Hz)	125	250	500	1000	2000	4000	8000
Mean (dB)	11.1	13.4	20.4	26.0	31.7	37.4	36.2
SD (dB)	4.7	4.4	4.5	4.5	5.2	5.6	5.5
Mean - SD (dB)	6.4	9.0	15.9	21.5	26.5	32.2	30.7

SLC(80) = 22dB

Class = 4

Accessories/Replacement

The 3M™ Peltor™ HY55 and 3M™ Peltor™ HY100A-01 Hygiene Pads can be placed on the cushions to help absorb moisture and sweat.

Key

Mean = Mean attenuation value derived from testing in accordance with AS/NZS 1270:2002

SD = Standard Deviation derived from testing in accordance with AS/NZS 1270:2002

Mean - SD = Mean attenuation value minus Standard Deviation

SLC(80) = Single number rating commonly used in Australia and New Zealand to compare acoustic performance of hearing protectors. The subscript '80' indicates that in well-managed hearing protector programs, the protection provided is expected to equal or exceed the SLC(80) in 80% of protector-wearer noise spectrum combinations

Class = A simplified process for selecting hearing protectors based on the wearers 8-hour equivalent continuous A-weighted sound pressure level

3M, Peltor are trademarks of 3M Company.

Important Notice

3M does not accept liability of any kind, be it direct or consequential (including, but not limited to, loss of profits, business and/or goodwill) arising from reliance upon any information herein provided by 3M. The user is responsible for determining the suitability of the products for their intended use. Nothing in this statement will be deemed to exclude or restrict 3M's liability for death or personal injury arising from its negligence.

Occupational Health and Environmental Safety Division 3M Australia Pty Ltd

Bldg A, 1 Rivett Road
North Ryde NSW 2113
Phone: 136 136
Fax: 02 9498 9616
TechAssist Helpline: 1800 024 464
E-mail: techassist@mmm.com.au
Website: www.3M.com/au/ohs

Occupational Health and Environmental Safety Division 3M New Zealand Ltd

94 Apollo Drive Rosedale,
AUCKLAND 0632
Tech Helpline: 0800 364 357
Customer services: 0800 252 627
Fax: 0800 367 253
E-mail: innovation@nz.mmm.com
Website : www.3M.co.nz/safety

Please recycle.
© 3M 2011. All rights reserved.

