

## 3M™ 444 and 3M™ 445 Oversleeves

The 3M 444 and 3M 445 Oversleeves are offered as an accessory within the range of disposable protective clothing from 3M.

Both the 3M 444 and 3M 445 Oversleeves are made from a white, laminated, low-linting fabric, this is also used on the 3M™ 4510 Protective Coverall and features an Antistatic treatment. Worn on the lower arms, the 3M 444 and 3M 445 Oversleeves are designed to protect the wearer's clothing from limited liquid chemical splashes and dusts and may also help reduce contamination of the working environment.

Both oversleeves feature elastication at the top of the sleeve to ensure a good fit. The 3M 444 Oversleeves have an elasticated cuff and the 3M 445 Oversleeves have a knitted cuff, both allow for a secure fit.

### Key Features

- 3M 444 is elasticated at the top and bottom of the sleeve
- 3M 445 is elasticated at the top of the sleeve and features a knitted cuff around the wrist
- Low-linting material
- Made from the same fabric as used on the 3M™ 4510 Protective Coverall which has an Antistatic treatment

### Applications

- Catering
- Electronics Manufacturing
- Laboratories
- Cleanrooms

This product is sold as an accessory and is not certified under the Personal Protective Equipment (PPE) Directive. A risk assessment should be carried out by a trained safety professional to ensure that appropriate PPE and accessories are selected and worn correctly. For more information, please contact 3M.


### Materials

<b>Overboot Material</b>	47gsm Polypropylene with a Polyethylene laminate
<b>Knitted cuff material (445 only)</b>	Polyester
<b>Elastic</b>	Neoprene Rubber
<b>Thread</b>	Polyester / Cotton


This product does not contain components made from natural rubber latex.

### Sizing - Universal

Specification for the 444:



Specification for the 445:



### Storage and Disposal

- Store in dry, clean conditions in original packaging, away from direct sunlight, sources of high temperature, and solvent vapours
- Store within the temperature range -20°C to +25°C (-4°F to +68°F) and with relative humidity below 80%
- Expected shelf life is three years from date of manufacture when stored as stated
- Replace product if damaged, contaminated or in accordance with local work practice or regulations
- Handle and dispose of contaminated product with care and in accordance with applicable regulations

### Limited Use



Do not wash



Do not dry clean



Do not bleach



Flammable — keep away from sparks or flames



Do not iron



Single Use - do not re-use



Do not tumble dry

### Warnings and Limitations

**Before use be sure that the product is suitable for the application and fitted correctly. Product must never be altered or modified.**

Do not use for:

- Contact with heavy oils, sparks or flame, or combustible liquids;
- Environments with high mechanical risks (abrasions, tears, cuts);
- The only or sole protection against hazardous substances;
- Environments with conditions of excessive heat.

For more information on 3M products and service please contact 3M.

#### Important Notice

This guide is only an outline. Before using any protective clothing or accessories, the wearer must read and understand the user information for each product. Specific country legislation should be observed. If in doubt, contact a safety professional. Selection of the most appropriate PPE and accessories will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE and accessories. Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. If you have questions contact 3M Technical Service.

#### 3M Personal Safety

**3M United Kingdom**  
3M Centre, Cain Road, Bracknell  
Berkshire RG12 8HT  
Tel: 0870 60 800 60  
www.3M.co.uk/safety

**3M Ireland Limited**  
The Iveagh Building  
The Park, Carrickmines  
Dublin 18  
Tel: 1 800 320 500

#### 3M Health & Safety Helpline

0870 60 800 60 (UK) 1 800 320 500 (Ireland)

Please recycle. Printed in United Kingdom  
© 3M 2013. All rights reserved

