

Regulatory Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Regulatory Data Sheet is provided as a courtesy in response to a customer request.

Document Group:	43-8190-1	Version Number:	4.00
Issue Date:	01/24/24	Supercedes Date:	11/01/23

3MTM Abrasive Products, CubitronTM II 726A, Belts

3M Abrasive Systems Division 3M Center, St. Paul, MN 55144-1000, USA 1-888-3M HELPS (1-888-364-3577)

RDSs are available at www.3M.com

Regulations and Industry Standards

SDS (US OSHA)

See Safety Data Sheet (SDS) for hazard and other regulatory data.

Conflict Minerals

The U.S. SEC excluded conflict minerals in physical tools, machines and indirect equipment which a manufacturer uses to produce a product from that manufacturer's requirements to report under the Conflict Minerals Rule. 77 Fed. Reg. 56273, 56297-98 (Sept. 12, 2012). Accordingly, this 3M product, if used as a tool, machine or indirect equipment in your production process, is not required to be included in your determination of the manufactured product's necessary conflict minerals. 3M products like abrasives and grinding wheels, and power tools and replacement parts for those tools are covered by this exclusion.

EU REACH

This product is an article, without intended release of a chemical substance, under the Regulation No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (refer to REACH, Article 3(3)). It is not a chemical preparation. Therefore, it is not subject to the (pre)-registration or the registration process. It does not require a safety data sheet.

EU REACH

This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective January 2024.

EU RoHS

This product does not exceed the maximum concentration values (MCVs) set under EU Directive 2011/65/EU (RoHS recast/RoHS 2), as stated in Annex II to that directive. This means that each of the homogenous materials within this product does not exceed the following MCVs: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; and (b) 0.01% (by weight) for cadmium.

EU RoHS Phthalates

This product does not exceed the maximum concentration values (MCVs) for phthalates set under EU Directive 2011/65/EU

(RoHS recast/RoHS 2), as amended by EU 2015/863, which applies to finished EEE after July 22, 2019 for Category 1-7, 10-11 products and after July 22, 2021 for Category 8 and 9 products. This means that each of the homogeneous materials within this product does not exceed the MCV of 0.1% (by weight) for each of the following phthalates: DEHP, BBP, DBP, and DIBP.

Chemicals and/or Compounds of Interest

Materials of Human or Animal Origin : Contains. *3M's Supplier of bovine tallow derived material provided the following information*.

The material derived from bovine tallow is manufactured from USA renderers. All tallow must meet the maximum impurities level of 0.15% established by the International Office of Epizootics (OIE). Renderers and slaughterhouses must also comply with several USA Federal Regulations to control "Specified Risk Materials" (SRM), related to transmissible spongiform encephalopathy (TSE) including bovine spongiform encephalopathy (BSE). These regulations include but not limited to; the US Department of Agriculture restrictions on the Importation of Ruminants, Meat and Meat Products From Ruminants, and Certain Other Ruminant Products, 9 CFR 94.18, the US Federal Meat Inspection Act, and the US Code of Federal Regulations for feed regulations 21 CFR 589.2000.

Hydrolysis Process Conditions:

Trans-esterification or hydrolysis of tallow is the first step in separating the components of tallow into fatty acids and glycerol. The tallow splitting is carried out at a temperature of 260 deg. C. (500 deg. F.) and 48.3 bar (700 psi) pressure for a period of 1.5 - 2 hours.

Definitions

Note: all Definitions take Disclaimers into account and apply to the "Chemicals and/or Compounds of Interest" and/or "Per and poly-fluoroalkyl Substances (PFAS)" sections only

Terms	Definitions		
Contains*	Present based on composition information disclosed by 3M suppliers, analytical testing, or both.		
Not known to contain*	1. Analytical measurement for presence is not currently available;		
	2. If measurement is possible,		
	a) The material has not been identified or disclosed to 3M and		
	b) The material has not been specifically quantified or detected; OR		
	c) Based on information from raw material suppliers, possible presence as an impurity or		
	by-product at or below regulatory thresholds (e.g., 0.1 or 0.01 %)		
Intentionally added**	Desired in the final product to provide a specific characteristic, appearance, or quality and/or to		
	perform a specific function.		
Not intentionally	By-product(s), impurity(ies) and/or unintended artifact(s) resulting from the formulation and/or		
added**	manufacture of a material.		
By-product***	A chemical substance produced without a separate commercial intent during the manufacture,		
	processing, use, or disposal of another chemical substance or mixture.		
Impurity***	A chemical substance which is unintentionally present with another chemical substance (e.g.,		
	residuals, catalysts, process solvents).		

*Terms apply to the Chemicals and/or Compounds of Interest Section only (if section is present)

**Terms apply to the PFAS Section only (if section is present)

***Terms apply to both the Chemicals and/or Compounds of Interest and PFAS Sections (if section(s) are present)

Disclaimers: The information provided in this document related to material content represents 3M's knowledge and belief, which may be based in whole or in part on information provided by suppliers to 3M. This is intended to answer commonly asked questions about 3M products and is not intended to be a comprehensive listing of all substances that may be of interest or that may be regulated in this or other 3M products, nor is it intended to be a comprehensive summary of any and all regulations that may apply to this product. Where substances are listed, their listing does not infer or constitute a judgment as to their safety, environmental or health impacts. Information is supplied upon the condition that the persons receiving the same will make their own determination as to its suitability for their purposes prior to use. Customers are encouraged to consult with legal and regulatory experts to determine applicable regulations in

light of intended use of the product.

Limitation of Remedies and Liability: In the event any Product is proven not to conform with the information in this document, then to the extent permitted by law, 3M's entire liability and Buyer's exclusive remedy, will be at 3M's option either: (i) replacement of Product with a conforming product, or (ii) refund of the purchase price paid by Buyer for each non-conforming Product, within a reasonable time after written notification of said non-conformance and return of said Product to 3M. 3M shall not under any circumstances be liable for direct, incidental, special, or consequential damages (including but not limited to loss of profits, revenue, or business) related to or arising out of this certification, including, the use, misuse or inability to use the Product. Unless stated otherwise in writing, the foregoing language cannot be waived, modified, or supplemented in any manner whatsoever.