



Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|-----------|-------------------------|----------|
| Document Group: | 24-7200-9 | Version Number: | 9.00 |
| Issue Date: | 06/04/24 | Supersedes Date: | 09/22/22 |

SECTION 1: Identification

1.1. Product identifier

Scotchgard™ Low Maintenance 18 Floor Finish

Product Identification Numbers

70-0713-1527-2, 70-0716-8333-1
7000052532, 7100059228

1.2. Recommended use and restrictions on use

Recommended use

Hard Floor Maintenance

1.3. Supplier's details

| | |
|----------------------|---|
| MANUFACTURER: | 3M |
| DIVISION: | Commercial Branding and Transportation Division |
| ADDRESS: | 3M Center, St. Paul, MN 55144-1000, USA |
| Telephone: | 1-888-3M HELPS (1-888-364-3577) |

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Skin Sensitizer: Category 1.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms

**Hazard Statements**

May cause an allergic skin reaction.

Precautionary Statements**Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

14% of the mixture consists of ingredients of unknown acute oral toxicity.

19% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|--|---------------|-------------------------|
| Water | 7732-18-5 | 60 - 90 Trade Secret * |
| STYRENE/ACRYLATES COPOLYMER | Trade Secret* | 10 - 15 Trade Secret * |
| Ethoxydiglycol | 111-90-0 | 1 - 5 Trade Secret * |
| TRI(BUTOXYETHYL) PHOSPHATE | 78-51-3 | < 3 Trade Secret * |
| ZINC AMMONIA CARBONATE COMPLEX | 38714-47-5 | < 3 Trade Secret * |
| Siloxane Carboxylate Potassium Salt | Trade Secret* | < 1 Trade Secret * |
| Amorphous Silica | 7631-86-9 | < 0.5 Trade Secret * |
| Ethoxylated tetramethyldecynediol | 9014-85-1 | < 0.5 Trade Secret * |
| Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diyl]bis[.omega.-hydroxy- | 169117-72-0 | < 0.5 Trade Secret * |
| Olefin/Acrylate Graft Polymer | Trade Secret* | < 0.5 Trade Secret * |
| Oxidized Ethylene Polymer | Trade Secret* | < 0.5 Trade Secret * |
| Dimethicone | 63148-62-9 | < 0.003 Trade Secret * |
| Methylchloroisothiazolinone | 26172-55-4 | < 0.002 Trade Secret * |
| Methylisothiazolinone | 2682-20-4 | < 0.0005 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Formaldehyde
Carbon monoxide
Carbon dioxide
Hydrogen Gas
Ammonia
Oxides of Nitrogen

Condition

During Combustion
During Combustion
During Combustion
During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible.

Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|----------------|------------|--------|-----------------------|---------------------|
| Ethoxydiglycol | 111-90-0 | AIHA | TWA:140 mg/m3(25 ppm) | |

ACGIH : American Conference of Governmental Industrial Hygienists
 AIHA : American Industrial Hygiene Association
 CMRG : Chemical Manufacturer's Recommended Guidelines
 OSHA : United States Department of Labor - Occupational Safety and Health Administration
 TWA: Time-Weighted-Average
 STEL: Short Term Exposure Limit
 CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
 Safety Glasses with side shields

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an

exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Liquid

Color

Milky White

Odor

Moderate Acrylic

Odor threshold

No Data Available

pH

8 - 9

Melting point

Not Applicable

Boiling Point

> 95 °F

Flash Point

No flash point

Evaporation rate

No Data Available

Flammability (solid, gas)

Not Applicable

Flammable Limits(LEL)

No Data Available

Flammable Limits(UEL)

No Data Available

Vapor Pressure

< 27 psia [*@ 131 °F*]

Vapor Density

No Data Available

Density

Approximately 1 g/ml

Specific Gravity

1.027 - 1.037 [*@ 72 °F*] [*Ref Std: WATER=1*]

Solubility in Water

Complete

Solubility- non-water

No Data Available

Partition coefficient: n-octanol/ water

No Data Available

Autoignition temperature

No Data Available

Decomposition temperature

No Data Available

Viscosity

2 centipoise - 8 centipoise

Volatile Organic Compounds

< 0.15 % weight

VOC Less H2O & Exempt Solvents

< 185 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Vapors released during curing may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--------------------------------|--------------------------------|--------------|--|
| Overall product | Inhalation-Dust/Mist(4 hr) | | No data available; calculated ATE >12.5 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Ethoxydiglycol | Dermal | Rabbit | LD50 9,143 mg/kg |
| Ethoxydiglycol | Ingestion | Rat | LD50 5,400 mg/kg |
| TRI(BUTOXYETHYL) PHOSPHATE | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| TRI(BUTOXYETHYL) PHOSPHATE | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 6.4 mg/l |
| TRI(BUTOXYETHYL) PHOSPHATE | Ingestion | Rat | LD50 4,700 mg/kg |
| ZINC AMMONIA CARBONATE COMPLEX | Dermal | Professional | LD50 estimated to be > 5,000 mg/kg |

| | | | |
|--|--------------------------------|-------------------|---------------------|
| | | judgement | |
| ZINC AMMONIA CARBONATE COMPLEX | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Siloxane Carboxylate Potassium Salt | Dermal | similar compounds | LD50 > 2,000 mg/kg |
| Siloxane Carboxylate Potassium Salt | Inhalation-Dust/Mist (4 hours) | similar compounds | LC50 2.3 mg/l |
| Siloxane Carboxylate Potassium Salt | Ingestion | similar compounds | LD50 > 5,000 mg/kg |
| Oxidized Ethylene Polymer | Ingestion | Rat | LD50 > 2,500 mg/kg |
| Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diyl]bis[.omega.-hydroxy- | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Ethoxylated tetramethyldecynediol | Dermal | Rat | LD50 > 2,000 mg/kg |
| Ethoxylated tetramethyldecynediol | Ingestion | Rat | LD50 6,400 mg/kg |
| Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diyl]bis[.omega.-hydroxy- | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Amorphous Silica | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Amorphous Silica | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 0.691 mg/l |
| Amorphous Silica | Ingestion | Rat | LD50 > 5,110 mg/kg |
| Dimethicone | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Dimethicone | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Methylchloroisothiazolinone | Dermal | Rabbit | LD50 87 mg/kg |
| Methylchloroisothiazolinone | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.171 mg/l |
| Methylchloroisothiazolinone | Ingestion | Rat | LD50 40 mg/kg |
| Methylisothiazolinone | Dermal | Rabbit | LD50 87 mg/kg |
| Methylisothiazolinone | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.171 mg/l |
| Methylisothiazolinone | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|------------------------|---------------------------|
| Ethoxydiglycol | Rabbit | No significant irritation |
| ZINC AMMONIA CARBONATE COMPLEX | In vitro data | Irritant |
| Oxidized Ethylene Polymer | Professional judgement | No significant irritation |
| Ethoxylated tetramethyldecynediol | Rabbit | No significant irritation |
| Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diyl]bis[.omega.-hydroxy- | Rabbit | Mild irritant |
| Amorphous Silica | Rabbit | No significant irritation |
| Dimethicone | Rabbit | No significant irritation |
| Methylchloroisothiazolinone | Rabbit | Corrosive |
| Methylisothiazolinone | Rabbit | Corrosive |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--------------------------------|---------------|---------------------------|
| Ethoxydiglycol | Rabbit | Moderate irritant |
| ZINC AMMONIA CARBONATE COMPLEX | In vitro data | Severe irritant |
| Oxidized Ethylene Polymer | Professional | No significant irritation |

| | judgement | |
|---|-----------|---------------------------|
| Ethoxylated tetramethyldecynediol | Rabbit | Corrosive |
| Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyn-1,4-diyl]bis[.omega.-hydroxy- | Rabbit | Corrosive |
| Amorphous Silica | Rabbit | No significant irritation |
| Dimethicone | Rabbit | No significant irritation |
| Methylchloroisothiazolinone | Rabbit | Corrosive |
| Methylisothiazolinone | Rabbit | Corrosive |

Skin Sensitization

| Name | Species | Value |
|-----------------------------------|------------------|----------------|
| Ethoxydiglycol | Human | Not classified |
| ZINC AMMONIA CARBONATE COMPLEX | In vitro data | Sensitizing |
| Ethoxylated tetramethyldecynediol | Mouse | Sensitizing |
| Amorphous Silica | Human and animal | Not classified |
| Methylchloroisothiazolinone | Human and animal | Sensitizing |
| Methylisothiazolinone | Human and animal | Sensitizing |

Photosensitization

| Name | Species | Value |
|-----------------------------|------------------|-----------------|
| Methylchloroisothiazolinone | Human and animal | Not sensitizing |
| Methylisothiazolinone | Human and animal | Not sensitizing |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------------------------|----------|--|
| Ethoxydiglycol | In Vitro | Not mutagenic |
| Ethoxydiglycol | In vivo | Not mutagenic |
| ZINC AMMONIA CARBONATE COMPLEX | In Vitro | Not mutagenic |
| Ethoxylated tetramethyldecynediol | In Vitro | Not mutagenic |
| Amorphous Silica | In Vitro | Not mutagenic |
| Methylchloroisothiazolinone | In vivo | Not mutagenic |
| Methylchloroisothiazolinone | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Methylisothiazolinone | In vivo | Not mutagenic |
| Methylisothiazolinone | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------------------|---------------|---------|--|
| Amorphous Silica | Not Specified | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Methylchloroisothiazolinone | Dermal | Mouse | Not carcinogenic |
| Methylchloroisothiazolinone | Ingestion | Rat | Not carcinogenic |
| Methylisothiazolinone | Dermal | Mouse | Not carcinogenic |
| Methylisothiazolinone | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|-----------------------------------|------------|--|---------|-----------------------|----------------------|
| Ethoxydiglycol | Dermal | Not classified for development | Rat | NOAEL 5,500 mg/kg/day | during organogenesis |
| Ethoxydiglycol | Ingestion | Not classified for development | Mouse | NOAEL 5,500 mg/kg/day | during organogenesis |
| Ethoxydiglycol | Inhalation | Not classified for development | Rat | NOAEL 0.6 mg/l | during organogenesis |
| Ethoxydiglycol | Ingestion | Not classified for male reproduction | Rat | NOAEL 2,200 mg/kg/day | 2 generation |
| Ethoxylated tetramethyldecynediol | Ingestion | Not classified for female reproduction | Rat | NOAEL 2,000 mg/kg/day | 1 generation |
| Ethoxylated tetramethyldecynediol | Ingestion | Not classified for male reproduction | Rat | NOAEL 2,000 mg/kg/day | 1 generation |
| Amorphous Silica | Ingestion | Not classified for female reproduction | Rat | NOAEL 509 mg/kg/day | 1 generation |
| Amorphous Silica | Ingestion | Not classified for male reproduction | Rat | NOAEL 497 mg/kg/day | 1 generation |
| Amorphous Silica | Ingestion | Not classified for development | Rat | NOAEL 1,350 mg/kg/day | during organogenesis |
| Methylchloroisothiazolinone | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylchloroisothiazolinone | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylchloroisothiazolinone | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |
| Methylisothiazolinone | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylisothiazolinone | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylisothiazolinone | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--|------------|------------------------|--|------------------------|---------------------|-------------------|
| Ethoxydiglycol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| ZINC AMMONIA CARBONATE COMPLEX | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Ethoxylated tetramethyldecynediol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diy]]bis[.omega.-hydroxy- | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Methylchloroisothiazolinone | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |
| Methylisothiazolinone | Inhalation | respiratory irritation | May cause respiratory irritation | similar health | NOAEL Not available | |

| | | | | | | |
|--|--|--|--|---------|--|--|
| | | | | hazards | | |
|--|--|--|--|---------|--|--|

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|-------------------------------------|------------|---|--|---------|-----------------------|-----------------------|
| Ethoxydiglycol | Dermal | kidney and/or bladder | Not classified | Rabbit | NOAEL 1,000 mg/kg/day | 12 weeks |
| Ethoxydiglycol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Pig | NOAEL 167 mg/kg/day | 90 days |
| Ethoxydiglycol | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 2,700 mg/kg/day | 90 days |
| Ethoxydiglycol | Ingestion | endocrine system | Not classified | Rat | NOAEL 2,500 mg/kg/day | 90 days |
| Ethoxydiglycol | Ingestion | heart hematopoietic system nervous system | Not classified | Mouse | NOAEL 8,100 mg/kg/day | 90 days |
| Ethoxylated tetramethyldecylenediol | Ingestion | liver blood kidney and/or bladder | Not classified | Dog | NOAEL 600 mg/kg/day | 91 days |
| Amorphous Silica | Inhalation | respiratory system silicosis | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

Health Hazards

Respiratory or Skin Sensitization

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

| <u>Ingredient</u> | <u>C.A.S. No</u> | <u>% by Wt</u> |
|---|------------------|--------------------|
| Ethoxydiglycol (GLYCOL ETHERS) | 111-90-0 | Trade Secret 1 - 5 |
| TRI(BUTOXYETHYL) PHOSPHATE (GLYCOL ETHERS) | 78-51-3 | Trade Secret < 3 |
| ZINC AMMONIA CARBONATE COMPLEX (ZINC COMPOUNDS) | 38714-47-5 | Trade Secret < 3 |

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| | | | |
|------------------------|-----------|-------------------------|----------|
| Document Group: | 24-7200-9 | Version Number: | 9.00 |
| Issue Date: | 06/04/24 | Supersedes Date: | 09/22/22 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com