



Safety Data Sheet

Copyright, 2021, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|-----------|-------------------------|---------------|
| Document Group: | 42-6847-0 | Version Number: | 1.00 |
| Issue Date: | 04/05/21 | Supersedes Date: | Initial Issue |

SECTION 1: Identification

1.1. Product identifier

3M™ Process Color 990 Series Special Color CF0990-055 Red

Product Identification Numbers

42-0033-1058-0, 75-0302-9634-9

1.2. Recommended use and restrictions on use

Recommended use

Ink

1.3. Supplier's details

| | |
|----------------------|---|
| MANUFACTURER: | 3M |
| DIVISION: | Transportation Safety Division |
| ADDRESS: | 3M Center, St. Paul, MN 55144-1000, USA |
| Telephone: | 1-888-3M HELPS (1-888-364-3577) |

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Flammable Liquid: Category 3.

Serious Eye Damage/Irritation: Category 1.

Skin Corrosion/Irritation: Category 2.

Skin Sensitizer: Category 1.

Reproductive Toxicity: Category 2.

Carcinogenicity: Category 1A.

Specific Target Organ Toxicity (single exposure): Category 1.

Specific Target Organ Toxicity (single exposure): Category 3.

Specific Target Organ Toxicity (repeated exposure): Category 1.

2.2. Label elements

Signal word

Danger

Symbols

Flame | Corrosion | Exclamation mark | Health Hazard |

Pictograms



Hazard Statements

Flammable liquid and vapor.

Causes serious eye damage.

Causes skin irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

May cause cancer.

Causes damage to organs:

sensory organs |

Causes damage to organs through prolonged or repeated exposure:

nervous system |

May cause damage to organs through prolonged or repeated exposure:

sensory organs |

Precautionary Statements

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Keep container tightly closed.

Use explosion-proof electrical/ventilating/lighting equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to

extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

28% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---|---------------|------------------------|
| 1-Methoxy-2-propyl acetate | 108-65-6 | 10 - 30 Trade Secret * |
| Cyclohexanone | 108-94-1 | 10 - 30 Trade Secret * |
| Dipropylene glycol methyl ether acetate | 88917-22-0 | 10 - 30 Trade Secret * |
| Vinyl polymer (New Jersey Trade Secret Registry # 04499600-5238P) | Trade Secret* | 10 - 30 Trade Secret * |
| Alkyd resin 3261 (New Jersey Trade Secret Registry # 04499600-6267P) | Trade Secret* | 3 - 7 Trade Secret * |
| 2,4-Dihydroxybenzophenone | 131-56-6 | 1 - 5 Trade Secret * |
| Xylene | 1330-20-7 | 1 - 5 Trade Secret * |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Trade Secret* | 1 - 5 Trade Secret * |
| Ethylbenzene | 100-41-4 | < 0.9 Trade Secret * |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | 106276-79-3 | < 0.6 Trade Secret * |
| Bis(2,2,6,6-tetramethyl-4-piperidiny)l sebacate | 52829-07-9 | < 0.6 Trade Secret * |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | 68511-62-6 | < 0.4 Trade Secret * |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 104810-48-2 | < 0.4 Trade Secret * |
| Polymeric Benzotriazole | 104810-47-1 | < 0.4 Trade Secret * |
| 2,3-Epoxypropyl neodecanoate | 26761-45-5 | < 0.3 Trade Secret * |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | 2386-87-0 | < 0.2 Trade Secret * |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | 106276-80-6 | < 0.2 Trade Secret * |
| Calcium 2-ethylhexanoate | 136-51-6 | < 0.2 Trade Secret * |
| Phosphonic acid, diphenyl ester | 4712-55-4 | < 0.2 Trade Secret * |
| Zinc 2-ethylhexanoate | 136-53-8 | < 0.2 Trade Secret * |
| Triphenyl phosphite | 101-02-0 | < 0.03 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures**Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision). Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects. See Section 11 for additional details. Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures**5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products**Substance**

Carbon monoxide
Carbon dioxide
Hydrogen Chloride

Condition

During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or

bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (gloves, respirators, etc.) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from acids. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|-----------------------------|------------|--------|--------------------------|--|
| Ethylbenzene | 100-41-4 | ACGIH | TWA:20 ppm | A3: Confirmed animal carcin. |
| Ethylbenzene | 100-41-4 | OSHA | TWA:435 mg/m3(100 ppm) | |
| 1-Methoxy-2-propyl acetate | 108-65-6 | AIHA | TWA:50 ppm | |
| Cyclohexanone | 108-94-1 | ACGIH | TWA:20 ppm;STEL:50 ppm | A3: Confirmed animal carcin., Danger of cutaneous absorption |
| Cyclohexanone | 108-94-1 | OSHA | TWA:200 mg/m3(50 ppm) | |
| Xylene | 1330-20-7 | ACGIH | TWA:100 ppm;STEL:150 ppm | A4: Not class. as human carcin |
| Xylene | 1330-20-7 | OSHA | TWA:435 mg/m3(100 ppm) | |
| NICKEL, INSOLUBLE COMPOUNDS | 68511-62-6 | OSHA | TWA(as Ni):1 mg/m3 | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average
 STEL: Short Term Exposure Limit
 CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield
 Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state
 Color

Liquid
 Red

Specific Physical Form:

Odor

Liquid
 Solvent

Odor threshold

No Data Available

pH

Not Applicable

Melting point

Not Applicable

Boiling Point

≥ 281 °F

Flash Point

111 °F [*Test Method*: Tagliabue Closed Cup]

Evaporation rate

≤ 1 [*Ref Std*: BUOAC=1]

| | |
|---|--------------------------|
| Flammability (solid, gas) | Not Applicable |
| Flammable Limits(LEL) | 1 % volume |
| Flammable Limits(UEL) | 8.6 % volume |
| Vapor Pressure | <=5.1 mmHg [@ 20 °C] |
| Vapor Density | >=1 [Ref Std: AIR=1] |
| Density | 1 g/ml |
| Specific Gravity | 1 [Ref Std: WATER=1] |
| Solubility in Water | No Data Available |
| Solubility- non-water | No Data Available |
| Partition coefficient: n-octanol/ water | No Data Available |
| Autoignition temperature | No Data Available |
| Decomposition temperature | No Data Available |
| Viscosity | 1,100 - 1,300 centipoise |
| Volatile Organic Compounds | 740 - 790 g/l |
| Percent volatile | 65 - 80 % weight |
| VOC Less H2O & Exempt Solvents | No Data Available |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Sparks and/or flames

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| Hydrocarbons | During Storage |

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

May be harmful if inhaled.

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

Skin Contact:

May be harmful in contact with skin.

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.
Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

May cause additional health effects (see below).

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:**Single exposure may cause target organ effects:**

Auditory Effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears.

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Prolonged or repeated exposure may cause target organ effects:

Auditory Effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears.

Neurological Effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and/or changes in blood pressure and heart rate.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| Ingredient | CAS No. | Class Description | Regulation |
|---------------------|----------------|--------------------------------|---|
| NI CMPDS NOT ALLOYS | 68511-62-6 | Known human carcinogen | National Toxicology Program Carcinogens |
| NICKEL COMPOUNDS | 68511-62-6 | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Ethylbenzene | 100-41-4 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-----------------|--------------|----------------|--|
| Overall product | Dermal | | No data available; calculated ATE2,000 - 5,000 mg/kg |
| Overall product | Inhalation- | | No data available; calculated ATE20 - 50 mg/l |

| | | | |
|---|--------------------------------|------------------------|--|
| | Vapor(4 hr) | | |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Dipropylene glycol methyl ether acetate | Dermal | Rat | LD50 > 2,000 mg/kg |
| Dipropylene glycol methyl ether acetate | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.7 mg/l |
| Dipropylene glycol methyl ether acetate | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Cyclohexanone | Dermal | Rabbit | LD50 >794, <3160 mg/kg |
| Cyclohexanone | Inhalation-Vapor (4 hours) | Rat | LC50 > 6.2 mg/l |
| Cyclohexanone | Ingestion | Rat | LD50 1,296 mg/kg |
| 1-Methoxy-2-propyl acetate | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| 1-Methoxy-2-propyl acetate | Inhalation-Vapor (4 hours) | Rat | LC50 > 28.8 mg/l |
| 1-Methoxy-2-propyl acetate | Ingestion | Rat | LD50 8,532 mg/kg |
| Vinyl polymer (New Jersey Trade Secret Registry # 04499600-5238P) | Dermal | Rabbit | LD50 > 8,000 mg/kg |
| Vinyl polymer (New Jersey Trade Secret Registry # 04499600-5238P) | Ingestion | Rat | LD50 > 8,000 mg/kg |
| Alkyd resin 3261 (New Jersey Trade Secret Registry # 04499600-6267P) | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Alkyd resin 3261 (New Jersey Trade Secret Registry # 04499600-6267P) | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| Xylene | Dermal | Rabbit | LD50 > 4,200 mg/kg |
| Xylene | Inhalation-Vapor (4 hours) | Rat | LC50 29 mg/l |
| Xylene | Ingestion | Rat | LD50 3,523 mg/kg |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Dermal | Rat | LD50 > 2,000 mg/kg |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 2,4-Dihydroxybenzophenone | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| 2,4-Dihydroxybenzophenone | Ingestion | Rat | LD50 8,600 mg/kg |
| Ethylbenzene | Dermal | Rabbit | LD50 15,433 mg/kg |
| Ethylbenzene | Inhalation-Vapor (4 hours) | Rat | LC50 17.4 mg/l |
| Ethylbenzene | Ingestion | Rat | LD50 4,769 mg/kg |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 1.04 mg/l |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | Dermal | similar health hazards | LD50 estimated to be > 5,000 mg/kg |
| Bis(2,2,6,6-tetramethyl-4-piperidinyl) sebacate | Dermal | Rat | LD50 > 3,170 mg/kg |
| Bis(2,2,6,6-tetramethyl-4-piperidinyl) sebacate | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.5 mg/l |
| Bis(2,2,6,6-tetramethyl-4-piperidinyl) sebacate | Ingestion | Rat | LD50 3,700 mg/kg |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.222 mg/l |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Dermal | Rat | LD50 > 2,000 mg/kg |

| | | | |
|---|--------------------------------|--------|------------------------------------|
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.8 mg/l |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Polymeric Benzotriazole | Dermal | Rat | LD50 > 2,000 mg/kg |
| Polymeric Benzotriazole | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.8 mg/l |
| Polymeric Benzotriazole | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 2,3-Epoxypropyl neodecanoate | Dermal | Rat | LD50 > 2,000 mg/kg |
| 2,3-Epoxypropyl neodecanoate | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 1 mg/l |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Phosphonic acid, diphenyl ester | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Phosphonic acid, diphenyl ester | Ingestion | Rat | LD50 600 mg/kg |
| Zinc 2-ethylhexanoate | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Zinc 2-ethylhexanoate | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Calcium 2-ethylhexanoate | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Calcium 2-ethylhexanoate | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 1.2 mg/l |
| Calcium 2-ethylhexanoate | Ingestion | Rat | LD50 > 5,000 mg/kg |
| (3',4'-Epoxy)cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Dermal | Rabbit | LD50 > 23,400 mg/kg |
| (3',4'-Epoxy)cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Ingestion | Rat | LD50 5,000 mg/kg |
| Triphenyl phosphite | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Triphenyl phosphite | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 1.7 mg/l |
| Triphenyl phosphite | Ingestion | Rat | LD50 1,590 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---|------------------------|---------------------------|
| Dipropylene glycol methyl ether acetate | Rabbit | No significant irritation |
| Cyclohexanone | Rabbit | Irritant |
| 1-Methoxy-2-propyl acetate | Rabbit | No significant irritation |
| Vinyl polymer (New Jersey Trade Secret Registry # 04499600-5238P) | Professional judgement | No significant irritation |
| Xylene | Rabbit | Mild irritant |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Rabbit | No significant irritation |
| 2,4-Dihydroxybenzophenone | Rabbit | No significant irritation |
| Ethylbenzene | Rabbit | Mild irritant |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | Rabbit | No significant irritation |
| Bis(2,2,6,6-tetramethyl-4-piperidinyl) sebacate | Rabbit | No significant irritation |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Rabbit | No significant irritation |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Rabbit | No significant irritation |
| Polymeric Benzotriazole | Rabbit | No significant irritation |
| 2,3-Epoxypropyl neodecanoate | Rabbit | No significant irritation |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | Rabbit | No significant irritation |
| Zinc 2-ethylhexanoate | Rabbit | Mild irritant |
| Calcium 2-ethylhexanoate | Rabbit | No significant irritation |
| (3',4'-Epoxy)cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Rabbit | Minimal irritation |

| | | |
|---------------------|--------|----------|
| Triphenyl phosphite | Rabbit | Irritant |
|---------------------|--------|----------|

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|-----------------------|---------------------------|
| Dipropylene glycol methyl ether acetate | Rabbit | No significant irritation |
| Cyclohexanone | In vitro data | Corrosive |
| 1-Methoxy-2-propyl acetate | Rabbit | Mild irritant |
| Vinyl polymer (New Jersey Trade Secret Registry # 04499600-5238P) | Professional judgment | No significant irritation |
| Xylene | Rabbit | Mild irritant |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Rabbit | No significant irritation |
| 2,4-Dihydroxybenzophenone | Rabbit | Severe irritant |
| Ethylbenzene | Rabbit | Moderate irritant |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | Rabbit | No significant irritation |
| Bis(2,2,6,6-tetramethyl-4-piperidiny)l sebacate | Rabbit | Corrosive |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Rabbit | No significant irritation |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Rabbit | No significant irritation |
| Polymeric Benzotriazole | Rabbit | No significant irritation |
| 2,3-Epoxypropyl neodecanoate | Rabbit | No significant irritation |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | Rabbit | No significant irritation |
| Zinc 2-ethylhexanoate | Rabbit | Severe irritant |
| Calcium 2-ethylhexanoate | Rabbit | Corrosive |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Rabbit | Mild irritant |
| Triphenyl phosphite | Rabbit | Moderate irritant |

Skin Sensitization

| Name | Species | Value |
|---|-------------------|----------------|
| Dipropylene glycol methyl ether acetate | Guinea pig | Not classified |
| Cyclohexanone | Guinea pig | Not classified |
| 1-Methoxy-2-propyl acetate | Guinea pig | Not classified |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Guinea pig | Not classified |
| Ethylbenzene | Human | Not classified |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | Mouse | Not classified |
| Bis(2,2,6,6-tetramethyl-4-piperidiny)l sebacate | Human | Not classified |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | similar compounds | Sensitizing |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Guinea pig | Sensitizing |
| Polymeric Benzotriazole | Guinea pig | Sensitizing |
| 2,3-Epoxypropyl neodecanoate | Guinea pig | Sensitizing |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | Human | Not classified |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Guinea pig | Sensitizing |
| Triphenyl phosphite | Mouse | Sensitizing |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|--|
| Dipropylene glycol methyl ether acetate | In Vitro | Not mutagenic |
| Dipropylene glycol methyl ether acetate | In vivo | Not mutagenic |
| Cyclohexanone | In vivo | Not mutagenic |
| Cyclohexanone | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 1-Methoxy-2-propyl acetate | In Vitro | Not mutagenic |
| Xylene | In Vitro | Not mutagenic |
| Xylene | In vivo | Not mutagenic |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | In Vitro | Not mutagenic |
| Ethylbenzene | In vivo | Not mutagenic |
| Ethylbenzene | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2,3,4,5-Tetrachloro-6-cyanobenzoic acid, methyl ester, reaction products with 2-methyl-1,3-benzenediamine and sodium methoxide | In Vitro | Not mutagenic |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | In Vitro | Not mutagenic |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | In Vitro | Not mutagenic |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | In vivo | Not mutagenic |
| Polymeric Benzotriazole | In Vitro | Not mutagenic |
| Polymeric Benzotriazole | In vivo | Not mutagenic |
| 2,3-Epoxypropyl neodecanoate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2,3-Epoxypropyl neodecanoate | In vivo | Mutagenic |
| Benzoic acid, 2,3,4,5-tetrachloro-6-cyano-, methyl ester, reaction products with p-phenylenediamine and sodium methoxide | In Vitro | Not mutagenic |
| Calcium 2-ethylhexanoate | In Vitro | Not mutagenic |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxy-cyclohexanecarboxylate | In vivo | Not mutagenic |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxy-cyclohexanecarboxylate | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|---------------|-------------------------|--|
| Cyclohexanone | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| Xylene | Dermal | Rat | Not carcinogenic |
| Xylene | Ingestion | Multiple animal species | Not carcinogenic |
| Xylene | Inhalation | Human | Some positive data exist, but the data are not sufficient for classification |
| Ethylbenzene | Inhalation | Multiple animal species | Carcinogenic |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Not Specified | similar compounds | Carcinogenic |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxy-cyclohexanecarboxylate | Dermal | Mouse | Not carcinogenic |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test Result | Exposure Duration |
|---------------|------------|--|---------|-----------------------|----------------------|
| Cyclohexanone | Inhalation | Not classified for female reproduction | Rat | NOAEL 4 mg/l | 2 generation |
| Cyclohexanone | Inhalation | Not classified for male reproduction | Rat | NOAEL 2 mg/l | 2 generation |
| Cyclohexanone | Ingestion | Not classified for development | Mouse | LOAEL 1,100 mg/kg/day | during organogenesis |

| | | | | | |
|---|------------|--|-------------------------|-----------------------|--------------------------------|
| | | | | | s |
| Cyclohexanone | Inhalation | Not classified for development | Rat | NOAEL 2 mg/l | 2 generation |
| 1-Methoxy-2-propyl acetate | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | prematuring & during gestation |
| 1-Methoxy-2-propyl acetate | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | prematuring & during gestation |
| 1-Methoxy-2-propyl acetate | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | prematuring & during gestation |
| 1-Methoxy-2-propyl acetate | Inhalation | Not classified for development | Rat | NOAEL 21.6 mg/l | during organogenesis |
| Xylene | Inhalation | Not classified for female reproduction | Human | NOAEL Not available | occupational exposure |
| Xylene | Ingestion | Not classified for development | Mouse | NOAEL Not available | during organogenesis |
| Xylene | Inhalation | Not classified for development | Multiple animal species | NOAEL Not available | during gestation |
| Ethylbenzene | Inhalation | Not classified for development | Rat | NOAEL 4.3 mg/l | prematuring & during gestation |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)-pyrimidinetrione complexes | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | during gestation |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Not classified for female reproduction | Rat | NOAEL 100 mg/kg/day | prematuring into lactation |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Not classified for male reproduction | Rat | NOAEL 100 mg/kg/day | 115 days |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Not classified for development | Rat | NOAEL 2 mg/kg/day | prematuring into lactation |
| Polymeric Benzotriazole | Ingestion | Not classified for female reproduction | Rat | NOAEL 100 mg/kg/day | prematuring into lactation |
| Polymeric Benzotriazole | Ingestion | Not classified for male reproduction | Rat | NOAEL 100 mg/kg/day | 115 days |
| Polymeric Benzotriazole | Ingestion | Not classified for development | Rat | NOAEL 2 mg/kg/day | prematuring into lactation |
| Zinc 2-ethylhexanoate | Ingestion | Toxic to female reproduction | Rat | NOAEL 300 mg/kg/day | 1 generation |
| Zinc 2-ethylhexanoate | Ingestion | Toxic to male reproduction | Rat | NOAEL 300 mg/kg/day | 1 generation |
| Zinc 2-ethylhexanoate | Ingestion | Toxic to development | Rat | NOAEL 100 mg/kg/day | 1 generation |
| Calcium 2-ethylhexanoate | Ingestion | Toxic to female reproduction | Rat | NOAEL 300 mg/kg/day | 1 generation |
| Calcium 2-ethylhexanoate | Ingestion | Toxic to male reproduction | Rat | NOAEL 300 mg/kg/day | 1 generation |
| Calcium 2-ethylhexanoate | Ingestion | Toxic to development | Rat | NOAEL 100 mg/kg/day | 1 generation |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Ingestion | Not classified for development | Rat | NOAEL 125 mg/kg/day | during gestation |

Lactation

| Name | Route | Species | Value |
|--------|-----------|---------|--|
| Xylene | Ingestion | Mouse | Not classified for effects on or via lactation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|-----------------------------------|--|-------------------------|---------------------|-------------------|
| Cyclohexanone | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Guinea pig | LOAEL 16.1 mg/l | 6 hours |
| Cyclohexanone | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Cyclohexanone | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| 1-Methoxy-2-propyl acetate | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Xylene | Inhalation | auditory system | Causes damage to organs | Rat | LOAEL 6.3 mg/l | 8 hours |
| Xylene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Xylene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Xylene | Inhalation | eyes | Not classified | Rat | NOAEL 3.5 mg/l | not available |
| Xylene | Inhalation | liver | Not classified | Multiple animal species | NOAEL Not available | |
| Xylene | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Multiple animal species | NOAEL Not available | |
| Xylene | Ingestion | eyes | Not classified | Rat | NOAEL 250 mg/kg | not applicable |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Dermal | skin | Not classified | Human and animal | NOAEL not available | |
| Organic pigment (New Jersey Trade Secret Registry # 04499600-5229P) | Ingestion | central nervous system depression | Not classified | Rat | NOAEL Not available | not applicable |
| Ethylbenzene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Ethylbenzene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human and animal | NOAEL Not available | |
| Zinc 2-ethylhexanoate | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |
| Calcium 2-ethylhexanoate | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|---|----------------|---------|-----------------------|-------------------|
| Dipropylene glycol methyl ether acetate | Ingestion | liver heart endocrine system hematopoietic system kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 4 weeks |
| Cyclohexanone | Inhalation | liver kidney and/or bladder | Not classified | Rabbit | NOAEL 0.76 mg/l | 50 days |
| Cyclohexanone | Ingestion | liver | Not classified | Mouse | NOAEL 4,800 | 90 days |

| | | | | | mg/kg/day | |
|--------------------------------------|------------|--|--|-------------------------|-----------------------|-----------|
| 1-Methoxy-2-propyl acetate | Inhalation | kidney and/or bladder | Not classified | Rat | NOAEL 16.2 mg/l | 9 days |
| 1-Methoxy-2-propyl acetate | Inhalation | olfactory system | Not classified | Mouse | LOAEL 1.62 mg/l | 9 days |
| 1-Methoxy-2-propyl acetate | Inhalation | blood | Not classified | Multiple animal species | NOAEL 16.2 mg/l | 9 days |
| 1-Methoxy-2-propyl acetate | Ingestion | endocrine system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 44 days |
| Xylene | Inhalation | nervous system | Causes damage to organs through prolonged or repeated exposure | Rat | LOAEL 0.4 mg/l | 4 weeks |
| Xylene | Inhalation | auditory system | May cause damage to organs though prolonged or repeated exposure | Rat | LOAEL 7.8 mg/l | 5 days |
| Xylene | Inhalation | liver | Not classified | Multiple animal species | NOAEL Not available | |
| Xylene | Inhalation | heart endocrine system gastrointestinal tract hematopoietic system muscles kidney and/or bladder respiratory system | Not classified | Multiple animal species | NOAEL 3.5 mg/l | 13 weeks |
| Xylene | Ingestion | auditory system | Not classified | Rat | NOAEL 900 mg/kg/day | 2 weeks |
| Xylene | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 1,500 mg/kg/day | 90 days |
| Xylene | Ingestion | liver | Not classified | Multiple animal species | NOAEL Not available | |
| Xylene | Ingestion | heart skin endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system nervous system respiratory system | Not classified | Mouse | NOAEL 1,000 mg/kg/day | 103 weeks |
| Ethylbenzene | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1.1 mg/l | 2 years |
| Ethylbenzene | Inhalation | liver | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 1.1 mg/l | 103 weeks |
| Ethylbenzene | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 3.4 mg/l | 28 days |
| Ethylbenzene | Inhalation | auditory system | Not classified | Rat | NOAEL 2.4 mg/l | 5 days |
| Ethylbenzene | Inhalation | endocrine system | Not classified | Mouse | NOAEL 3.3 mg/l | 103 weeks |
| Ethylbenzene | Inhalation | gastrointestinal tract | Not classified | Rat | NOAEL 3.3 mg/l | 2 years |
| Ethylbenzene | Inhalation | bone, teeth, nails, and/or hair muscles | Not classified | Multiple animal species | NOAEL 4.2 mg/l | 90 days |
| Ethylbenzene | Inhalation | heart immune system respiratory system | Not classified | Multiple animal species | NOAEL 3.3 mg/l | 2 years |
| Ethylbenzene | Ingestion | liver kidney and/or bladder | Not classified | Rat | NOAEL 680 mg/kg/day | 6 months |
| Nickel, 5,5'-azobis-2,4,6(1h,3h,5h)- | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,000 | 28 days |

| | | | | | mg/kg/day | |
|---|-----------|--|--|-----|-----------------------|---------|
| pyrimidinetrione complexes | | | | | | |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL not available | 28 days |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 50 mg/kg/day | 90 days |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | liver | Not classified | Rat | NOAEL 10 mg/kg/day | 28 days |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | eyes | Not classified | Rat | NOAEL 50 mg/kg/day | 90 days |
| Polymeric Benzotriazole | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL not available | 28 days |
| Polymeric Benzotriazole | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 50 mg/kg/day | 90 days |
| Polymeric Benzotriazole | Ingestion | liver | Not classified | Rat | NOAEL 10 mg/kg/day | 28 days |
| Polymeric Benzotriazole | Ingestion | eyes | Not classified | Rat | NOAEL 50 mg/kg/day | 90 days |
| 2,3-Epoxypropyl neodecanoate | Ingestion | hematopoietic system liver | Not classified | Rat | NOAEL 400 mg/kg/day | 5 weeks |
| 2,3-Epoxypropyl neodecanoate | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 40 mg/kg/day | 5 weeks |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Ingestion | olfactory system | May cause damage to organs though prolonged or repeated exposure | Rat | NOAEL 5 mg/kg/day | 90 days |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Ingestion | liver kidney and/or bladder hematopoietic system | Not classified | Rat | NOAEL 500 mg/kg/day | 90 days |
| (3',4'-Epoxy-cyclohexylmethyl) 3,4-epoxycyclohexanecarboxylate | Ingestion | endocrine system respiratory system | Not classified | Rat | NOAEL 1,113 mg/kg/day | 14 days |
| Triphenyl phosphite | Ingestion | nervous system | May cause damage to organs though prolonged or repeated exposure | Rat | NOAEL 15 mg/kg/day | 28 days |

Aspiration Hazard

| Name | Value |
|--------------|-------------------|
| Xylene | Aspiration hazard |
| Ethylbenzene | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information

on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable)

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Flammable (gases, aerosols, liquids, or solids)

Health Hazards

Carcinogenicity

Reproductive toxicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

Skin Corrosion or Irritation

Specific target organ toxicity (single or repeated exposure)

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

Ingredient

C.A.S. No

% by Wt

Xylene
Ethylbenzene

1330-20-7
100-41-4

Trade Secret 1 - 5
Trade Secret < 0.9

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 **Flammability:** 2 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| | | | |
|------------------------|-----------|-------------------------|---------------|
| Document Group: | 42-6847-0 | Version Number: | 1.00 |
| Issue Date: | 04/05/21 | Supersedes Date: | Initial Issue |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com