



Safety Data Sheet

Copyright,2023, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 09-4549-3 **Version Number:** 28.02
Issue Date: 03/23/23 **Supersedes Date:** 03/15/23

SECTION 1: Identification

1.1. Product identifier

Scotch(R) Permanent White Glue Stick 6008, 6015, 003, 0038, 6025

Product Identification Numbers

ID Number	UPC	ID Number	UPC
41-3700-5412-8		41-3700-5422-7	
44-0028-8703-0		44-0040-0578-9	
44-0040-1352-8		44-0040-1353-6	
44-0040-1354-4		44-0040-1355-1	
44-0040-5914-1		44-0040-5915-8	
44-0040-5916-6		44-0040-5917-4	
44-0040-5918-2		70-0050-3211-8	000-51141-90416-0
70-0050-3431-2	000-51141-90074-2	70-0050-5910-3	000-51141-91516-6
70-0050-7224-7	000-51141-91705-4	70-0050-7729-5	500-51131-96116-1
70-0051-1728-1		70-0051-1741-4	
70-0051-2122-6		70-0051-5315-3	000-51131-96252-1
70-0051-5608-1		70-0051-7471-2	
70-0051-9075-9		70-0051-9202-9	
70-0051-9203-7		70-0051-9343-1	
70-0051-9490-0		70-0052-2858-3	
70-0052-3975-4		70-0052-3976-2	
70-0052-7436-3		70-0709-7778-3	00-51131-59096-0
70-0709-7779-1	00-51131-60727-9	70-0709-7781-7	00-51131-59095-3
70-0709-7821-1	00-51131-61402-4	70-0709-9201-4	
70-0709-9872-2		70-0710-2681-2	00-51131-79251-7
70-0710-2705-9	00-51131-67349-6	70-0710-2733-1	00-51131-67359-5
70-0710-3228-1	00-51131-67522-3	70-0710-3366-9	00-21200-51683-2
70-0710-3425-3	00-51131-67141-6	70-0710-3459-2	00-51131-59096-0
70-0710-6564-6	00-51131-79251-7	70-0710-8060-3	
70-0710-8946-3		70-0710-8951-3	00-21200-51992-5
70-0711-5483-8		70-0711-7720-1	
70-0711-7786-2		70-0711-7815-9	500-51131-91207-1
70-0711-7816-7	500-51131-91208-8	70-0712-0526-7	000-51131-85674-5
70-0712-0711-5	000-21200-98271-2	70-0712-0713-1	000-21200-98272-9
70-0712-1480-6	500-51131-76152-5	70-0712-1537-3	500-51131-76136-5
70-0712-1574-6	000-51131-67337-3	70-0712-1590-2	000-51131-67349-6
70-0712-1593-6	500-21200-50273-1	70-0712-1594-4	500-21200-50275-5
70-0712-1599-3	000-51131-67359-5	70-0712-1782-5	500-51131-92357-2
70-0712-1806-2	000-51131-85930-2	70-0713-0376-5	500-51131-85101-1

70-0713-0555-4	000-51131-85187-0	70-0713-0556-2	000-51131-85188-7
70-0713-0658-6	500-51131-84658-1	70-0713-0659-4	500-51131-84659-8
70-0713-0660-2	500-51131-84660-4	70-0713-0661-0	500-51131-84661-1
70-0713-0727-9	500-51131-84689-5	70-0713-0728-7	000-51131-84690-6
70-0713-0775-8	500-51131-84659-8	70-0713-0776-6	500-51131-84658-1
70-0713-0777-4	500-51131-84661-1	70-0713-0778-2	500-51131-84660-4
70-0713-0779-0	500-51131-85101-1	70-0713-2301-1	000-51131-96341-2
70-0713-4898-4	000-21200-46977-0	70-0713-4977-6	500-51131-76188-4
70-0713-4991-7	000-51131-85360-7	70-0713-5009-7	500-51131-85363-3
70-0713-5080-8	000-51131-85389-8	70-0713-5180-6	000-51131-85428-4
70-0713-6175-5	000-51131-85598-4	70-0713-6648-1	000-51131-84738-5
70-0713-6830-5	000-51131-84810-8	70-0713-7492-3	000-51131-94917-1
70-0713-7494-9	500-51131-94918-3	70-0713-8108-4	500-51131-96116-1
70-0713-8169-6	500-51131-96156-7	70-0713-8353-6	500-51131-96413-1
70-0713-9121-6	000-51131-84836-8	70-0713-9128-1	000-51131-84837-5
70-0713-9201-6	000-51131-96168-5	70-0713-9381-6	500-51131-96252-6
70-0713-9431-9	000-51131-96529-4	70-0713-9508-4	000-51131-96613-0
70-0714-1826-6	500-51131-96252-6	70-0714-2257-3	500-51131-97161-0
70-0714-2261-5	500-51131-97163-4	70-0714-2291-2	500-51131-97191-7
70-0714-8244-5	500-51135-80845-5	70-0714-9783-1	500-51135-81532-3
70-0715-0364-6	000-51135-21149-6	FS-9100-4186-2	
FS-9100-4204-3		FS-9100-4205-0	
FS-9100-4206-8		FS-9100-4207-6	
FS-9100-4208-4		FS-9100-4209-2	
FS-9100-4210-0		FT-5101-1068-5	
GT-5000-6033-7		RT-0009-4779-1	
RT-0009-4805-4		RT-0009-4806-2	
RT-0009-5890-5		RT-0009-5941-6	
WX-3009-0998-2		WX-3009-0999-0	
XF-0045-0390-0		XF-0045-0391-8	
XF-0045-0392-6			

7010341387, 7012475987, 7012475988, 7000052469, 7100007489, 7100138105, 7000126829, 7000029790, 1000001171, 7100040326, 7010383996, 7010311333, 7000039519, 7000039520, 7000039521, 7010299786, 7100027966, 7010332682, 7100045781, 7100045782, 7010295634

1.2. Recommended use and restrictions on use

Recommended use

Adhesive

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Stationery and Office Supplies Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Reproductive Toxicity: Category 2.

2.2. Label elements

Signal word

Warning

Symbols

Health Hazard |

Pictograms



Hazard Statements

Suspected of damaging fertility or the unborn child.

Precautionary Statements

General:

Keep out of reach of children.

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves.

Response:

IF exposed or concerned: Get medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

22% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	40 - 55
SUCROSE	57-50-1	20 - 25
ACRYLIC COPOLYMER	Trade Secret*	10 - 20
N-VINYLPYRROLIDINONE POLYMER	9003-39-8	5 - 10
SODIUM STEARATE	822-16-2	5 - 10
GLYCERIN	56-81-5	1 - 5
2-AMINOISOBUTANOL	124-68-5	0.4 - 0.5 Trade Secret *

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you are concerned, get medical advice.

Skin Contact:

Wash with soap and water. If you are concerned, get medical advice.

Eye Contact:

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If Swallowed:

Rinse mouth. If you are concerned, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide
Carbon dioxide

Condition

During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this

product. Wash thoroughly after handling. Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
GLYCERIN	56-81-5	OSHA	TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3	
SUCROSE	57-50-1	ACGIH	TWA:10 mg/m3	A4: Not class. as human carcin
SUCROSE	57-50-1	OSHA	TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3	
STEARATES	822-16-2	ACGIH	TWA(respirable fraction):3 mg/m3;TWA(inhalable fraction):10 mg/m3	A4: Not class. as human carcin

ACGIH : American Conference of Governmental Industrial Hygienists
 AIHA : American Industrial Hygiene Association
 CMRG : Chemical Manufacturer's Recommended Guidelines
 OSHA : United States Department of Labor - Occupational Safety and Health Administration
 TWA: Time-Weighted-Average
 STEL: Short Term Exposure Limit
 CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Butyl Rubber
 Nitrile Rubber
 Natural Rubber

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties**Appearance**

Physical state

Solid

Color

White

Specific Physical Form:

Paste

Odor

Fatty Acid, Acrylic

Odor threshold*No Data Available***pH**

Approximately 10.3

Melting point

Approximately 140 °F

Boiling Point

52 - 100 °C

Flash Point

No flash point

Evaporation rate*Not Applicable***Flammability (solid, gas)**

Not Classified

Flammable Limits(LEL)*Not Applicable***Flammable Limits(UEL)***Not Applicable***Vapor Pressure***Not Applicable***Vapor Density***Not Applicable***Density**0.95 - 1 g/cm³**Specific Gravity**

0.95 - 1.0 [Ref Std: WATER=1]

Solubility in Water

Appreciable

Solubility- non-water*No Data Available***Partition coefficient: n-octanol/ water***No Data Available***Autoignition temperature***Not Applicable***Decomposition temperature***No Data Available***Viscosity**

10,000 - 30,000 poise

Molecular weight*No Data Available***Percent volatile**

60 - 65 % weight

SECTION 10: Stability and reactivity**10.1. Reactivity**

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products**Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No known health effects.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
SUCROSE	Dermal		LD50 estimated to be > 5,000 mg/kg
SUCROSE	Ingestion	Rat	LD50 29,700 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Dermal		LD50 estimated to be > 5,000 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.2 mg/l
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	LD50 100,000 mg/kg
SODIUM STEARATE	Dermal	similar compounds	LD50 > 2,000 mg/kg
SODIUM STEARATE	Ingestion	similar compounds	LD50 > 2,000 mg/kg
GLYCERIN	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
GLYCERIN	Ingestion	Rat	LD50 > 5,000 mg/kg
2-AMINOISOBUTANOL	Dermal	Rabbit	LD50 > 2,000 mg/kg
2-AMINOISOBUTANOL	Ingestion	Rat	LD50 2,900 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value

Overall product	In vitro data	No significant irritation
N-VINYLPYRROLIDINONE POLYMER	Rabbit	No significant irritation
SODIUM STEARATE	similar compounds	No significant irritation
GLYCERIN	Rabbit	No significant irritation
2-AMINOISOBUTANOL	Rabbit	Irritant

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro data	No significant irritation
SODIUM STEARATE	similar compounds	No significant irritation
GLYCERIN	Rabbit	No significant irritation
2-AMINOISOBUTANOL	Rabbit	Corrosive

Skin Sensitization

Name	Species	Value
N-VINYLPYRROLIDINONE POLYMER	Human	Not classified
SODIUM STEARATE	similar compounds	Not classified
GLYCERIN	Guinea pig	Not classified
2-AMINOISOBUTANOL	Guinea pig	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
N-VINYLPYRROLIDINONE POLYMER	In Vitro	Not mutagenic
SODIUM STEARATE	In Vitro	Not mutagenic
2-AMINOISOBUTANOL	In Vitro	Not mutagenic
2-AMINOISOBUTANOL	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	Not carcinogenic
GLYCERIN	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during gestation
GLYCERIN	Ingestion	Not classified for female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
GLYCERIN	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
GLYCERIN	Ingestion	Not classified for development	Rat	NOAEL 2,000 mg/kg/day	2 generation
2-AMINOISOBUTANOL	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000	prematuring

				mg/kg/day	into lactation
2-AMINOISOBUTANOL	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	37 days
2-AMINOISOBUTANOL	Dermal	Not classified for development	Rat	NOAEL 300 mg/kg/day	during gestation
2-AMINOISOBUTANOL	Ingestion	Toxic to development	Rat	NOAEL 100 mg/kg/day	prematuring into lactation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
2-AMINOISOBUTANOL	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
GLYCERIN	Inhalation	respiratory system heart liver kidney and/or bladder	Not classified	Rat	NOAEL 3.91 mg/l	14 days
GLYCERIN	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
2-AMINOISOBUTANOL	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 23 mg/kg/day	90 days
2-AMINOISOBUTANOL	Ingestion	blood eyes kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable

waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

Health Hazards

Reproductive toxicity

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 **Flammability:** 0 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

HMIS Hazard Classification

Health: *0 **Flammability:** 0 **Physical Hazard:** 0 **Personal Protection:** X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group:	09-4549-3	Version Number:	28.02
Issue Date:	03/23/23	Supersedes Date:	03/15/23

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com