



Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 38-9619-8
Issue Date: 06/11/24

Version Number: 6.00
Supersedes Date: 03/25/24

SECTION 1: Identification

1.1. Product identifier

Scotch-Brite™ Kitchen Cleaner & Degreaser with Scotchgard™ Protector Wipes

Product Identification Numbers

| ID Number | UPC | ID Number | UPC |
|----------------|-----|----------------|-----|
| 75-0400-3426-8 | | 75-0400-5261-7 | |
| 75-0400-5583-4 | | 75-0400-5634-5 | |

7100191464, 7100199153, 7100210429, 7100208809

1.2. Recommended use and restrictions on use

Recommended use

Hard Surface Cleaner

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Commercial Branding and Transportation Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Skin Corrosion/Irritation: Category 2.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms

**Hazard Statements**

Causes skin irritation.

Precautionary Statements**Prevention:**

Wear protective gloves.

Wash thoroughly after handling.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

4% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---|-------------------|-------------------------|
| Water | 7732-18-5 | 85 - 95 Trade Secret * |
| BENZYL ALCOHOL | 100-51-6 | < 5 Trade Secret * |
| Alkylbenzene Sulfonic Acid | 68584-22-5 | < 3 Trade Secret * |
| Ethanolamine | 141-43-5 | < 1 Trade Secret * |
| 3M Protector | Trade Secret* | < 1 Trade Secret * |
| Surfactants | Trade Secret* | < 0.5 Trade Secret * |
| Aminomethyl Propanol | 124-68-5 | < 0.1 Trade Secret * |
| Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy- | 34398-01-1 | < 0.1 Trade Secret * |
| SODIUM LAUROYL SARCOSINATE | 137-16-6 | < 0.1 Trade Secret * |
| Fragrance | Trade Secret* | < 0.01 Trade Secret * |
| Methylchloroisothiazolinone | 26172-55-4 | < 0.001 Trade Secret * |
| Methylisothiazolinone | 2682-20-4 | < 0.001 Trade Secret * |
| ACID BLUE 80 | 4474-24-2 | < 0.0001 Trade Secret * |
| ACID RED 52 | 3520-42-1 | < 0.0001 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation:**

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures**5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products**Substance**

Carbon monoxide
Carbon dioxide

Condition

During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

Refer to Section 15 for additional information

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

For industrial/occupational use only. Not for consumer sale or use. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

Refer to Section 15 for additional information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|----------------|------------|--------|------------------------|---------------------|
| BENZYL ALCOHOL | 100-51-6 | AIHA | TWA:44.2 mg/m3(10 ppm) | |
| Ethanolamine | 141-43-5 | ACGIH | TWA:3 ppm;STEL:6 ppm | |
| Ethanolamine | 141-43-5 | OSHA | TWA:6 mg/m3(3 ppm) | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

Respiratory protection

None required.

Refer to Section 15 for additional information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Solid

Color

Colorless-Ivory

Specific Physical Form:

Non-Woven Material

Odor

Slight Citrus

Odor threshold

No Data Available

pH

10 - 10.5 [Details:Conditions: Liquid Portion]

Melting point

No Data Available

| | |
|---|--|
| Boiling Point | 212 °F [Details:Conditions: Liquid Portion] |
| Flash Point | No flash point |
| Evaporation rate | No Data Available |
| Flammability (solid, gas) | Not Classified |
| Flammable Limits(LEL) | No Data Available |
| Flammable Limits(UEL) | No Data Available |
| Vapor Pressure | 17.5 mmHg [@ 20 °C] [Details:Conditions: Liquid Portion] |
| Vapor Density | No Data Available |
| Density | 1 g/cm3 |
| Specific Gravity | 1 [Ref Std:WATER=1] |
| Solubility In Water | No Data Available |
| Solubility- non-water | Complete |
| Partition coefficient: n-octanol/ water | No Data Available |
| Autoignition temperature | No Data Available |
| Decomposition temperature | No Data Available |
| Viscosity | No Data Available |
| Average particle size | No Data Available |
| Bulk density | No Data Available |
| Hazardous Air Pollutants | No Data Available |
| Molecular weight | No Data Available |
| Volatile Organic Compounds | 1.0 % |
| Percent volatile | No Data Available |
| Percent volatile | No Data Available |
| Softening point | No Data Available |
| VOC Less H2O & Exempt Solvents | No Data Available |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be

relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|-------------------------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| BENZYL ALCOHOL | Inhalation-Dust/Mist (4 hours) | Rat | LC50 8.8 mg/l |
| BENZYL ALCOHOL | Ingestion | Rat | LD50 1,230 mg/kg |
| Alkylbenzene Sulfonic Acid | Dermal | Rabbit | LD50 2,000 mg/kg |
| Alkylbenzene Sulfonic Acid | Ingestion | Rat | LD50 > 300, < 2000 mg/kg |
| Ethanolamine | Inhalation-Vapor | official classification | LC50 estimated to be 10 - 20 mg/l |
| Ethanolamine | Dermal | Rabbit | LD50 2,504 mg/kg |
| Ethanolamine | Ingestion | Rat | LD50 1,089 mg/kg |
| Surfactants | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Surfactants | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Aminomethyl Propanol | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Aminomethyl Propanol | Ingestion | Rat | LD50 2,900 mg/kg |
| Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy- | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy- | Ingestion | Rat | LD50 > 700 mg/kg |
| SODIUM LAUROYL SARCOSINATE | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| SODIUM LAUROYL SARCOSINATE | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 0.05, < 0.5 mg/l |
| SODIUM LAUROYL SARCOSINATE | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Fragrance | Dermal | Rabbit | LD50 > 4,680 mg/kg |
| Fragrance | Ingestion | Rat | LD50 3,370 mg/kg |
| Methylchloroisothiazolinone | Dermal | Rabbit | LD50 87 mg/kg |
| Methylchloroisothiazolinone | Inhalation-Dust/Mist | Rat | LC50 0.171 mg/l |

| | | | |
|-----------------------------|--------------------------------|------------------------|--|
| | (4 hours) | | |
| Methylchloroisothiazolinone | Ingestion | Rat | LD50 40 mg/kg |
| Methylisothiazolinone | Dermal | Rabbit | LD50 87 mg/kg |
| Methylisothiazolinone | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.171 mg/l |
| Methylisothiazolinone | Ingestion | Rat | LD50 40 mg/kg |
| ACID BLUE 80 | Ingestion | Rat | LD50 3,350 mg/kg |
| ACID BLUE 80 | Dermal | similar health hazards | LD50 estimated to be 2,000 - 5,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---|-------------------------|--------------------|
| Overall product | In vitro data | Irritant |
| BENZYL ALCOHOL | Multiple animal species | Mild irritant |
| Alkylbenzene Sulfonic Acid | similar compounds | Minimal irritation |
| Ethanolamine | Rabbit | Corrosive |
| Surfactants | Rabbit | Minimal irritation |
| Aminomethyl Propanol | Rabbit | Irritant |
| Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy- | similar health hazards | Irritant |
| SODIUM LAUROYL SARCOSINATE | Rabbit | Irritant |
| Methylchloroisothiazolinone | Rabbit | Corrosive |
| Methylisothiazolinone | Rabbit | Corrosive |
| ACID BLUE 80 | Rabbit | Minimal irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|------------------------|-----------------|
| BENZYL ALCOHOL | Rabbit | Severe irritant |
| Alkylbenzene Sulfonic Acid | similar compounds | Severe irritant |
| Ethanolamine | Rabbit | Corrosive |
| Surfactants | Rabbit | Corrosive |
| Aminomethyl Propanol | Rabbit | Corrosive |
| Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy- | Professional judgement | Corrosive |
| SODIUM LAUROYL SARCOSINATE | Rabbit | Corrosive |
| Methylchloroisothiazolinone | Rabbit | Corrosive |
| Methylisothiazolinone | Rabbit | Corrosive |
| ACID BLUE 80 | Rabbit | Mild irritant |

Skin Sensitization

| Name | Species | Value |
|----------------------------|------------------|--|
| BENZYL ALCOHOL | Human and animal | Not classified |
| Alkylbenzene Sulfonic Acid | Human | Some positive data exist, but the data are not sufficient for classification |
| Ethanolamine | Guinea pig | Not classified |
| Surfactants | Mouse | Not classified |

| | | |
|-----------------------------|------------------|----------------|
| Aminomethyl Propanol | Guinea pig | Not classified |
| SODIUM LAUROYL SARCOSINATE | Guinea pig | Not classified |
| Fragrance | Mouse | Sensitizing |
| Methylchloroisothiazolinone | Human and animal | Sensitizing |
| Methylisothiazolinone | Human and animal | Sensitizing |
| ACID BLUE 80 | Mouse | Not classified |

Photosensitization

| Name | Species | Value |
|-----------------------------|------------------|-----------------|
| Methylchloroisothiazolinone | Human and animal | Not sensitizing |
| Methylisothiazolinone | Human and animal | Not sensitizing |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------------------|----------|--|
| BENZYL ALCOHOL | In vivo | Not mutagenic |
| BENZYL ALCOHOL | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Alkylbenzene Sulfonic Acid | In Vitro | Not mutagenic |
| Ethanolamine | In Vitro | Not mutagenic |
| Ethanolamine | In vivo | Not mutagenic |
| Surfactants | In Vitro | Not mutagenic |
| Aminomethyl Propanol | In Vitro | Not mutagenic |
| Aminomethyl Propanol | In vivo | Not mutagenic |
| SODIUM LAUROYL SARCOSINATE | In Vitro | Not mutagenic |
| Methylchloroisothiazolinone | In vivo | Not mutagenic |
| Methylchloroisothiazolinone | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Methylisothiazolinone | In vivo | Not mutagenic |
| Methylisothiazolinone | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| ACID BLUE 80 | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------------------|-----------|-------------------------|------------------|
| BENZYL ALCOHOL | Ingestion | Multiple animal species | Not carcinogenic |
| Methylchloroisothiazolinone | Dermal | Mouse | Not carcinogenic |
| Methylchloroisothiazolinone | Ingestion | Rat | Not carcinogenic |
| Methylisothiazolinone | Dermal | Mouse | Not carcinogenic |
| Methylisothiazolinone | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|------|-------|-------|---------|-------------|-------------------|
|------|-------|-------|---------|-------------|-------------------|

| | | | | | |
|-----------------------------|-----------|--|--------|-----------------------|--------------------------|
| BENZYL ALCOHOL | Ingestion | Not classified for development | Mouse | NOAEL 550 mg/kg/day | during organogenesis |
| Ethanolamine | Dermal | Not classified for development | Rat | NOAEL 225 mg/kg/day | during organogenesis |
| Ethanolamine | Ingestion | Not classified for development | Rat | NOAEL 450 mg/kg/day | during organogenesis |
| Aminomethyl Propanol | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| Aminomethyl Propanol | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 37 days |
| Aminomethyl Propanol | Dermal | Not classified for development | Rat | NOAEL 300 mg/kg/day | during gestation |
| Aminomethyl Propanol | Ingestion | Toxic to development | Rat | NOAEL 100 mg/kg/day | premating into lactation |
| SODIUM LAUROYL SARCOSINATE | Ingestion | Not classified for development | Rabbit | NOAEL 500 mg/kg/day | during gestation |
| Methylchloroisothiazolinone | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylchloroisothiazolinone | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylchloroisothiazolinone | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |
| Methylisothiazolinone | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylisothiazolinone | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Methylisothiazolinone | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| BENZYL ALCOHOL | Inhalation | central nervous system depression | May cause drowsiness or dizziness | | NOAEL Not available | |
| BENZYL ALCOHOL | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| BENZYL ALCOHOL | Ingestion | central nervous system depression | May cause drowsiness or dizziness | | NOAEL Not available | |
| Ethanolamine | Inhalation | respiratory irritation | May cause respiratory irritation | Human and animal | NOAEL Not available | |
| Surfactants | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |
| Aminomethyl Propanol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL Not available | |
| Poly(oxy-1,2-ethanediyl), alpha.-undecyl-.omega.-hydroxy- | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |
| SODIUM LAUROYL SARCOSINATE | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Methylchloroisothiazolinone | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |
| Methylisothiazolinone | Inhalation | respiratory irritation | May cause respiratory irritation | similar health | NOAEL Not available | |

| | | | | | | |
|--|--|--|--|---------|--|--|
| | | | | hazards | | |
|--|--|--|--|---------|--|--|

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|----------------------------|------------|--|--|---------|---------------------|-------------------|
| BENZYL ALCOHOL | Ingestion | endocrine system muscles kidney and/or bladder | Not classified | Rat | NOAEL 400 mg/kg/day | 13 weeks |
| BENZYL ALCOHOL | Ingestion | nervous system respiratory system | Not classified | Mouse | NOAEL 645 mg/kg/day | 8 days |
| Ethanolamine | Inhalation | hematopoietic system liver | Not classified | Rat | NOAEL 0.1559 mg/l | 28 days |
| Ethanolamine | Inhalation | respiratory system | Not classified | Rat | LOAEL 0.0102 mg/l | 28 days |
| Ethanolamine | Inhalation | heart endocrine system immune system nervous system eyes kidney and/or bladder | Not classified | Rat | NOAEL 0.1559 mg/l | 28 days |
| Ethanolamine | Ingestion | hematopoietic system liver kidney and/or bladder respiratory system | Not classified | Rat | NOAEL Not available | |
| Aminomethyl Propanol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 23 mg/kg/day | 90 days |
| Aminomethyl Propanol | Ingestion | blood eyes kidney and/or bladder | Not classified | Dog | NOAEL 2.8 mg/kg/day | 1 years |
| SODIUM LAUROYL SARCOSINATE | Ingestion | gastrointestinal tract | Not classified | Rat | NOAEL 30 mg/kg/day | 90 days |
| SODIUM LAUROYL SARCOSINATE | Ingestion | heart endocrine system bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system | Not classified | Rat | NOAEL 250 mg/kg/day | 90 days |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

Refer to Section 15 for additional information

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact manufacturer for more information

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

Health Hazards

Skin Corrosion or Irritation

Additional TSCA Information

| Components | CAS No | Additional Information |
|--------------|--------------|--|
| 3M Protector | Trade Secret | Allowed use: Protective coating additive. Required exposure controls when handling the LVE substance: Appropriate local exhaust ventilation; safety glasses with side shields; gloves composed of butyl rubber, fluoroelastomer, nitrile rubber, or polymer laminate as needed based on the results of an exposure assessment; NIOSH-approved full face piece air-purifying respirator suitable for organic vapors and particulates as needed based on the results of an exposure assessment. Required environmental release controls for the LVE substance: Incineration of wastes and cleanup materials or disposal in a permitted landfill. |

15.2. State Regulations

Contact manufacturer for more information

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact manufacturer for more information

15.4. International Regulations

Contact manufacturer for more information

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 38-9619-8
Issue Date: 06/11/24

Version Number: 6.00
Supersedes Date: 03/25/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com