

# **Safety Data Sheet**

### Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	30-5460-8	Version Number:	1.09
Issue Date:	03/21/24	Supercedes Date:	02/06/18

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>™</sup> Glass Bubbles iM30K-N

### **Product Identification Numbers**

98-0212-3636-3, 98-0212-3637-1, 98-0212-3675-1 7100009223, 7010350855, 7100023958

### 1.2. Recommended use and restrictions on use

### Recommended use

Additive

1.3. Supplier's details				
MANUFACTURER:	3M			
<b>DIVISION:</b>	Advanced Materials Division			
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA			
Telephone:	1-888-3M HELPS (1-888-364-3577)			

**1.4. Emergency telephone number** 1-800-364-3577 or (651) 737-6501 (24 hours)

### **SECTION 2: Hazard identification**

### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### 2.2. Label elements Signal word

Not applicable.

**Symbols** Not applicable.

**Pictograms** Not applicable.

# **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
Soda Lime Borosilicate Glass	65997-17-3	95 - 100
Phosphoric Acid	7664-38-2	<= 3.5
Synthetic Amorphous Crystalline-Free Silica	7631-86-9	< 3

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

Material will not burn.

# 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

Substance

None known.

### Condition **During Combustion**

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Observe precautions from other sections.

### **6.2.** Environmental precautions

Not applicable.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Use wet sweeping compound or water to avoid dusting. Sweep up. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	<b>Additional Comments</b>
Soda Lime Borosilicate Glass	65997-17-3	Manufacturer determined	TWA(as non-fibrous, respirable)(8 hours):3 mg/m3;TWA(as non-fibrous, inhalable fraction)(8 hours):10 mg/m3	
Phosphoric Acid	7664-38-2	ACGIH	TWA:1 mg/m3;STEL:3 mg/m3	
Phosphoric Acid	7664-38-2	OSHA	TWA:1 mg/m3	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### **8.2.2.** Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Nitrile Rubber

### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state ColorSolid WhiteSpecific Physical Form:Fine Powder <200 micronsOdorOdorlessOdor thresholdNot ApplicablepHNot ApplicableMelting pointNo Data AvailableBoiling PointNot ApplicableFlash PointNot ApplicableFlammability (solid, gas)Not ApplicableFlammability (solid, gas)Not ApplicableFlammabile Limits(LEL)Not ApplicableVapor PressureNot ApplicableVapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicableVolatile Organic CompoundsNot ApplicableVolatile Organic CompoundsNot ApplicableVoC Less H20 & Exempt SolventsNot ApplicableVoC Less H20 & Exempt SolventsNot Applicable	Appearance			
Specific Physical Form:Fine Powder <200 microns	Physical state	Solid		
OdorOdorlessOdor thresholdNot ApplicablepHNot ApplicableMelting pointNo Data AvailableBoiling PointNo Data AvailableFlash PointNo flash pointEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 g/cm3Solubility in WaterNegligibleSolubility - non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Color	White		
Odor thresholdNot ApplicablepHNot ApplicableMelting pointNo Data AvailableBoiling PointNot ApplicableFlash PointNo flash pointEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Specific Physical Form:	Fine Powder <200 microns		
pHNot ApplicableMelting pointNo Data AvailableBoiling PointNo Data AvailableBoiling PointNot ApplicableFlash PointNo flash pointEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicableSolubility - non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=600 °C	Odor	Odorless		
Melting pointNo Data AvailableBoiling PointNot ApplicableFlash PointNo flash pointEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std: WATER=1]Solubility in WaterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Odor threshold	Not Applicable		
Boiling PointNot ApplicableFlash PointNot ApplicableFlash PointNot ApplicableEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std: WATER=1]Solubility in WaterNot ApplicableSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	рН	Not Applicable		
Flash PointNo flash pointEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=600 °C	Melting point	No Data Available		
Evaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicablePartition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Boiling Point	Not Applicable		
Flammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicablePartition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=600 °C	Flash Point			
Flammable Limits (LEL)Not ApplicableFlammable Limits (UEL)Not ApplicableVapor PressureNot ApplicableVapor Density0.57 - 0.63 g/cm3Density0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNot ApplicableSolubility - non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Evaporation rate	-		
Flammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Flammability (solid, gas)	Not Classified		
Vapor PressureNot ApplicableVapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Flammable Limits(LEL)	Not Applicable		
Vapor DensityNot ApplicableDensity0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Flammable Limits(UEL)			
Density0.57 - 0.63 g/cm3Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=600 °C	Vapor Pressure	Not Applicable		
Specific Gravity0.57 - 0.63 [Ref Std:WATER=1]Solubility in WaterNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=600 °C	Vapor Density	Not Applicable		
Solubility in WaterNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=60.5 % weight	Density	0.57 - 0.63 g/cm3		
Solubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weight	Specific Gravity	0.57 - 0.63 [ <i>Ref Std</i> :WATER=1]		
Partition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weight	Solubility in Water	Negligible		
Autoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weight	Solubility- non-water	Not Applicable		
Decomposition temperatureNot ApplicableViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weight	Partition coefficient: n-octanol/ water	No Data Available		
ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Autoignition temperature	Not Applicable		
Volatile Organic CompoundsNot ApplicablePercent volatile<=0.5 % weightSoftening point>=600 °C	Decomposition temperature			
Percent volatile<=0.5 % weight	Viscosity	Not Applicable		
Softening point >=600 °C	Volatile Organic Compounds	Not Applicable		
VOC Less H2O & Exempt Solvents Not Applicable	Softening point	>=600 °C		
i con less monte a la compressioneres i compressione	VOC Less H2O & Exempt Solvents	Not Applicable		

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

# 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

**10.5. Incompatible materials** None known.

10.6. Hazardous decomposition products Substance

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

Condition

**11.1. Information on Toxicological effects** 

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

**Eye Contact:** 

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

### **Ingestion:**

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000
-	-		mg/kg
Soda Lime Borosilicate Glass	Dermal		LD50 estimated to be > 5,000 mg/kg
Soda Lime Borosilicate Glass	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Phosphoric Acid	Dermal	Rabbit	LD50 2,740 mg/kg
Phosphoric Acid	Ingestion	Rat	LD50 1,530 mg/kg
Synthetic Amorphous Crystalline-Free Silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Synthetic Amorphous Crystalline-Free Silica	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Rat	LD50 > 5,110 mg/kg
ATE – aguta toxicity estimate			

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Soda Lime Borosilicate Glass	Professio	No significant irritation
	nal	
	judgeme	
	nt	
Phosphoric Acid	Rabbit	Corrosive
Synthetic Amorphous Crystalline-Free Silica	Rabbit	No significant irritation

#### Serious Eye Damage/Irritation

Name	Species	Value
Soda Lime Borosilicate Glass	Professio nal judgeme nt	No significant irritation
Phosphoric Acid	official classifica tion	Corrosive
Synthetic Amorphous Crystalline-Free Silica	Rabbit	No significant irritation

### **Skin Sensitization**

Name	Species	Value
Phosphoric Acid	Human	Not classified
Synthetic Amorphous Crystalline-Free Silica	Human	Not classified
	and	
	animal	

### **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

Name	Route	Value
Soda Lime Borosilicate Glass	In Vitro	Some positive data exist, but the data are not sufficient for classification
Phosphoric Acid	In Vitro	Not mutagenic
Synthetic Amorphous Crystalline-Free Silica	In Vitro	Not mutagenic

### Carcinogenicity

Name	Route	Species	Value
Soda Lime Borosilicate Glass	Inhalation	Multiple	Some positive data exist, but the data are not
		animal	sufficient for classification
		species	
Synthetic Amorphous Crystalline-Free Silica	Not	Mouse	Some positive data exist, but the data are not
	Specified		sufficient for classification

### **Reproductive Toxicity**

### **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
Phosphoric Acid	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
Phosphoric Acid	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
Phosphoric Acid	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Synthetic Amorphous Crystalline-Free	Ingestion	Not classified for male reproduction	Rat	NOAEL 497	1 generation

Silica				mg/kg/day	
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesi s

### Target Organ(s)

### Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Phosphoric Acid	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure

### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Soda Lime Borosilicate Glass	Inhalation	respiratory system	Not classified	Human	NOAEL not available	occupational exposure
Synthetic Amorphous Crystalline-Free Silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

# Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

### **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

### **13.1.** Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility.

### EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

Not regulated per U.S. DOT, IATA or IMO.

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M transportation classifications are based on product formulation, packaging, 3M policies and 3M understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified

for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

# **SECTION 15: Regulatory information**

### **15.1. US Federal Regulations**

Contact 3M for more information.

### **EPCRA 311/312 Hazard Classifications:**

**Physical Hazards** Not applicable

### Health Hazards

Not applicable

### 15.2. State Regulations

Contact 3M for more information.

### **15.3.** Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

# NFPA Hazard Classification

Health: 1 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

### **HMIS Hazard Classification Health:** 1 **Flammability:** 0 **Physical Hazard:** 0 **Personal Protection:** X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group:	30-5460-8	Version Number:	1.09
Issue Date:	03/21/24	Supercedes Date:	02/06/18

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR

USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

### 3M USA SDSs are available at www.3M.com