

Safety Data Sheet

Copyright, 2024, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Safety Data Sheet has been prepared in accordance with the SS586 Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods.

Document group: 40-9630-1 **Version number:** 2.00

Issue Date: 30/08/2024 **Supersedes date:** 01/03/2023

SECTION 1: Identification

1.1. Product identifier

3MTM FiltekTM Supreme Flowable

1.2. Recommended use and restrictions on use

Recommended use

Dental Product, Composite restorative material

1.3. Supplier's details

Address: 3M Technologies (S) Pte Ltd, 10 Ang Mo Kio Street 65, Singapore 569059

Telephone: +65 6450 8888 **Website:** www.3m.com.sg

1.4. Emergency telephone number

+65 6591 6601 (8.15am - 5.00pm, Monday - Friday)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Skin Sensitizer: Category 1.

2.2. Label elements

SIGNAL WORD

WARNING!

Symbols

Exclamation mark |

Pictograms



HAZARD STATEMENTS

Page: 1 of 13

3MTM FiltekTM Supreme Flowable

H317 May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Silane Treated Ceramic	444758-98-9	50 - 60
Substituted Dimethacrylate	27689-12-9	15 - 25
Triethylene Glycol Dimethacrylate (TEGDMA)	109-16-0	< 10
Silane Treated Silica	248596-91-0	5 - 10
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	1565-94-2	5 - 10
Poly[oxy(1-oxo-1,6-hexanediyl)], α,α'- (oxydi-2,1-ethanediyl)bis[ω-[[[2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl]amino]carbonyl]oxy]-	220182-22-9	1 - 5
Ytterbium Fluoride (YbF3)	13760-80-0	1 - 5
N,N-DIMETHYLBENZOCAINE	10287-53-3	< 0.3
Diphenyliodonium Hexafluorophosphate	58109-40-3	< 0.2

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

n.... 2 . c . 12

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance Condition Carbon monoxide. During combustion. Carbon dioxide. During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

	Ingredient	CAS Nbr	Agency	Limit type	Additional comments
--	------------	---------	--------	------------	---------------------

Fluorides	13760-80-0	ACGIH	TWA(as F):2.5 mg/m3	A4: Not class. as human
				carcin
Fluorides	13760-80-0	Singapore DEL c	TWA(as F)(8 hours):2.5	
Tuonucs	13/00-00-0	Singapore r ELS	1 W A(as 1)(8 110u15).2.3	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

Singapore PELs: Singapore. Workplace Safety and Health (Permissible Exposure Levels of Toxic Substances) Order

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Color	Tooth
Odor	Slight Acrylate
Odour threshold	No data available.
рН	Not applicable.
Melting point/Freezing point	No data available.
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	No flash point
Evaporation rate	Not applicable.
Flammability	Not applicable.
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	Not applicable.
Vapor Density and/or Relative Vapor Density	Not applicable.
Density	1.5 g/cm3
Relative density	1.5 [Ref Std:WATER=1]
Water solubility	Negligible
Solubility- non-water	No data available.

Partition coefficient: n-octanol/water	Not applicable.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic Viscosity	No data available.
VOC less H2O & exempt solvents	No data available.
Molecular weight	No data available.

Particle Characteristics	Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Dagge 5 of 1

3MTM FiltekTM Supreme Flowable

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Silane Treated Ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Substituted Dimethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Substituted Dimethacrylate	Ingestion	Rat	LD50 > 17,600 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Rat	LD50 > 11,700 mg/kg
Silane Treated Silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Silica	Ingestion		LD50 estimated to be > 5,000 mg/kg
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	Mouse	LD50 > 2,000
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Rat	LD50 10,837 mg/kg
Ytterbium Fluoride (YbF3)	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Ytterbium Fluoride (YbF3)	Ingestion	Rat	LD50 > 5,000 mg/kg
N,N-DIMETHYLBENZOCAINE	Dermal	Rat	LD50 > 2,000 mg/kg
N,N-DIMETHYLBENZOCAINE	Ingestion	Rat	LD50 > 2,000 mg/kg
Diphenyliodonium Hexafluorophosphate	Ingestion	Rat	LD50 32 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silane Treated Ceramic	similar	No significant irritation
	compoun	
	ds	
Substituted Dimethacrylate	Rabbit	No significant irritation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	Rabbit	No significant irritation
bismethacrylate		
Silane Treated Silica	Professio	No significant irritation
	nal	
	judgemen	
	t	
Triethylene Glycol Dimethacrylate (TEGDMA)	Rabbit	No significant irritation

3MTM FiltekTM Supreme Flowable

N,N-DIMETHYLBENZOCAINE	Rabbit	No significant irritation
Diphenyliodonium Hexafluorophosphate	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silane Treated Ceramic	similar compoun ds	Mild irritant
Substituted Dimethacrylate	Rabbit	Mild irritant
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	In vitro data	No significant irritation
Silane Treated Silica	Professio nal judgemen t	No significant irritation
Triethylene Glycol Dimethacrylate (TEGDMA)	Rabbit	No significant irritation
Ytterbium Fluoride (YbF3)	Professio nal judgemen t	Mild irritant
N,N-DIMETHYLBENZOCAINE	Rabbit	No significant irritation
Diphenyliodonium Hexafluorophosphate	Rabbit	Mild irritant

Sensitization:

Skin Sensitisation

Name	Species	Value
Silane Treated Ceramic	similar compoun ds	Not classified
Substituted Dimethacrylate	Guinea pig	Not classified
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Mouse	Not classified
Triethylene Glycol Dimethacrylate (TEGDMA)	Mouse	Sensitising
N,N-DIMETHYLBENZOCAINE		Not classified

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Substituted Dimethacrylate	In Vitro	Not mutagenic
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	In Vitro	Not mutagenic
Triethylene Glycol Dimethacrylate (TEGDMA)	In Vitro	Some positive data exist, but the data are not sufficient for classification
N,N-DIMETHYLBENZOCAINE	In vivo	Not mutagenic
N,N-DIMETHYLBENZOCAINE	In Vitro	Some positive data exist, but the data are not sufficient for classification
Diphenyliodonium Hexafluorophosphate	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Silane Treated Ceramic	Inhalation	similar compoun ds	Some positive data exist, but the data are not sufficient for classification
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	Mouse	Not carcinogenic

Page: 7 of 13

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during gestation
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	5 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
N,N-DIMETHYLBENZOCAINE	Ingestion	Not classified for female reproduction	Rat	NOAEL 600 mg/kg/day	premating into lactation
N,N-DIMETHYLBENZOCAINE	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	premating into lactation
N,N-DIMETHYLBENZOCAINE	Ingestion	Toxic to male reproduction	Rat	NOAEL 50 mg/kg/day	53 days

Target Organ(s)

Specific Target Organ Toxicity - single exposure

	Process and St. and St									
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration				
Diphenyliodonium	Inhalation	respiratory irritation	Not classified	Not	Irritation					
Hexafluorophosphate				available	Equivocal					

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane Treated Ceramic	Inhalation	pulmonary fibrosis	Not classified	similar compoun ds	NOAEL Not available	
(1- methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy- 3,1-propanediyl)] bismethacrylate	Ingestion	endocrine system hematopoietic system liver heart skin gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	liver	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	skin	Not classified	Mouse	NOAEL 100 mg/kg/day	13 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	gastrointestinal tract hematopoietic system nervous system kidney and/or bladder respiratory system	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
Triethylene Glycol Dimethacrylate	Ingestion	hematopoietic system liver	Not classified	Rat	NOAEL 3,849	13 weeks

Page: 8 of 13

(TEGDMA)		nervous system kidney and/or bladder eyes			mg/kg/day	
N,N- DIMETHYLBENZOCAI NE	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 74 mg/kg/day	28 days
N,N- DIMETHYLBENZOCAI NE	Ingestion	liver heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 900 mg/kg/day	28 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Silane Treated Ceramic	444758-98-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Substituted Dimethacrylate	27689-12-9	Green algae	Experimental	72 hours	EC50	>100 mg/l
Substituted Dimethacrylate	27689-12-9	Water flea	Experimental	48 hours	EC50	>100 mg/l
Substituted Dimethacrylate	27689-12-9	Green algae	Experimental	72 hours	NOEC	>100 mg/l
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Common Carp	Analogous Compound	96 hours	No tox obs at lmt of water sol	>100 mg/l
(1- methylethylidene)b	1565-94-2	Green algae	Endpoint not reached	96 hours	EC50	>100 mg/l

· F4 1	I					1
is[4,1-						
phenyleneoxy(2-						
hydroxy-3,1-						
propanediyl)]						
bismethacrylate						
(1-	1565-94-2	Green algae	Experimental	96 hours	EC10	1.1 mg/l
methylethylidene)b						
is[4,1-						
phenyleneoxy(2-						
hydroxy-3,1-						
propanediyl)]						
bismethacrylate						
Silane Treated	248596-91-0	N/A	Data not available	N/A	N/A	N/A
Silica	210370 71 0	1,7,1	or insufficient for	1 1/2 1	1,471	1771
Silica			classification			
T: 4 1 Cl 1	109-16-0	C 1		72 hours	ErC50	> 100 //
Triethylene Glycol	109-10-0	Green algae	Experimental	/2 nours	EICSU	>100 mg/l
Dimethacrylate						
(TEGDMA)						I
Triethylene Glycol	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
Dimethacrylate						
(TEGDMA)						
Triethylene Glycol	109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
Dimethacrylate						
(TEGDMA)						
Triethylene Glycol	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
Dimethacrylate				,	1	
(TEGDMA)						
Poly[oxy(1-oxo-	220182-22-9	N/A	Data not available	N/A	N/A	N/A % weight
1,6-hexanediyl)],	220102-22-)	I W/A	or insufficient for	14/74	IN/A	1VA 70 Weight
α, α' -(oxydi-2,1-			classification			
			Classification			
ethanediyl)bis[ω-						
[[[[2-[(2-methyl-1-						
oxo-2-propen-1-						
yl)oxy]ethyl]amino						
]carbonyl]oxy]-						
Ytterbium Fluoride	13760-80-0	Water flea	Experimental	48 hours	No tox obs at lmt	>100 mg/l
(YbF3)					of water sol	
N,N-	10287-53-3	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
DIMETHYLBENZ						
OCAINE						
N,N-	10287-53-3	Green algae	Experimental	72 hours	EL50	2.8 mg/l
DIMETHYLBENZ		- · · · · · · · · · · · · · · · · · · ·	F			
OCAINE						
N.N-	10287-53-3	Rainbow trout	Experimental	96 hours	LC50	1.9 mg/l
DIMETHYLBENZ	10207-33-3	Kambow trout	Experimental	70 Hours	LC30	1.7 mg/1
OCAINE	10297 52 2	Water flea	Even anima 4-1	10 h a	EC50	14.5 mg/l
N,N-	10287-53-3	water nea	Experimental	48 hours	EC50	4.5 mg/l
DIMETHYLBENZ						
OCAINE						
N,N-	10287-53-3	Green algae	Experimental	72 hours	ErC10	0.71 mg/l
DIMETHYLBENZ						
OCAINE						
Diphenyliodonium	58109-40-3	Water flea	Experimental	48 hours	EC50	9.5 mg/l
Hexafluorophospha			1 *			
te						
				•		

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Ceramic	444758-98-9	Data not available-insufficient	N/A	N/A	N/A	N/A
Substituted	27689-12-9	Experimental	28 days	CO2 evolution	7-12 %CO2	OECD 301B - Modified

Page: 10 of 13

Dimethacrylate		Biodegradation			evolution/THCO2 evolution	sturm or CO2
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Biodegradation	28 days	BOD	21 %BOD/ThOD	similar to OECD 301F
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	29 days (t 1/2)	
Silane Treated Silica	248596-91-0	Data not available- insufficient	N/A	N/A	N/A	N/A
Triethylene Glycol Dimethacrylate (TEGDMA)	109-16-0	Experimental Biodegradation	28 days	CO2 evolution	85 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Poly[oxy(1-oxo- 1,6-hexanediyl)], α,α' -(oxydi-2,1- ethanediyl)bis[ω - [[[[2-[(2-methyl-1- oxo-2-propen-1- yl)oxy]ethyl]amino]carbonyl]oxy]-	220182-22-9	Data not available- insufficient	N/A	N/A	N/A	N/A
Ytterbium Fluoride (YbF3)	13760-80-0	Data not available- insufficient	N/A	N/A	N/A	N/A
N,N- DIMETHYLBENZ OCAINE	10287-53-3	Experimental Biodegradation	28 days	CO2 evolution	40 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
N,N- DIMETHYLBENZ OCAINE	10287-53-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH
Diphenyliodonium Hexafluorophospha te	58109-40-3	Data not available-insufficient	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Ceramic	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Substituted Dimethacrylate	27689-12-9	Modeled Bioconcentration		Log Kow	7.61	Episuite TM
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Bioconcentration		Log Kow	4.63	
Silane Treated Silica	248596-91-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Triethylene Glycol Dimethacrylate (TEGDMA)	109-16-0	Experimental Bioconcentration		Log Kow	2.3	EC A.8 Partition Coefficient
Poly[oxy(1-oxo- 1,6-hexanediyl)], α,α'-(oxydi-2,1-	220182-22-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

ethanediyl)bis[ω- [[[[2-[(2-methyl-1- oxo-2-propen-1- yl)oxy]ethyl]amino]carbonyl]oxy]-						
Ytterbium Fluoride (YbF3)	13760-80-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
N,N- DIMETHYLBENZ OCAINE	10287-53-3	Experimental Bioconcentration		Log Kow		OECD 117 log Kow HPLC method
Diphenyliodonium Hexafluorophospha te		Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

SECTION 14: Transport Information

International Regulations

UN No.: None assigned

UN Proper shipping name: None assigned

Transportation Class (IMO): None assigned Transportation Class (IATA): None assigned

Other Dangerous Goods Descriptions (IMO): None assigned Other Dangerous Goods Descriptions (IATA): None assigned

Packing Group: None assigned Marine pollutant: None assigned

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information.

This product may contain component(s) that are regulated by the following:

Workplace Safety and Health Act & Workplace Safety and Health (General Provisions) Regulations: this product is subject to SDS, labelling, PEL and other requirements in the Act/Regulations.

Fire Safety (Petroleum and Flammable Materials) Regulations: This product is subject to the requirements in the Regulations Environmental Protection and Management (Hazardous Substances) Regulations: This product is subject to the requirements in the Regulations

SECTION 16: Other information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M Singapore SDSs are available at www.3m.com.sg

D 12 C 12