

Safety Data Sheet

Copyright, 2024, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Safety Data Sheet has been prepared in accordance with the SS586 Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods.

Document group: 07-7756-5 Version number: 3.00

Issue Date: 18/03/2024 Supersedes date: 02/08/2022

SECTION 1: Identification

1.1. Product identifier

3MTM Marine Silicone Sealant - White, P.N. 08017, 08027

1.2. Recommended use and restrictions on use

Recommended use

Marine Mildew Resistant Silicone, Sealant.

1.3. Supplier's details

Address: 3M Technologies (S) Pte Ltd,10 Ang Mo Kio Street 65, Singapore 569059

Telephone: +65 6450 8888 Website: www.3m.com.sg

1.4. Emergency telephone number

+65 6591 6601 (8.15am - 5.00pm, Monday - Friday)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

This product is not classified as hazardous per GHS criteria as implemented by Singapore Standard SS586.

2.2. Label elements

SIGNAL WORD

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Other hazards

Although titanium dioxide is classified as a carcinogen, exposures associated with this health effect are not expected during normal, intended use of this product.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Siloxanes And Silicones, DI-ME, Hydroxy-	70131-67-8	70 - 90
Terminated		
Silicon dioxide	7631-86-9	5 - 10
Siloxanes and silicones, di-Me	63148-62-9	1 - 5
Titanium dioxide	13463-67-7	< 2
Dodecamethylcyclohexasiloxane	540-97-6	< 0.3
Decamethylcyclopentasiloxane	541-02-6	< 0.2
Proprietary Biocide	Trade Secret	< 0.1
Octamethylcyclotetrasiloxane	556-67-2	< 0.1

SECTION 4: First aid measures

4.1. Description of first aid measures

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

Skin contact

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

If swallowed

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance	Condition
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing of vapours created during the cure cycle. Keep out of reach of children. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from oxidising agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Titanium dioxide	13463-67-7	ACGIH	TWA(Respirable nanoscale	A3: Confirmed animal
			particles):0.2	carcin.
			mg/m3;TWA(Respirable	
			finescale particles):2.5 mg/m3	
Titanium dioxide	13463-67-7	Singapore PELs	TWA(8 hours):10 mg/m3	
Decamethylcyclopentasiloxane	541-02-6	AIHA	TWA:10 ppm	
Octamethylcyclotetrasiloxane	556-67-2	AIHA	TWA:10 ppm	
DUST, INERT OR NUISANCE	7631-86-9	Singapore PELs	TWA(as particulate)(8	
			hours):10 mg/m3	
Particles (insoluble or poorly	7631-86-9	ACGIH	TWA(inhalable	
soluble) not otherwise specified,			particulates):10 mg/m3	
inhalable particles				
Particles (insoluble or poorly	7631-86-9	ACGIH	TWA(respirable particles):3	
soluble) not otherwise specified,			mg/m3	
respirable particles				

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

Singapore PELs: Singapore. Workplace Safety and Health (Permissible Exposure Levels of Toxic Substances) Order

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Provide ventilated enclosure for curing. Curing enclosures must be exhausted to outdoors or to a suitable emission control device. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

information on basic physical and chemical properties	,
Physical state	Solid.
Specific Physical Form:	Paste
Color	White
Odor	Acetic acid
Odour threshold	No data available.
pH	Not applicable.
Melting point/Freezing point	No data available.
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	No flash point
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	Not applicable.
Vapor Density and/or Relative Vapor Density	Not applicable.
Density	1.02 g/cm3
Relative density	1.02 [Ref Std:WATER=1]
Water solubility	No data available.
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	Not applicable.
Percent volatile	2.1 % weight
VOC less H2O & exempt solvents	22 g/l [Test Method:calculated SCAQMD rule 443.1]
VOC less H2O & exempt solvents	2.1 % [Test Method:calculated per EPA method 24]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Not determined

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No health effects are expected.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Siloxanes And Silicones, DI-ME, Hydroxy-Terminated	Dermal	Rabbit	LD50 > 16,000 mg/kg
Siloxanes And Silicones, DI-ME, Hydroxy-Terminated	Ingestion	Rat	LD50 > 64,000 mg/kg
Silicon dioxide	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silicon dioxide	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		

	(4 hours)		
Silicon dioxide	Ingestion	Rat	LD50 > 5,110 mg/kg
Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg
Dodecamethylcyclohexasiloxane	Dermal	Rat	LD50 > 2,000 mg/kg
Dodecamethylcyclohexasiloxane	Ingestion	Rat	LD50 > 50,000 mg/kg
Decamethylcyclopentasiloxane	Dermal	Rabbit	LD50 > 15,000 mg/kg
Decamethylcyclopentasiloxane	Inhalation- Dust/Mist (4 hours)	Rat	LC50 8.7 mg/l
Decamethylcyclopentasiloxane	Ingestion	Rat	LD50 > 24,134 mg/kg
Octamethylcyclotetrasiloxane	Dermal	Rat	LD50 > 2,400 mg/kg
Octamethylcyclotetrasiloxane	Inhalation- Dust/Mist (4 hours)	Rat	LC50 36 mg/l
Octamethylcyclotetrasiloxane	Ingestion	Rat	LD50 > 4,800 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silicon dioxide	Rabbit	No significant irritation
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Titanium dioxide	Rabbit	No significant irritation
Dodecamethylcyclohexasiloxane	Rabbit	No significant irritation
Decamethylcyclopentasiloxane	Rabbit	No significant irritation
Octamethylcyclotetrasiloxane	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silicon dioxide	Rabbit	No significant irritation
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Titanium dioxide	Rabbit	No significant irritation
Dodecamethylcyclohexasiloxane	Rabbit	No significant irritation
Decamethylcyclopentasiloxane	Rabbit	No significant irritation
Octamethylcyclotetrasiloxane	Rabbit	No significant irritation

Sensitization:

Skin Sensitisation

Name	Species	Value
Silicon dioxide	Human and animal	Not classified
Titanium dioxide	Human and animal	Not classified
Decamethylcyclopentasiloxane	Mouse	Not classified
Octamethylcyclotetrasiloxane	Human and animal	Not classified

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value		
Siloxanes And Silicones, DI-ME, Hydroxy-Terminated	In Vitro	Not mutagenic		
Silicon dioxide	In Vitro	Not mutagenic		
Titanium dioxide	In Vitro	Not mutagenic		
Titanium dioxide	In vivo	Not mutagenic		
Decamethylcyclopentasiloxane	In Vitro	Not mutagenic		
Decamethylcyclopentasiloxane	In vivo	Not mutagenic		
Octamethylcyclotetrasiloxane	In vivo	Not mutagenic		
Octamethylcyclotetrasiloxane	In Vitro	Some positive data exist, but the data are not sufficient for classification		

Carcinogenicity

Name	Route	Species	Value
Silicon dioxide	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification
Titanium dioxide	Ingestion	Multiple	Not carcinogenic
		animal	
		species	
Titanium dioxide	Inhalation	Rat	Carcinogenic.
Decamethylcyclopentasiloxane	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification
Octamethylcyclotetrasiloxane	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Silicon dioxide	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silicon dioxide	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silicon dioxide	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Dodecamethylcyclohexasiloxane	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
Dodecamethylcyclohexasiloxane	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	28 days
Dodecamethylcyclohexasiloxane	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
Decamethylcyclopentasiloxane	Inhalation	Not classified for female reproduction	Rat	NOAEL 2.43 mg/l	2 generation
Decamethylcyclopentasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 2.43 mg/l	2 generation
Decamethylcyclopentasiloxane	Inhalation	Not classified for development	Rat	NOAEL 2.43 mg/l	2 generation
Octamethylcyclotetrasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 8.5 mg/l	2 generation
Octamethylcyclotetrasiloxane	Inhalation	Not classified for development	Rabbit	NOAEL 6 mg/l	during organogenesis
Octamethylcyclotetrasiloxane	Ingestion	Not classified for development	Rabbit	NOAEL 100 mg/kg	during organogenesis
Octamethylcyclotetrasiloxane	Ingestion	Toxic to female reproduction	Rabbit	NOAEL 50 mg/kg/day	during organogenesis
Octamethylcyclotetrasiloxane	Inhalation	Toxic to female reproduction	Rat	NOAEL 3.6 mg/l	2 generation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silicon dioxide	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Dodecamethylcyclohexasil oxane	Ingestion	endocrine system liver respiratory system nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Decamethylcyclopentasilo xane	Dermal	hematopoietic system eyes	Not classified	Rat	NOAEL 1,600 mg/kg/day	28 days
Decamethylcyclopentasilo xane	Inhalation	hematopoietic system respiratory system liver eyes kidney and/or bladder	Not classified	Rat	NOAEL 2.42 mg/l	2 years
Decamethylcyclopentasilo xane	Ingestion	liver immune system respiratory system heart hematopoietic system kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
Octamethylcyclotetrasilox ane	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 960 mg/kg/day	3 weeks
Octamethylcyclotetrasilox ane	Inhalation	liver	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
Octamethylcyclotetrasilox ane	Inhalation	endocrine system immune system kidney and/or bladder	Not classified	Rat	NOAEL 8.5 mg/l	2 generation
Octamethylcyclotetrasilox ane	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
Octamethylcyclotetrasilox ane	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg/day	2 weeks

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:
GHS Acute 3: Harmful to aquatic life.

Chronic aquatic hazard:GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

Silicones, DI-ME, Hydroxy- Terminated Silicon dioxide 76	0131-67-8	N/A	Type Data not available or insufficient for	N/A	Test endpoint	N/A
Hydroxy- Terminated Silicon dioxide 76 Siloxanes and 63	631-86-9		or insufficient for			1.1/4.
Terminated Silicon dioxide 76 Siloxanes and 63	631-86-9					
Silicon dioxide 76 Siloxanes and 63	631-86-9		classification			
Siloxanes and 63	631-86-9					
		N/A	Data not available	N/A	N/A	N/A
			or insufficient for			
			classification			
Isilicones di-Me	3148-62-9	N/A	Data not available	N/A	N/A	N/A
Silicolics, di-ivic			or insufficient for			
m: : :: 1	2462 67 7		classification	2.1	NORG	1 1000 //
	3463-67-7	Activated sludge	Experimental	3 hours	NOEC	>=1,000 mg/l
	3463-67-7	Diatom	Experimental	72 hours	EC50	>10,000 mg/l
	3463-67-7	Fathead minnow	Experimental	96 hours	LC50	>100 mg/l
	3463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
	3463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
	40-97-6	Activated sludge	Experimental	3 hours	EC50	>100 mg/l
ohexasiloxane	10.07.6		P	72.1	F.G.50	1,100 "
	40-97-6	Green algae	Experimental	72 hours	EC50	>100 mg/l
ohexasiloxane	40.07.6	To do 1 i	F : 1	40.1	NOEG	100 "
, , ,	40-97-6	Fathead minnow	Experimental	49 days	NOEC	100 mg/l
ohexasiloxane	40-97-6	C 1	Г	72.1	NOEG	100 //
	40-97-6	Green algae	Experimental	72 hours	NOEC	100 mg/l
ohexasiloxane Dodecamethylcycl 54	40-97-6	Water flea	Experimental	21 days	NOEC	100 mg/l
ohexasiloxane	40-97-0	water nea	Experimental	21 days	NOEC	100 mg/1
Decamethylcyclope 54	41.02.6	Activated sludge	Experimental	3 hours	EC50	>2,000 mg/l
ntasiloxane	41-02-0	Activated studge	Experimental	3 Hours	ECSU	2,000 mg/1
Decamethylcyclope 54	41-02-6	Green algae	Experimental	96 hours	ErC50	>100 mg/l
ntasiloxane	41-02-0	Green algae	Experimental	70 Hours	Licso	- 100 mg/1
Decamethylcyclope 54	41-02-6	Rainbow trout	Experimental	96 hours	LC50	>100 mg/l
ntasiloxane	02 0	Tumoon trout	2.np vi ilii vii ilii	y o nours	2000	100 mg 1
Decamethylcyclope 54	41-02-6	Water flea	Experimental	48 hours	EC50	>100 mg/l
ntasiloxane			1			
Decamethylcyclope 54	41-02-6	Green algae	Experimental	96 hours	NOEC	100 mg/l
ntasiloxane			1			
Decamethylcyclope 54	41-02-6	Rainbow trout	Experimental	90 days	NOEC	100 mg/l
ntasiloxane						
Decamethylcyclope 54	41-02-6	Water flea	Experimental	21 days	NOEC	100 mg/l
ntasiloxane						
Octamethylcyclotet 55	56-67-2	Blackworm	Experimental	28 days	NOEC	0.73 mg/kg (Dry Weight)
rasiloxane						
Octamethylcyclotet 55	56-67-2	Midge	Experimental	14 days	LC50	>170 mg/kg (Dry Weight)
rasiloxane				ļ		
Octamethylcyclotet 55	56-67-2	Mysid Shrimp	Experimental	96 hours	LC50	>0.0091 mg/l
rasiloxane						
Octamethylcyclotet 55	56-67-2	Rainbow trout	Experimental	96 hours	LC50	>0.022 mg/l
rasiloxane					7.050	1
Octamethylcyclotet 55	56-67-2	Water flea	Experimental	48 hours	EC50	>0.015 mg/l
rasiloxane	56 67 2	D : 1	r · · · ·	02.1	NOEC	0.0044 //
Octamethylcyclotet 55	56-67-2	Rainbow trout	Experimental	93 days	NOEC	0.0044 mg/l
rasiloxane	56 67.2	W-4 fl-	Ei	21 4	NOEC	0.015/1
Octamethylcyclotet 55	30-07-2	Water flea	Experimental	21 days	NOEC	0.015 mg/l
rasiloxane	56 67 2	A ativated aluda-	Evnorimental	2 hours	EC50	>10,000 mg/l
Octamethylcyclotet 55 rasiloxane	30-07-2	Activated sludge	Experimental	3 hours	EC50	10,000 mg/1
Proprietary Biocide Tr	rada Sacrat	Activated sludge	Experimental	N/A	IC50	>9 mg/l

Proprietary Biocide	Trade Secret	Green algae	Experimental	72 hours	EC50	0.102 mg/l
Proprietary Biocide	Trade Secret	Rainbow trout	Experimental	96 hours	LC50	0.067 mg/l
Proprietary Biocide	Trade Secret	Water flea	Experimental	48 hours	EC50	0.279 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes And Silicones, DI-ME, Hydroxy- Terminated	70131-67-8	Data not available- insufficient	N/A	N/A	N/A	N/A
Silicon dioxide	7631-86-9	Data not available- insufficient	N/A	N/A	N/A	N/A
Siloxanes and silicones, di-Me	63148-62-9	Data not available-insufficient	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Data not available-insufficient	N/A	N/A	N/A	N/A
Dodecamethylcycl ohexasiloxane	540-97-6	Experimental Biodegradation	28 days	CO2 evolution	4.47 %CO2 evolution/THCO2 evolution	OECD 310 CO2 Headspace
Decamethylcyclope ntasiloxane	541-02-6	Experimental Biodegradation	28 days	CO2 evolution	0.14 %CO2 evolution/THCO2 evolution	OECD 310 CO2 Headspace
Decamethylcyclope ntasiloxane		Experimental Photolysis		Photolytic half-life (in air)	20.4 days (t 1/2)	
Decamethylcyclope ntasiloxane		Experimental Hydrolysis		Hydrolytic half-life (pH 7)	66 days (t 1/2)	
Octamethylcyclotet rasiloxane	556-67-2	Experimental Biodegradation	29 days	CO2 evolution	3.7 %CO2 evolution/THCO2 evolution	OECD 310 CO2 Headspace
Octamethylcyclotet rasiloxane	556-67-2	Experimental Photolysis		Photolytic half-life (in air)	31 days (t 1/2)	
Octamethylcyclotet rasiloxane		Experimental Hydrolysis		Hydrolytic half-life (pH 7)	1/2)	OECD 111 Hydrolysis func of pH
Proprietary Biocide	Trade Secret	Experimental Biodegradation	28 days	BOD	<13.8 %BOD/ThO D	

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes And Silicones, DI-ME, Hydroxy- Terminated	70131-67-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silicon dioxide	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, di-Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	9.6	
Dodecamethylcycl ohexasiloxane	540-97-6	Experimental BCF - Fish	49 days	Bioaccumulation factor	1160	OECD305-Bioconcentration
Decamethylcyclope ntasiloxane	541-02-6	Experimental BCF - Fish	35 days	Bioaccumulation factor	7060	OECD305-Bioconcentration
Decamethylcyclope ntasiloxane	541-02-6	Experimental Bioconcentration		Log Kow	8.03	
Octamethylcyclotet	556-67-2	Experimental BCF	28 days	Bioaccumulation	12400	40CFR 797.1520-Fish

Page: 10 of 12

rasiloxane		- Fish	factor		Bioaccumm
Octamethylcyclotet	556-67-2	Experimental	Log Kow	6.49	OECD 123 log Kow slow stir
rasiloxane		Bioconcentration			
Proprietary Biocide	Trade Secret	Experimental	Log Kow	2.66	
		Bioconcentration	-		

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

International Regulations

UN No.: Not restricted for transport.

UN Proper shipping name: Not restricted for transport.

Transportation Class (IMO): None assigned Transportation Class (IATA): None assigned

Other Dangerous Goods Descriptions (IMO): None assigned Other Dangerous Goods Descriptions (IATA): None assigned

Packing Group: None assigned Marine pollutant: None assigned

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

This product may contain component(s) that are regulated by the following:

Workplace Safety and Health Act & Workplace Safety and Health (General Provisions) Regulations: this product is subject to SDS, labelling, PEL and other requirements in the Act/Regulations.

D 11 c 1

SECTION 16: Other information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M Singapore SDSs are available at www.3m.com.sg