



Safety Data Sheet

Copyright, 2022, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 16-2874-2 | Version number: | 6.00 |
| Issue Date: | 22/03/2022 | Supersedes date: | 24/01/2021 |

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

SECTION 1: Identification

1.1. Product identifier

3M™ CoJet Sand (68411)

Product Identification Numbers

70-2011-0054-5

1.2. Recommended use and restrictions on use

Recommended use

Dental Product, Restorative repair

Restrictions on use

For use by dental professionals only.

1.3. Supplier's details

Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113
Telephone: 136 136
E Mail: productinfo.au@mmm.com
Website: www.3m.com.au

1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

SECTION 2: Hazard identification

This product is NOT classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Not applicable.

2.2. Label elements

Signal word

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products**Substance**

None known.

Condition

During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Use wet sweeping compound or water to avoid dusting. Sweep up. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid prolonged or repeated skin contact. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|-------------------------------|-------------|----------------|---|--------------------------------|
| Silicon dioxide | 112945-52-5 | Australia OELs | TWA(respirable fraction)(8 hours):2 mg/m ³ | |
| Aluminium oxide | 1344-28-1 | Australia OELs | TWA(Inspirable dust)(8 hours):10 mg/m ³ | |
| Aluminum, insoluble compounds | 1344-28-1 | ACGIH | TWA(respirable fraction):1 mg/m ³ | A4: Not class. as human carcin |
| CAS NO SEQ117921 | 1344-28-1 | ACGIH | TWA(inhalable particulates):10 mg/m ³ | |
| CAS NO SEQ117922 | 1344-28-1 | ACGIH | TWA(respirable particles):3 mg/m ³ | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association
 Australia OELs : Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment
 CMRG : Chemical Manufacturer's Recommended Guidelines
 TWA: Time-Weighted-Average
 STEL: Short Term Exposure Limit
 CEIL: Ceiling
 Sen: Sensitiser
 Sk: Absorption through the skin may be a significant source of exposure.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
 Safety glasses with side shields.

Select and use eye protection in accordance with AS/NZS 1336. Eye protection should comply with the performance specifications of AS/NZS 1337.

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------|
| Physical state | Solid. |
| Specific Physical Form: | Powder |
| Colour | Light Grey |
| Odour | Odourless |
| Odour threshold | <i>No data available.</i> |
| pH | <i>Not applicable.</i> |
| Melting point/Freezing point | 1,950 °C |
| Boiling point/Initial boiling point/Boiling range | <i>Not applicable.</i> |
| Flash point | No flash point |
| Evaporation rate | <i>Not applicable.</i> |
| Flammability (solid, gas) | Not classified |
| Flammable Limits(LEL) | <i>Not applicable.</i> |
| Flammable Limits(UEL) | <i>Not applicable.</i> |
| Vapour pressure | <i>Not applicable.</i> |
| Vapor Density and/or Relative Vapor Density | <i>Not applicable.</i> |
| Density | <i>No data available.</i> |
| Relative density | 3.96 [Ref Std: WATER=1] |
| Water solubility | Nil |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Autoignition temperature | <i>No data available.</i> |

| | |
|---|---------------------------|
| Decomposition temperature | <i>No data available.</i> |
| Viscosity/Kinematic Viscosity | <i>No data available.</i> |
| Volatile organic compounds (VOC) | <i>No data available.</i> |
| Percent volatile | <i>No data available.</i> |
| VOC less H2O & exempt solvents | <i>No data available.</i> |

Nanoparticles

This material contains nanoparticles.

SECTION 10: Stability and reactivity**10.1 Reactivity**

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3. Conditions to avoid

None known.

10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mechanical skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

Eye contact

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|---------|--|
| Overall product | Inhalation-Dust/Mist(4 hr) | | No data available; calculated ATE >12.5 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Aluminium oxide | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Aluminium oxide | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 2.3 mg/l |
| Aluminium oxide | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Synthetic amorphous silica, fumed, crystalline-free | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Synthetic amorphous silica, fumed, crystalline-free | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 0.691 mg/l |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Rat | LD50 > 5,110 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---|---------|---------------------------|
| Aluminium oxide | Rabbit | No significant irritation |
| Synthetic amorphous silica, fumed, crystalline-free | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|---------|---------------------------|
| Aluminium oxide | Rabbit | No significant irritation |
| Synthetic amorphous silica, fumed, crystalline-free | Rabbit | No significant irritation |

Skin Sensitisation

| Name | Species | Value |
|---|------------------|----------------|
| Synthetic amorphous silica, fumed, crystalline-free | Human and animal | Not classified |

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|---------------|
| Aluminium oxide | In Vitro | Not mutagenic |
| Synthetic amorphous silica, fumed, crystalline-free | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|---|----------------|---------|--|
| Aluminium oxide | Inhalation | Rat | Not carcinogenic |
| Synthetic amorphous silica, fumed, crystalline-free | Not specified. | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test result | Exposure Duration |
|---|-----------|--|---------|-----------------------|----------------------|
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for female reproduction | Rat | NOAEL 509 mg/kg/day | 1 generation |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for male reproduction | Rat | NOAEL 497 mg/kg/day | 1 generation |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for development | Rat | NOAEL 1,350 mg/kg/day | during organogenesis |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|--------------------------------|--|---------|---------------------|-----------------------|
| Aluminium oxide | Inhalation | pneumoconiosis | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | occupational exposure |
| Aluminium oxide | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |
| Synthetic amorphous silica, fumed, crystalline-free | Inhalation | respiratory system silicosis | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Exposure Levels

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

Interactive Effects

Not determined.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity**Acute aquatic hazard:**

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

| Material | CAS Number | Organism | Type | Exposure | Test endpoint | Test result |
|---|-------------|-------------|--------------|----------|---------------|-------------|
| Aluminium oxide | 1344-28-1 | Fish | Experimental | 96 hours | LC50 | >100 mg/l |
| Aluminium oxide | 1344-28-1 | Green Algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Aluminium oxide | 1344-28-1 | Water flea | Experimental | 48 hours | LC50 | >100 mg/l |
| Aluminium oxide | 1344-28-1 | Green Algae | Experimental | 72 hours | NOEC | >100 mg/l |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Green Algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Water flea | Experimental | 24 hours | EC50 | >100 mg/l |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Zebra Fish | Experimental | 96 hours | LC50 | >100 mg/l |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Green Algae | Experimental | 72 hours | NOEC | 60 mg/l |

12.2. Persistence and degradability

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|---|-------------|---------------------------------|----------|------------|-------------|----------|
| Aluminium oxide | 1344-28-1 | Data not available-insufficient | N/A | N/A | N/A | N/A |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Data not available-insufficient | N/A | N/A | N/A | N/A |

12.3 : Bioaccumulative potential

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|---|-------------|---|----------|------------|-------------|----------|
| Aluminium oxide | 1344-28-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

SECTION 14: Transport Information

Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable.

Packing Group: Not applicable.

Hazchem Code: Not applicable

IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable.

Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG)- Marine Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable.

Packing Group: Not applicable.

Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory Status:

This product is regulated by the Therapeutics Goods Administration and is exempt from compliance with the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

SECTION 16: Other information

Revision information:

Complete document review.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

3M Australia SDSs are available at www.3m.com.au