

# Safety Data Sheet

Copyright, 2022, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 19-9776-6
 Version number:
 6.00

 Issue Date:
 06/07/2022
 Supersedes date:
 05/05/2021

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M FireBarrier™ Sealant IC 15 WB+

#### **Product Identification Numbers**

98-0400-5509-1

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Fire Barrier Sealant.

For Industrial or Professional use only.

## 1.3. Supplier's details

Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113

**Telephone:** 136 136

E Mail: productinfo.au@mmm.com

Website: www.3m.com.au

### 1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

## **SECTION 2: Hazard identification**

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

### 2.1. Classification of the substance or mixture

Serious Eye Damage/Irritation: Category 2.

Reproductive Toxicity: Category 2.

### 2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product

label.

## Signal word

Warning

#### **Symbols**

Exclamation mark | Health Hazard |

**Pictograms** 





#### Hazard statements

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

## **Precautionary statements**

General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

**Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention. P337 + P313 IF eye irritation persists: Get medical advice/attention.

**Storage:** 

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

### 2.3. Other assigned/identified product hazards

None known.

#### 2.4. Other hazards which do not result in classification

Toxic to aquatic life with long lasting effects.

# **SECTION 3: Composition/information on ingredients**

This material is a mixture.

Ingredient	CAS Nbr	% by Weight
Calcium Carbonate	1317-65-3	30 - 60

\_\_\_\_\_

Water	7732-18-5	10 - 30
Polymer	Trade Secret	10 - 30
Silicic acid, sodium salt	1344-09-8	3 - 7
Boron zinc hydroxide oxide	138265-88-0	3 - 7
Polyether Polyol	68815-56-5	< 1
2-Aminoisobutanol	124-68-5	< 0.5
Quartz	14808-60-7	< 0.5

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### **Eve contact**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Calcium Carbonate	1317-65-3	Australia OELs	TWA(Inspirable dust)(8	
			hours):10 mg/m3	
Particles (insoluble or poorly	1317-65-3	ACGIH	TWA(inhalable	
soluble) not otherwise specified,			particulates):10 mg/m3	
inhalable particles				
Particles (insoluble or poorly	1317-65-3	ACGIH	TWA(respirable particles):3	
soluble) not otherwise specified,			mg/m3	
respirable particles				
Quartz	14808-60-7	ACGIH	TWA(respirable	A2: Suspected human
			fraction):0.025 mg/m3	carcin.
Quartz	14808-60-7	Australia OELs	TWA(8 hours):0.1	
			mg/m3;Limit value not	
			established:	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

Australia OELs: Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling Sen: Sensitiser

Sk: Absorption through the skin may be a significant source of exposure.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Select and use eye protection in accordance with AS/NZS 1336. Eye protection should comply with the performance specifications of AS/NZS 1337.

### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

if this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Select and use gloves according to AS/NZ 2161.

### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer. Select and use respirators according to AS/NZS 1715. Respirators should comply with AS/NZS 1716 performance specifications. For information about respirators, call 3M on 1800 024 464.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Colour	Light Yellow
Odour	Mild Odour
Odour threshold	No data available.
pH	8 - 9
Melting point/Freezing point	No data available.
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	Flash point > 93 °C (200 °F)
Evaporation rate	No data available.
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.

Vapour pressure	No data available.
Vapor Density and/or Relative Vapor Density	No data available.
Density	1.4 g/cm3
Relative density	1.4 [Ref Std:WATER=1]
Water solubility	Moderate
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	<=20 % weight [Test Method:tested per EPA method 24]
Percent volatile	No data available.
VOC less H2O & exempt solvents	<=4 g/l [Test Method:tested per EPA method 24]
Molecular weight	No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

#### 10.3. Conditions to avoid

None known.

### 10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

## 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

Substance

**Condition** 

None known.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

## 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

## Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

#### **Additional Health Effects:**

### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Ingestion	_	No data available; calculated ATE >5,000
-			mg/kg
Calcium Carbonate	Dermal	Rat	LD50 > 2,000  mg/kg
Calcium Carbonate	Inhalation-Dust/Mist	Rat	LC50 3 mg/l
	(4 hours)		-
Calcium Carbonate	Ingestion	Rat	LD50 6,450 mg/kg
Polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
Polymer	Ingestion	Rat	LD50 > 2,000 mg/kg
Boron zinc hydroxide oxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Boron zinc hydroxide oxide	Inhalation-Dust/Mist	Rat	LC50 > 4.95 mg/l
Boron zinc hydroxide oxide	Ingestion	Rat	LD50 > 10,000 mg/kg
Silicic acid, sodium salt	Dermal	Rabbit	LD50 > 4,640 mg/kg
Silicic acid, sodium salt	Ingestion	Rat	LD50 500 mg/kg
2-Aminoisobutanol	Dermal	Rabbit	LD50 > 2,000  mg/kg
2-Aminoisobutanol	Ingestion	Rat	LD50 2,900 mg/kg
Quartz	Dermal		LD50 estimated to be > 5,000 mg/kg
Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg
Polyether Polyol	Ingestion	Mouse	LD50 > 540 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value	
Calcium Carbonate	Rabbit	No significant irritation	
Polymer	Rabbit	Minimal irritation	
Boron zinc hydroxide oxide	Rabbit	No significant irritation	
Silicic acid, sodium salt	Rabbit	Corrosive	
2-Aminoisobutanol	Rabbit	Irritant	
Quartz	Professional judgement	No significant irritation	
Polyether Polyol	In vitro data	Corrosive	

### Serious Eye Damage/Irritation

Name	Species	Value	
Calcium Carbonate	Rabbit	No significant irritation	
Polymer	Professional judgement	Mild irritant	
Boron zinc hydroxide oxide	Rabbit	Severe irritant	
Silicic acid, sodium salt	Rabbit	Corrosive	
2-Aminoisobutanol	Rabbit	Corrosive	
Polyether Polyol	In vitro data	Corrosive	

## **Skin Sensitisation**

Name	Species	Value
Boron zinc hydroxide oxide	Guinea pig	Not classified
Silicic acid, sodium salt	Mouse	Not classified
2-Aminoisobutanol	Guinea pig	Not classified
Polyether Polyol	In vitro data	Sensitising

## **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value		
Boron zinc hydroxide oxide	In Vitro	Some positive data exist, but the data are not sufficient for classification		
Silicic acid, sodium salt	In Vitro	Not mutagenic		
Silicic acid, sodium salt	In vivo	Not mutagenic		
2-Aminoisobutanol	In Vitro	Not mutagenic		
2-Aminoisobutanol	In vivo	Not mutagenic		
Quartz	In Vitro	Some positive data exist, but the data are not sufficient for classification		
Quartz	In vivo	Some positive data exist, but the data are not sufficient for classification		
Polyether Polyol	In Vitro	Not mutagenic		

Carcinogenicity

Name	Route	Species	Value
Ouartz	Inhalation	Human and animal	Carcinogenic.

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	<b>Exposure Duration</b>
Calcium Carbonate	Ingestion	Not classified for	Rat	NOAEL 625	premating & during
		development		mg/kg/day	gestation
Boron zinc hydroxide	Ingestion	Toxic to male	Rat	NOAEL 100	92 days
oxide		reproduction		mg/kg/day	
Boron zinc hydroxide	Ingestion	Toxic to development	Rat	LOAEL 100	during gestation
oxide				mg/kg/day	
Silicic acid, sodium	Ingestion	Not classified for	Mouse	NOAEL 200	during gestation
salt		development		mg/kg/day	
2-Aminoisobutanol	Ingestion	Not classified for	Rat	NOAEL	premating into
		female reproduction		1,000	lactation
				mg/kg/day	
2-Aminoisobutanol	Ingestion	Not classified for	Rat	NOAEL	37 days
		male reproduction		1,000	
				mg/kg/day	
2-Aminoisobutanol	Dermal	Not classified for	Rat	NOAEL 300	during gestation

		development		mg/kg/day	
2-Aminoisobutanol	Ingestion	Toxic to development	Rat	NOAEL 100	premating into
				mg/kg/day	lactation

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium Carbonate	Inhalation	respiratory system	Not classified	Rat	NOAEL 0.812 mg/l	90 minutes
Boron zinc hydroxide oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Silicic acid, sodium salt	Inhalation	respiratory irritation	May cause respiratory irritation	official classification	NOAEL Not available	
2- Aminoisobuta nol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	
Polyether Polyol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium Carbonate	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Boron zinc hydroxide oxide	Inhalation	immune system   respiratory system   heart   endocrine system   hematopoietic system   liver   nervous system   kidney and/or bladder	Not classified	Rat	NOAEL 0.15 mg/l	2 weeks
Boron zinc hydroxide oxide	Ingestion	endocrine system   liver   kidney and/or bladder   heart   skin   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   eyes   respiratory system   vascular system	Not classified	Rat	NOAEL 375 mg/kg/day	92 days

\_\_\_\_\_

Silicic acid, sodium salt	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Dog	LOAEL 2,400 mg/kg/day	4 weeks
Silicic acid, sodium salt	Ingestion	endocrine system   blood	Not classified	Rat	NOAEL 804 mg/kg/day	3 months
Silicic acid, sodium salt	Ingestion	heart   liver	Not classified	Rat	NOAEL 1,259 mg/kg/day	8 weeks
2- Aminoisobuta nol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 23 mg/kg/day	90 days
2- Aminoisobuta nol	Ingestion	blood   eyes   kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
Quartz	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### **Exposure Levels**

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

#### **Interactive Effects**

Not determined.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

## 12.1. Toxicity

### Acute aquatic hazard:

GHS Acute 2: Toxic to aquatic life.

#### Chronic aquatic hazard:

GHS Chronic 2: Toxic to aquatic life with long lasting effects.

No product test data available.

Material	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
Calcium	1317-65-3	Green algae	Estimated	72 hours	EC50	>100 mg/l
Carbonate						
Calcium	1317-65-3	Rainbow trout	Estimated	96 hours	LC50	>100 mg/l
Carbonate						_
Calcium	1317-65-3	Water flea	Estimated	48 hours	EC50	>100 mg/l
Carbonate						
Calcium	1317-65-3	Green algae	Estimated	72 hours	EC10	>100 mg/l

Carbonate						
Polymer	Trade Secret		Data not available or insufficient for classification			N/A
Silicic acid, sodium salt	1344-09-8	Bacteria	Experimental	30 minutes	NOEC	>3,454 mg/l
Silicic acid, sodium salt	1344-09-8	Green algae	Experimental	72 hours	EC50	>345.4 mg/l
Silicic acid, sodium salt	1344-09-8	Rainbow trout	Experimental	96 hours	LC50	281 mg/l
Silicic acid, sodium salt	1344-09-8	Water flea	Experimental	48 hours	EC50	1,700 mg/l
Silicic acid, sodium salt	1344-09-8	Green algae	Experimental	72 hours	NOEC	35 mg/l
Boron zinc hydroxide oxide	138265-88-0	Activated sludge	Estimated	4 hours	NOEC	0.33 mg/l
Boron zinc hydroxide oxide	138265-88-0	Green algae	Estimated	72 hours	IC50	0.45 mg/l
Boron zinc hydroxide oxide	138265-88-0	Rainbow trout	Estimated	96 hours	LC50	0.56 mg/l
Boron zinc hydroxide oxide	138265-88-0	Water flea	Estimated	48 hours	EC50	0.33 mg/l
Boron zinc hydroxide oxide	138265-88-0	Green algae	Estimated	72 hours	NOEC	0.02 mg/l
Boron zinc hydroxide oxide	138265-88-0	Invertebrate	Estimated	24 days	NOEC	0.02 mg/l
Boron zinc hydroxide oxide	138265-88-0	Rainbow trout	Estimated	25 days	NOEC	0.08 mg/l
Boron zinc hydroxide oxide	138265-88-0	Water flea	Estimated	21 days	NOEC	0.12 mg/l
Polyether Polyol	68815-56-5	Green algae	Experimental	72 hours	EC50	3.38 mg/l
Polyether Polyol	68815-56-5	Water flea	Experimental	48 hours	EC50	4.04 mg/l
Polyether Polyol	68815-56-5	Green algae	Experimental	72 hours	NOEC	0.462 mg/l
2- Aminoisobutan ol	124-68-5	Activated sludge	Experimental	3 hours	EC50	342.9 mg/l
2- Aminoisobutan ol	124-68-5	Fish	Experimental	96 hours	LC50	184 mg/l
2- Aminoisobutan ol	124-68-5	Green algae	Experimental	72 hours	EC50	520 mg/l

2-	124-68-5	Water flea	Experimental	24 hours	EC50	65 mg/l
Aminoisobutan						
ol						
Quartz	14808-60-7	Green algae	Estimated	72 hours	EC50	440 mg/l
Quartz	14808-60-7	Water flea	Estimated	48 hours	EC50	7,600 mg/l
Quartz	14808-60-7	Zebra Fish	Estimated	96 hours	LC50	5,000 mg/l
Quartz	14808-60-7	Green algae	Estimated	72 hours	NOEC	60 mg/l

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Calcium Carbonate	1317-65-3	Data not available-insufficient	N/A	N/A	N/A	N/A
Polymer	Trade Secret	Data not available-insufficient	N/A	N/A	N/A	N/A
Silicic acid, sodium salt	1344-09-8	Data not available-insufficient	N/A	N/A	N/A	N/A
Boron zinc hydroxide oxide	138265-88-0	Data not available-insufficient	N/A	N/A	N/A	N/A
Polyether Polyol	68815-56-5	Experimental Biodegradation	28 days	CO2 evolution	67 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
2- Aminoisobutan ol	124-68-5	Experimental Biodegradation	28 days	BOD	89.3 %BOD/Th BOD	OECD 301F - Manometric respirometry
Quartz	14808-60-7	Data not available-insufficient	N/A	N/A	N/A	N/A

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Calcium Carbonate	1317-65-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polymer	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silicic acid, sodium salt	1344-09-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Boron zinc hydroxide oxide	138265-88-0	Estimated BCF - Carp	56 days	Bioaccumulatio n factor	242	OECD 305E - Bioaccumulation flow- through fish test
Polyether Polyol	68815-56-5	Modeled Bioconcentrati on		Log Kow	1.31	ACD/Labs ChemSketch <sup>TM</sup>

2-	124-68-5	Experimental		Log Kow	-0.63	Non-standard method
Aminoisobutan		Bioconcentrati				
ol		on				
Quartz	14808-60-7	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				

## 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

# **SECTION 14: Transport Information**

## Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable

**IERG:** Not applicable.

#### International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

## International Maritime Dangerous Goods Code (IMDG)- Marine Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Australian Inventory Status:** 

### 3M FireBarrier™ Sealant IC 15 WB+

All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC). Conditions may apply prior to introduction for direct importers of this product, Please contact 3M Australia on 136 136 for further details.

**Poison Schedule:** This product is intended for Industrial or Professional Use only and therefore is not packaged and labelled in accordance with the requirements of the Standard for the Uniform Scheduling of Medicines and Poisons.

## **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

3M Australia SDSs are available at www.3m.com.au