

## **Safety Data Sheet**

Copyright, 2020, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 18-4066-9
 Version number:
 4.00

 Issue Date:
 12/05/2020
 Supersedes date:
 11/10/2016

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Red Dot<sup>TM</sup> ECG Monitoring Electrodes - Models 2231, 2238, 2239

#### **Product Identification Numbers**

70-2005-9585-1 70-2006-1683-0

### 1.2. Recommended use and restrictions on use

### Recommended use

Electrocardio monitoring electrodes.

For Professional use only.

### 1.3. Supplier's details

Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113

**Telephone:** 136 136

**E Mail:** productinfo.au@mmm.com

Website: www.3m.com.au

### 1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

## **SECTION 2: Hazard identification**

This product is NOT classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

This product is an article and is not regulated by the Model Work Health and Safety Regulations (2011) because, it is not classified as hazardous. When used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Not applicable.

### 2.2. Label elements

### Signal word

Not applicable.

### **Symbols**

Not applicable.

### **Pictograms**

Not applicable.

### 2.3. Other assigned/identified product hazards

None known.

### 2.4. Other hazards which do not result in classification

None known.

# **SECTION 3: Composition/information on ingredients**

This material is a mixture.

| Ingredient       | CAS Nbr      | % by Weight |
|------------------|--------------|-------------|
| Propylene Glycol | 57-55-6      | 65 - 70     |
| Acrylate Polymer | Trade Secret | 25 - 30     |

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### Inhalation

No need for first aid is anticipated.

### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

### If swallowed

No need for first aid is anticipated.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 3M™ Red Dot™ ECG Monitoring Electrodes - Models 2231, 2238, 2239

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

### 6.2. Environmental precautions

Not applicable.

## 6.3. Methods and material for containment and cleaning up

Not applicable.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 7.2. Conditions for safe storage including any incompatibilities

Not applicable.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient  |        | CAS Nbr | Agency         | Limit type                     | Additional comments |
|-------------|--------|---------|----------------|--------------------------------|---------------------|
| Propylene C | Glycol | 57-55-6 | AIHA           | TWA(as aerosol):10 mg/m3       |                     |
| Propylene C | Glycol | 57-55-6 | Australia OELs | TWA(as total vapour and        |                     |
|             |        |         |                | particulates)(8 hours):474     |                     |
|             |        |         |                | mg/m3(150 ppm);TWA(as          |                     |
|             |        |         |                | particulate)(8 hours):10 mg/m3 |                     |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

Australia OELs: Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling Sen: Sensitiser

Sk: Absorption through the skin may be a significant source of exposure.

### 8.2. Exposure controls

### 3M™ Red Dot™ ECG Monitoring Electrodes - Models 2231, 2238, 2239

## 8.2.1. Engineering controls

Not applicable.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Eye protection not required.

### Skin/hand protection

No protective gloves required.

### Respiratory protection

Respiratory protection is not required.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state Solid. Colour Red, White Odour Slight Odour **Odour threshold** Not applicable. Not applicable. pН Melting point/Freezing point No data available. Boiling point/Initial boiling point/Boiling range Not applicable. Flash point Not applicable. **Evaporation rate** Not applicable. Not classified Flammability (solid, gas) Flammable Limits(LEL) Not applicable. Flammable Limits(UEL) Not applicable.

Vapour density Nil

**Density** Not applicable. **Relative density** Not applicable.

Water solubility Nil

Solubility- non-waterNot applicable.Partition coefficient: n-octanol/waterNot applicable.Autoignition temperatureNo data available.Decomposition temperatureNot applicable.ViscosityNot applicable.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3. Conditions to avoid

None known.

### 10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

**Substance** 

None known.

**Condition** 

Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation

No health effects are expected.

#### Skin contact

No health effects are expected.

### Eye contact

No health effects are expected.

#### Ingestion

No health effects are expected.

### **Additional information:**

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

## Acute Toxicity

| Acute Toxicity   |           |         |  |
|------------------|-----------|---------|--|
| Name             | Route     | Species | Value  |
| Overall product  | Ingestion |         | No data available; calculated ATE >5,000 mg/kg |
| Propylene Glycol | Dermal    | Rabbit  | LD50 20,800 mg/kg                              |
| Propylene Glycol | Ingestion | Rat     | LD50 22,000 mg/kg                              |
| Acrylate Polymer | Dermal    |         | LD50 estimated to be > 5,000 mg/kg             |
| Acrylate Polymer | Ingestion |         | LD50 estimated to be 2,000 - 5,000 mg/kg       |

ATE = acute toxicity estimate

## 3M™ Red Dot™ ECG Monitoring Electrodes - Models 2231, 2238, 2239

## Skin Corrosion/Irritation

| Name             | Species                | Value                     |  |
|------------------|------------------------|---------------------------|--|
| Overall product  | Rabbit                 | No significant irritation |  |
| Propylene Glycol | Rabbit                 | No significant irritation |  |
| Acrylate Polymer | Professional judgement | No significant irritation |  |

**Serious Eve Damage/Irritation** 

| Name             | Species | Value                     |  |  |  |  |
|------------------|---------|---------------------------|--|--|--|--|
| Propylene Glycol | Rabbit  | No significant irritation |  |  |  |  |

### **Skin Sensitisation**

| Name             | Species                | Value          |
|------------------|------------------------|----------------|
|                  |                        |                |
| Overall product  | Guinea pig             | Not classified |
| Propylene Glycol | Human                  | Not classified |
| Acrylate Polymer | Professional judgement | Not classified |

## **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name             | Route    | Value         |
|------------------|----------|---------------|
| Propylene Glycol | In Vitro | Not mutagenic |
| Propylene Glycol | In vivo  | Not mutagenic |

Carcinogenicity

| Name             | Route     | Species         | Value            |
|------------------|-----------|-----------------|------------------|
| Propylene Glycol | Dermal    | Mouse           | Not carcinogenic |
| Propylene Glycol | Ingestion | Multiple animal | Not carcinogenic |
|                  |           | species         |                  |

## **Reproductive Toxicity**

Reproductive and/or Developmental Effects

| Name             | Route     | Value                                  | Species                 | Test result                  | <b>Exposure Duration</b> |
|------------------|-----------|--|-------------------------|------------------------------|--------------------------|
| Propylene Glycol | Ingestion | Not classified for female reproduction | Mouse                   | NOAEL<br>10,100<br>mg/kg/day | 2 generation             |
| Propylene Glycol | Ingestion | Not classified for male reproduction   | Mouse                   | NOAEL<br>10,100<br>mg/kg/day | 2 generation             |
| Propylene Glycol | Ingestion | Not classified for development         | Multiple animal species | NOAEL<br>1,230<br>mg/kg/day  | during<br>organogenesis  |

## Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

| Name                | Route     | Target                                  | Value          | Species          | Test result            | Exposure |
|---------------------|-----------|---|----------------|------------------|------------------------|----------|
|                     |           | Organ(s)                                |                |                  |                        | Duration |
| Propylene<br>Glycol | Ingestion | central nervous<br>system<br>depression | Not classified | Human and animal | NOAEL Not<br>available |          |

Specific Target Organ Toxicity - repeated exposure

| Name      | Route     | Target Organ(s) | Value          | Species        | Test result | Exposure<br>Duration |
|-----------|-----------|-----------------|----------------|----------------|-------------|----------------------|
| Propylene | Ingestion | hematopoietic   | Not classified | Multiple       | NOAEL 1,370 | 117 days             |
| Glycol    |           | system          |                | animal species | mg/kg/day   |                      |
| Propylene | Ingestion | kidney and/or   | Not classified | Dog            | NOAEL 5,000 | 104 weeks            |
| Glycol    |           | bladder         |                |                | mg/kg/day   |                      |

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

### **Exposure Levels**

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

#### **Interactive Effects**

Not determined.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

### Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

### Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

| Material            | CAS Number   | Organism        | Type   | Exposure | Test endpoint | Test result |
|---------------------|--------------|-----------------|--|----------|---------------|-------------|
| Propylene<br>Glycol | 57-55-6      | Crustecea other | Experimental   | 96 hours | LC50          | 18,800 mg/l |
| Propylene<br>Glycol | 57-55-6      | Green Algae     | Experimental   | 96 hours | EC50          | 19,000 mg/l |
| Propylene<br>Glycol | 57-55-6      | Rainbow trout   | Experimental   | 96 hours | LC50          | 40,613 mg/l |
| Propylene<br>Glycol | 57-55-6      | Water flea      | Experimental   | 48 hours | EC50          | 18,340 mg/l |
| Propylene<br>Glycol | 57-55-6      | Green algae     | Experimental   | 96 hours | NOEC          | 15,000 mg/l |
| Propylene<br>Glycol | 57-55-6      | Water flea      | Experimental   | 7 days   | NOEC          | 13,020 mg/l |
| Acrylate<br>Polymer | Trade Secret |                 | Data not<br>available or<br>insufficient for<br>classification |          |               |             |

## 12.2. Persistence and degradability

| Material  | CAS Number   | Test type      | Duration | Study Type | Test result | Protocol         |
|-----------|--------------|----------------|----------|------------|-------------|------------------|
| Propylene | 57-55-6      | Experimental   | 28 days  | BOD        | 90 %        | OECD 301C - MITI |
| Glycol    |              | Biodegradation | -        |            | BOD/ThBOD   | test (I)         |
| Acrylate  | Trade Secret | Data not       |          |            | N/A         |                  |
| Polymer   |              | available-     |          |            |             |                  |
|           |              | insufficient   |          |            |             |                  |

### 12.3: Bioaccumulative potential

| Material            | CAS Number   | Test type  | Duration | Study Type | Test result | Protocol      |
|---------------------|--------------|--|----------|------------|-------------|---------------|
| Propylene<br>Glycol | 57-55-6      | Experimental Bioconcentrati                                    |          | Log Kow    | -0.92       | Other methods |
|                     |              | on   |          |            |             |               |
| Acrylate<br>Polymer | Trade Secret | Data not<br>available or<br>insufficient for<br>classification | N/A      | N/A        | N/A         | N/A           |

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

## **SECTION 14: Transport Information**

Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable

**IERG:** Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG)- Marine Transport

\_\_\_\_\_

UN No.: Not applicable.

**Proper shipping name:** Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Australian Inventory Status:**

This product is regulated by the Therapeutics Goods Administration and is exempt from compliance with the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

## **SECTION 16: Other information**

### **Revision information:**

Complete document review.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

3M Australia SDSs are available at www.3m.com.au