



Safety Data Sheet

Copyright, 2016, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 11-4628-1 | Version number: | 7.00 |
| Issue Date: | 18/11/2016 | Supersedes date: | 14/11/2016 |

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

SECTION 1: Identification

1.1. Product identifier

3M™ Cable Preparation Kit CC-3 (Bag)

Product Identification Numbers

80-6105-9300-8

1.2. Recommended use and restrictions on use

Recommended use

Electrical, Solvent soaked pads for cleaning cable.

For Industrial or Professional use only.

1.3. Supplier's details

Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113
Telephone: 136 136
E Mail: productinfo.au@mmm.com
Website: www.3m.com.au

1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

SECTION 2: Hazard identification

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Flammable Liquid: Category 4.

Skin Corrosion/Irritation: Category 2.

Skin Sensitizer: Category 1.

Specific Target Organ Toxicity (single exposure): Category 3.

2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for

Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

Signal word
WARNING!

Symbols
Exclamation mark |

Pictograms



Hazard statements

| | |
|------|--------------------------------------|
| H227 | Combustible liquid. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H336 | May cause drowsiness or dizziness. |

Precautionary statements

Prevention:

| | |
|-------|--|
| P210 | Keep away from heat/sparks/open flames/hot surfaces. - No smoking. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280B | Wear protective gloves and eye/face protection. |
| P264 | Wash thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |

Response:

| | |
|--------------|---|
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P321 | Specific treatment (see Notes to Physician on this label). |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P370 + P378G | In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish. |

Storage:

| | |
|-------------|--|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |

Disposal:

| | |
|------|--|
| P501 | Dispose of contents/container in accordance with applicable local/regional/national/international regulations. |
|------|--|

2.3. Other assigned/identified product hazards

None known.

2.4. Other hazards which do not result in classification

3M™ Cable Preparation Kit CC-3 (Bag)

Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | CAS Nbr | % by Weight |
|---------------------------|------------|-------------|
| Isoparaffinic Hydrocarbon | 64742-48-9 | 50 - 70 |
| Cotton pads | None | 25 - 40 |
| D-Limonene | 5989-27-5 | 5 - 20 |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. **WARNING !** A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam. An appropriate aqueous film forming foam (AFFF) is recommended. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

This product is classified as a C1 COMBUSTIBLE LIQUID. For more information please refer to AS 1940

7.1. Precautions for safe handling

For industrial or professional use only. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store away from heat. Store away from acids. Store away from oxidising agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|---------------------------|------------|-------------------------|--------------|---------------------|
| Isoparaffinic Hydrocarbon | 64742-48-9 | Manufacturer determined | TWA: 100 ppm | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

Australia OELs : Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Sen: Sensitiser

Sk: Absorption through the skin may be a significant source of exposure.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

3M™ Cable Preparation Kit CC-3 (Bag)

Under normal use conditions, eye exposure is not expected to be significant enough to require eye protection.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Nitrile rubber.

Polymer laminate

if this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron – Nitrile

Apron - polymer laminate

Select and use gloves according to AS/NZ 2161.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

For questions about suitability for a specific application, consult with your respirator manufacturer.

Select and use respirators according to AS/NZS 1715. Respirators should comply with AS/NZS 1716 performance specifications. For information about respirators, call 3M on 1800 024 464.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | Solid. (Lint-free cloths soaked with liquid) |
| Specific Physical Form: | Cloth pads soaked in liquid in can or bag |
| Appearance/Odour | citrus-like odour |
| Odour threshold | <i>No data available.</i> |
| pH | 7 |
| Melting point/Freezing point | <i>No data available.</i> |
| Boiling point/Initial boiling point/Boiling range | 193.3 °C - 248.9 °C |
| Flash point | 62.2 °C [<i>Test Method</i> :Closed Cup] |
| Evaporation rate | <i>No data available.</i> |
| Flammability (solid, gas) | Not classified |
| Flammable Limits(LEL) | <i>No data available.</i> |
| Flammable Limits(UEL) | <i>No data available.</i> |
| Vapour pressure | < 133.3 Pa [<i>@ 25 °C</i>] |
| Vapour density | > 1 [<i>Ref Std</i> :AIR=1] |
| Relative density | 0.76 [<i>Ref Std</i> :WATER=1] |
| Water solubility | Nil |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Autoignition temperature | <i>No data available.</i> |
| Decomposition temperature | <i>No data available.</i> |
| Viscosity | 1.5 mPa-s |
| Molecular weight | <i>No data available.</i> |
| Volatile organic compounds (VOC) | Approximately 740 g/l |

VOC less H2O & exempt solvents

760 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3. Conditions to avoid

Sparks and/or flames.

10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| Carbon monoxide. | Not specified. |
| Carbon dioxide. | Not specified. |

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin contact

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation. Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Additional Health Effects:

Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---------------------------|-----------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Isoparaffinic Hydrocarbon | Inhalation-Vapour | | LC50 estimated to be 20 - 50 mg/l |
| Isoparaffinic Hydrocarbon | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Isoparaffinic Hydrocarbon | Ingestion | Rat | LD50 > 5,000 mg/kg |
| D-Limonene | Inhalation-Vapour (4 hours) | Mouse | LC50 > 3.14 mg/l |
| D-Limonene | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| D-Limonene | Ingestion | Rat | LD50 4,400 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---------------------------|---------|---------------|
| Isoparaffinic Hydrocarbon | Rabbit | Irritant |
| D-Limonene | Rabbit | Mild irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---------------------------|---------|---------------------------|
| Isoparaffinic Hydrocarbon | Rabbit | No significant irritation |
| D-Limonene | Rabbit | Mild irritant |

Skin Sensitisation

| Name | Species | Value |
|---------------------------|------------|-----------------|
| Isoparaffinic Hydrocarbon | Guinea pig | Not sensitizing |
| D-Limonene | Mouse | Sensitising |

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---------------------------|----------|--|
| Isoparaffinic Hydrocarbon | In vivo | Not mutagenic |
| Isoparaffinic Hydrocarbon | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| D-Limonene | In Vitro | Not mutagenic |
| D-Limonene | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|---------------------------|--------|---------|--|
| Isoparaffinic Hydrocarbon | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |

3M™ Cable Preparation Kit CC-3 (Bag)

| | | | |
|---------------------------|------------|------------------|--|
| Isoparaffinic Hydrocarbon | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification |
| D-Limonene | Ingestion | Rat | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test result | Exposure Duration |
|---------------------------|------------|--|-------------------------|---------------------|--------------------------------|
| Isoparaffinic Hydrocarbon | Inhalation | Not toxic to development | Rat | NOAEL 2.4 mg/l | during organogenesis |
| D-Limonene | Ingestion | Some positive female reproductive data exist, but the data are not sufficient for classification | Rat | NOAEL 750 mg/kg/day | prematuring & during gestation |
| D-Limonene | Ingestion | Some positive developmental data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 591 mg/kg/day | during organogenesis |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------------------------|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| Isoparaffinic Hydrocarbon | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Isoparaffinic Hydrocarbon | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Isoparaffinic Hydrocarbon | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 6.5 mg/l | 4 hours |
| Isoparaffinic Hydrocarbon | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| D-Limonene | Ingestion | nervous system | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------------------------|------------|-----------------------|--|---------|----------------|-------------------|
| Isoparaffinic Hydrocarbon | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 4.6 mg/l | 6 months |
| Isoparaffinic Hydrocarbon | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not | Rat | LOAEL 1.9 mg/l | 13 weeks |

3M™ Cable Preparation Kit CC-3 (Bag)

| | | | | | | |
|---------------------------|------------|---|--|-------------------------|-----------------------|-----------|
| | | | sufficient for classification | | | |
| Isoparaffinic Hydrocarbon | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| Isoparaffinic Hydrocarbon | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | All data are negative | Rat | NOAEL 5.6 mg/l | 12 weeks |
| Isoparaffinic Hydrocarbon | Inhalation | heart | All data are negative | Multiple animal species | NOAEL 1.3 mg/l | 90 days |
| D-Limonene | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 75 mg/kg/day | 103 weeks |
| D-Limonene | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 1,000 mg/kg/day | 103 weeks |
| D-Limonene | Ingestion | heart endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system muscles nervous system respiratory system | All data are negative | Rat | NOAEL 600 mg/kg/day | 103 weeks |

Aspiration Hazard

| Name | Value |
|---------------------------|-------------------|
| Isoparaffinic Hydrocarbon | Aspiration hazard |
| D-Limonene | Aspiration hazard |

Exposure Levels

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

Interactive Effects

Not determined.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity**Acute aquatic hazard:**

GHS Acute 2: Toxic to aquatic life.

3M™ Cable Preparation Kit CC-3 (Bag)**Chronic aquatic hazard:**

GHS Chronic 2: Toxic to aquatic life with long lasting effects.

No product test data available.

| Material | CAS Number | Organism | Type | Exposure | Test endpoint | Test result |
|---------------------------|------------|----------------|---|----------|---------------|-------------|
| D-Limonene | 5989-27-5 | Fathead minnow | Experimental | 96 hours | LC50 | 0.702 mg/l |
| D-Limonene | 5989-27-5 | Water flea | Experimental | 96 hours | EC50 | 0.421 mg/l |
| D-Limonene | 5989-27-5 | Green algae | Experimental | 96 hours | EC50 | 1.81 mg/l |
| Isoparaffinic Hydrocarbon | 64742-48-9 | | Data not available or insufficient for classification | | | |

12.2. Persistence and degradability

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|---------------------------|------------|-----------------------------|----------|--------------------------------|-------------------------------|--------------------------------|
| D-Limonene | 5989-27-5 | Experimental Photolysis | | Photolytic half-life (in air) | 2.5 hours (t _{1/2}) | Other methods |
| D-Limonene | 5989-27-5 | Experimental Biodegradation | 14 days | BOD | 98 % weight | OECD 301C - MITI test (I) |
| Isoparaffinic Hydrocarbon | 64742-48-9 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 10 % weight | OECD 301D - Closed bottle test |

12.3 : Bioaccumulative potential

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|---------------------------|------------|---|----------|------------------------|-------------|---------------|
| D-Limonene | 5989-27-5 | Estimated Bioconcentration | | Bioaccumulation factor | 2127 | Other methods |
| Isoparaffinic Hydrocarbon | 64742-48-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

SECTION 14: Transport Information

3M™ Cable Preparation Kit CC-3 (Bag)

Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable.

Packing Group: Not applicable.

Hazchem Code: Not applicable

IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable.

Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG)- Marine Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable.

Packing Group: Not applicable.

Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory Status:

The chemical components contained within this product are listed on the Australian Inventory of Chemical Substances and are in compliance with the requirements of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

Poison Schedule: This product has not been assessed for poisons scheduling as the product is intended for industrial and professional use only.

SECTION 16: Other information

Revision information:

Update to Section 12, Ecological information.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

3M Australia SDSs are available at www.3m.com.au