



## Safety Data Sheet

Copyright, 2016, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	31-1076-4	<b>Version number:</b>	3.00
<b>Issue Date:</b>	23/03/2016	<b>Supersedes date:</b>	09/09/2013

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

### SECTION 1: Identification

#### 1.1. Product identifier

Scotchgard™ Resilient Floor Protector

#### Product Identification Numbers

70-0716-8371-1

#### 1.2. Recommended use and restrictions on use

##### Recommended use

High Performance floor coating for vinyl and VCT substrates, Hard floor maintenance.

For Industrial or Professional use only.

#### 1.3. Supplier's details

**Address:** 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113

**Telephone:** 136 136

**E Mail:** productinfo.au@mmm.com

**Website:** www.3m.com.au

#### 1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

### SECTION 2: Hazard identification

This product is NOT classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Not applicable.

#### 2.2. Label elements

##### Signal word

Not applicable.

## Scotchgard™ Resilient Floor Protector

### Symbols

Not applicable.

### Pictograms

Not applicable.

### 2.3. Other assigned/identified product hazards

None known.

### 2.4. Other hazards which do not result in classification

None known.

## SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	60 - 90
Aqueous Polymer Emulsion	Trade Secret	10 - 30
2-(2-Ethoxyethoxy)ethanol	111-90-0	1 - 5
Tris(2-butoxyethyl) phosphate	78-51-3	1 - 5
Polymer Emulsion	Trade Secret	0.5 - 1.5
Alcohols, C12-15, ethoxylated	68131-39-5	< 1
2-Dimethylaminoethanol	108-01-0	< 1
Zinc Ammonia Carbonate Complex	38714-47-5	< 1
Ammonia, anhydrous	7664-41-7	< 0.01
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9	< 0.001

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

## Scotchgard™ Resilient Floor Protector

### 5.1. Suitable extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

### 6.2. Environmental precautions

Not applicable.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Protect from sunlight. Store away from heat. Store away from areas where product may come into contact with food or pharmaceuticals.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
2-Dimethylaminoethanol	108-01-0	Australia OELs	TWA(8 hours): 7.4 mg/m <sup>3</sup> (2 ppm); STEL(15 minutes): 22 mg/m <sup>3</sup> (6 ppm)	
2-Dimethylaminoethanol	108-01-0	CMRG	TWA:5 ppm;STEL:25 ppm	Skin Notation
2-(2-Ethoxyethoxy)ethanol	111-90-0	AIHA	TWA:140 mg/m <sup>3</sup> (25 ppm)	
2-(2-Ethoxyethoxy)ethanol	111-90-0	CMRG	TWA:25 ppm	
Ammonia, anhydrous	7664-41-7	ACGIH	TWA:25 ppm;STEL:35 ppm	
Ammonia, anhydrous	7664-41-7	Australia OELs	TWA(8 hours):17 mg/m <sup>3</sup> (25 ppm);STEL(15 minutes):24 mg/m <sup>3</sup> (35 ppm)	

## Scotchgard™ Resilient Floor Protector

ACGIH : American Conference of Governmental Industrial Hygienists  
AIHA : American Industrial Hygiene Association  
Australia OELs : Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment  
CMRG : Chemical Manufacturer's Recommended Guidelines  
TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
CEIL: Ceiling  
Sen: Sensitiser  
Sk: Absorption through the skin may be a significant source of exposure.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

None required.

##### Skin/hand protection

No chemical protective gloves are required.

##### Respiratory protection

Wear respiratory protection if ventilation is inadequate to prevent overexposure. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure: Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer. Select and use respirators according to AS/NZS 1715. Respirators should comply with AS/NZS 1716 performance specifications. For information about respirators, call 3M on 1800 024 464.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Appearance/Odour</b>	White, with acrylic odour
<b>Odour threshold</b>	<i>No data available.</i>
<b>pH</b>	7.4 - 8.4
<b>Melting point/Freezing point</b>	<i>Not applicable.</i>
<b>Boiling point/Initial boiling point/Boiling range</b>	Approximately 95 °C
<b>Flash point</b>	No flash point
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Flammable Limits(LEL)</b>	<i>No data available.</i>
<b>Flammable Limits(UEL)</b>	<i>No data available.</i>
<b>Vapour pressure</b>	< 15,700 Pa [ <i>@ 55 °C</i> ]
<b>Vapour density</b>	<i>No data available.</i>
<b>Density</b>	Approximately 1 g/ml
<b>Relative density</b>	Approximately 1 [ <i>Ref Std: WATER=1</i> ]
<b>Water solubility</b>	Complete [ <i>Details: Dispersible</i> ]
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Autoignition temperature</b>	<i>No data available.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>

**Molecular weight**  
**Volatile organic compounds (VOC)**

*No data available.*  
< 1 % weight

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3. Conditions to avoid

Heat.

### 10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
Carbon monoxide.	Not specified.
Carbon dioxide.	Not specified.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye contact

Vapours released during curing may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Inhalation-Vapour(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
2-(2-Ethoxyethoxy)ethanol	Dermal	Rabbit	LD50 9,143 mg/kg
2-(2-Ethoxyethoxy)ethanol	Ingestion	Rat	LD50 5,400 mg/kg
Tris(2-butoxyethyl) phosphate	Dermal	Rabbit	LD50 > 5,000 mg/kg
Tris(2-butoxyethyl) phosphate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.4 mg/l
Tris(2-butoxyethyl) phosphate	Ingestion	Rat	LD50 4,700 mg/kg
2-Dimethylaminoethanol	Dermal	Rabbit	LD50 1,220 mg/kg
2-Dimethylaminoethanol	Inhalation-Vapour (4 hours)	Rat	LC50 6 mg/l
2-Dimethylaminoethanol	Ingestion	Rat	LD50 1,803 mg/kg
Polymer Emulsion	Ingestion	Rat	LD50 > 2,500 mg/kg
Alcohols, C12-15, ethoxylated	Dermal	Rat	LD50 5,000 mg/kg
Alcohols, C12-15, ethoxylated	Ingestion	Rat	LD50 1,200 mg/kg
Ammonia, anhydrous	Inhalation-Gas (4 hours)	Rat	LC50 2,000 ppm
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Rabbit	LD50 87 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
2-(2-Ethoxyethoxy)ethanol	Rabbit	No significant irritation
2-Dimethylaminoethanol	Rabbit	Corrosive
Polymer Emulsion	Professional judgement	No significant irritation
Ammonia, anhydrous	Human and animal	Corrosive
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Rabbit	Corrosive

#### Serious Eye Damage/Irritation

Name	Species	Value
2-(2-Ethoxyethoxy)ethanol	Rabbit	Moderate irritant
2-Dimethylaminoethanol	official classification	Corrosive
Polymer Emulsion	Professional judgement	No significant irritation
Alcohols, C12-15, ethoxylated	Not available	Corrosive
Ammonia, anhydrous	Human and animal	Corrosive
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Rabbit	Corrosive

#### Skin Sensitisation

**Scotchgard™ Resilient Floor Protector**

Name	Species	Value
2-(2-Ethoxyethoxy)ethanol	Human	Not sensitizing
2-Dimethylaminoethanol	Mouse	Some positive data exist, but the data are not sufficient for classification
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Human and animal	Sensitising

**Photosensitisation**

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Human and animal	Not sensitizing

**Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
2-(2-Ethoxyethoxy)ethanol	In Vitro	Not mutagenic
2-(2-Ethoxyethoxy)ethanol	In vivo	Not mutagenic
2-Dimethylaminoethanol	In Vitro	Not mutagenic
2-Dimethylaminoethanol	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	In Vitro	Some positive data exist, but the data are not sufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Mouse	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	Not carcinogenic

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
2-(2-Ethoxyethoxy)ethanol	Dermal	Not toxic to development	Rat	NOAEL 5,500 mg/kg/day	during organogenesis
2-(2-Ethoxyethoxy)ethanol	Ingestion	Not toxic to development	Mouse	NOAEL 5,500 mg/kg/day	during organogenesis
2-(2-Ethoxyethoxy)ethanol	Inhalation	Not toxic to development	Rat	NOAEL 0.6 mg/l	during organogenesis
2-(2-Ethoxyethoxy)ethanol	Ingestion	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,200 mg/kg/day	2 generation
2-Dimethylaminoethanol	Inhalation	Not toxic to development	Rat	NOAEL 0.3 mg/l	during gestation

**Scotchgard™ Resilient Floor Protector**

ol					
2-Dimethylaminoethanol	Ingestion	Some positive female reproductive data exist, but the data are not sufficient for classification	Rat	LOAEL 300 mg/kg	during gestation
2-Dimethylaminoethanol	Inhalation	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 2.13 mg/l	9 days
2-Dimethylaminoethanol	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Rat	LOAEL 300 mg/kg/day	during gestation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Not toxic to female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Not toxic to male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Not toxic to development	Rat	NOAEL 15 mg/kg/day	during organogenesis

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-(2-Ethoxyethoxy)ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
2-Dimethylaminoethanol	Inhalation	respiratory irritation	May cause respiratory irritation	Rat	NOAEL 0.09 mg/l	90 days
Ammonia, anhydrous	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL not available	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
------	-------	-----------------	-------	---------	-------------	-------------------



**Scotchgard™ Resilient Floor Protector**

2-(2-Ethoxyethoxy)ethanol	Dermal	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rabbit	NOAEL 1,000 mg/kg/day	12 weeks
2-(2-Ethoxyethoxy)ethanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Pig	NOAEL 167 mg/kg/day	90 days
2-(2-Ethoxyethoxy)ethanol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 2,700 mg/kg/day	90 days
2-(2-Ethoxyethoxy)ethanol	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,500 mg/kg/day	90 days
2-(2-Ethoxyethoxy)ethanol	Ingestion	heart   hematopoietic system   nervous system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 8,100 mg/kg/day	90 days
2-Dimethylaminoethanol	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2.13 mg/l	9 days
2-Dimethylaminoethanol	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.37 mg/l	9 days

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Exposure Levels**

Refer Section 8.1 **Control Parameters** of this Safety Data Sheet.

**Interactive Effects**

Not determined.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Acute aquatic hazard:**

Not acutely toxic to aquatic life by GHS criteria.

**Chronic aquatic hazard:**

**Scotchgard™ Resilient Floor Protector**

Not chronically toxic to aquatic life by GHS criteria.

No component test data available.

Material	Organism	Type	Exposure	Test endpoint	Test result
Scotchgard™ Resilient Floor Protector	Fathead minnow	Experimental	96 hours	Aquatic Toxicity - Acute	>100 mg/l
Scotchgard™ Resilient Floor Protector	Green Algae	Experimental	96 hours	Aquatic Toxicity - Acute	>100 mg/l
Scotchgard™ Resilient Floor Protector	Green Algae	Experimental	96 hours	Aquatic Toxicity - Chronic	100 mg/l

**12.2. Persistence and degradability**

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Tris(2-butoxyethyl) phosphate	78-51-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Zinc Ammonia Carbonate Complex	38714-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2-(2-Ethoxyethoxy) ethanol	111-90-0	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	90 % weight	OECD 301E - Modified OECD Scre
2-Dimethylamino ethanol	108-01-0	Experimental Biodegradation	14 days	BOD	60.5 % weight	OECD 301C - MITI test (I)
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9	Experimental Biodegradation	28 days	CO2 evolution	48 % weight	Other methods
Alcohols, C12-15, ethoxylated	68131-39-5	Experimental Biodegradation	28 days	CO2 evolution	82 % weight	OECD 301B - Modified sturm or CO2
Ammonia, anhydrous	7664-41-7	Experimental Photolysis		Photolytic half-life (in air)	201 days (t 1/2)	Other methods
Ammonia, anhydrous	7664-41-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polymer Emulsion	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

**Scotchgard™ Resilient Floor Protector**

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Zinc Ammonia Carbonate Complex	38714-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Tris(2-butoxyethyl) phosphate	78-51-3	Experimental BCF-Carp		Bioaccumulation factor	5.6	Other methods
Alcohols, C12-15, ethoxylated	68131-39-5	Estimated Bioconcentration		Bioaccumulation factor	10	Estimated: Bioconcentration factor
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9	Estimated Bioconcentration		Log Kow	0.5	Other methods
2-Dimethylamino ethanol	108-01-0	Experimental Bioconcentration		Log Kow	-0.55	Other methods
2-(2-Ethoxyethoxy) ethanol	111-90-0	Experimental Bioconcentration		Log Kow	-0.54	Other methods
Polymer Emulsion	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Ammonia, anhydrous	7664-41-7	Experimental Bioconcentration		Log Kow	-1.14	Other methods

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5 Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

**SECTION 14: Transport Information****Australian Dangerous Goods Code (ADG) - Road/Rail Transport**

**UN No.:** Not applicable.

**Proper shipping name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

## Scotchgard™ Resilient Floor Protector

**Packing Group:** Not applicable.

**Hazchem Code:** Not applicable

**IERG:** Not applicable.

### **International Air Transport Association (IATA) - Air Transport**

**UN No.:** Not applicable.

**Proper shipping name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

### **International Maritime Dangerous Goods Code (IMDG)- Marine Transport**

**UN No.:** Not applicable.

**Proper shipping name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**Marine Pollutant:** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Australian Inventory Status:**

An ingredient(s) in this product is being introduced under Section 39 of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

An ingredient(s) in this product is being introduced under Section 21 of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

**Poison Schedule:** This product has not been assessed for poisons scheduling as the product is intended for industrial and professional use only.

## SECTION 16: Other information

#### **Revision information:**

Conversion to GHS format SDS.

**DISCLAIMER:** The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

**3M Australia SDSs are available at [www.3m.com.au](http://www.3m.com.au)**