



## Safety Data Sheet

Copyright, 2020, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 16-3717-2  | <b>Version number:</b>  | 20.01      |
| <b>Issue Date:</b>     | 2020/10/27 | <b>Supersedes Date:</b> | 2020/01/20 |

## SECTION 1: Identification

### 1.1. Product identifier

TS-25kV-3C-2-2/0

#### Product Identification Numbers

CE-1006-9090-4      CE-1007-2243-4      CE-1007-4170-7      UU-0092-9020-4

### 1.2. Recommended use and restrictions on use

#### Recommended use

KIT

### 1.3. Supplier's details

**Company:** 3M Canada Company  
**Address:** 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

**Telephone:** (800) 364-3577  
**E Mail:**

### 1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

**This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet (SDS) or Article Information Sheet (AIS) for each of these components is included. Please do not separate the component documents from this cover page. The document numbers for components of this product are:**

11-0744-0, 05-4288-6, 40-0153-3, 10-2656-6

Transport in accordance with applicable regulations.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the

use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**



## Safety Data Sheet

Copyright, 2022, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 40-0153-3 **Version number:** 1.02  
**Issue Date:** 2022/09/21 **Supersedes Date:** 2021/02/10

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

### SECTION 1: Identification

#### 1.1. Product identifier

3M Sheath Wrap Roll

#### Product Identification Numbers

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| CE-1006-9128-2 | CE-1006-9129-0 | UU-0102-5729-1 | UU-0102-5730-9 | UU-0102-5913-1 |
| UU-0102-5914-9 | UU-0102-5915-6 | UU-0102-5936-2 | UU-0102-5937-0 | UU-0102-5938-8 |
| UU-0102-6051-9 | UU-0102-6052-7 | UU-0112-2563-6 |                |                |

#### 1.2. Recommended use and restrictions on use

##### Intended Use

Industrial use

##### Restrictions on use

Not applicable

#### 1.3. Supplier's details

**Company:** 3M Canada Company  
**Division:** Electronics & Energy Business Spons  
**Address:** 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1  
**Telephone:** (800) 364-3577  
**Website:** www.3M.ca

#### 1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Respiratory Sensitizer: Category 1.

Skin Sensitizer: Category 1.

Specific Target Organ Toxicity (repeated exposure): Category 1.

#### 2.2. Label elements

**Signal word**

Danger

### Symbols

Exclamation mark | Health Hazard |

### Pictograms



### Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated exposure: respiratory system |

### Precautionary statements

#### Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray. In case of inadequate ventilation wear respiratory protection. Wear protective gloves. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

#### Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient                                   | C.A.S. No.   | % by Wt                  | Common Name   |
|--|--------------|--------------------------|---|
| Oxide glass chemicals                        | 65997-17-3   | 40 - 70                  | Glass, oxide, chemicals                               |
| Polymer                                      | Trade Secret | 30 - 60                  | Not Applicable  |
| Iron Oxide (Fe <sub>3</sub> O <sub>4</sub> ) | 1317-61-9    | 1 - 5                    | Iron oxide (Fe <sub>3</sub> O <sub>4</sub> )          |
| P,P'-Methylenebis(phenyl isocyanate)         | 101-68-8     | 1 - 5 Trade Secret *     | Benzene, 1,1'-methylenebis[4-isocyanato-              |
| Diphenylmethane-2,4'-diisocyanate            | 5873-54-1    | 0.5 - 1.5 Trade Secret * | Benzene, 1-isocyanato-2-[(4-isocyanatophenyl)methyl]- |
| CHROMIUM (CR+6)                              | 18540-29-9   | 0.001 - 0.02             | No Data Available                                     |

Polymer is a non-hazardous Trade Secret material according to WHMIS criteria.

\*The actual concentration of this ingredient has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye Contact:**

No need for first aid is anticipated.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic respiratory reaction (difficulty breathing, wheezing, cough, and tightness of chest). Allergic skin reaction (redness, swelling, blistering, and itching). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

Substance

Carbon monoxide

Carbon dioxide

Hydrogen Cyanide

Oxides of Nitrogen

Condition

During Combustion

During Combustion

During Combustion

During Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Pour isocyanate decontaminant solution (90% water, 8% concentrated ammonia, 2% detergent) on spill and allow to react for 10 minutes. Or pour water on spill and allow to react for more than 30 minutes. Cover with absorbent material. Collect as much of the spilled material as possible. Place in a container approved for transportation by appropriate authorities, but do not seal the container for 48 hours to avoid pressure build-up. Clean up residue. Dispose of collected material as soon

as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store away from strong bases. Store away from oxidizing agents. Store away from amines.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient                               | C.A.S. No. | Agency                  | Limit type   | Additional Comments           |
|--|------------|-------------------------|--|-------------------------------|
| P,P'-Methylenebis(phenyl isocyanate)     | 101-68-8   | ACGIH                   | TWA:0.005 ppm  |                               |
| CHROMIUM (HEXAVALENT COMPOUNDS)          | 18540-29-9 | ACGIH                   | TWA(as Cr(IV), inhalable fraction):0.0002 mg/m <sup>3</sup> ;STEL(as Cr(IV), inhalable fraction):0.0005 mg/m <sup>3</sup>                                    |                               |
| CHROMIUM (VI), WATER SOLUBLE COMPOUNDS   | 18540-29-9 | ACGIH                   | TWA(as Cr(IV), inhalable fraction):0.0002 mg/m <sup>3</sup> ;TWA(as Cr):0.05 mg/m <sup>3</sup> ;STEL(as Cr(IV), inhalable fraction):0.0005 mg/m <sup>3</sup> | Dermal/Respiratory Sensitizer |
| Chromium(6+), insoluble compounds        | 18540-29-9 | ACGIH                   | TWA(as Cr):0.01 mg/m <sup>3</sup>  |                               |
| Water-soluble inorganic Cr(6+) compounds | 18540-29-9 | ACGIH                   | TWA(as Cr):0.05 mg/m <sup>3</sup>  |                               |
| Oxide glass chemicals                    | 65997-17-3 | Manufacturer determined | TWA(as non-fibrous, respirable)(8 hours):3 mg/m <sup>3</sup> ;TWA(as non-fibrous, inhalable fraction)(8 hours):10 mg/m <sup>3</sup>                          |                               |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Provide ventilated enclosure for curing. Curing enclosures must be exhausted to outdoors or to a suitable emission control device. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection

equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Butyl Rubber  
Nitrile Rubber

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron – Butyl rubber  
Apron – Nitrile

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |   |
|--|---|
| <b>Physical state</b>                                | Solid                                       |
| <b>Specific Physical Form:</b>                       | Resin Sat.Glass Tape                        |
| <b>Colour</b>  | Black                                       |
| <b>Odour</b>   | Slight Odour                                |
| <b>Odour threshold</b>                               | <i>Not Applicable</i>                       |
| <b>pH</b>  | <i>No Data Available</i>                    |
| <b>Melting point/Freezing point</b>                  | <i>Not Applicable</i>                       |
| <b>Boiling point</b>                                 | <i>Not Applicable</i>                       |
| <b>Flash Point</b>                                   | 174.4 °C [ <i>Test Method: Closed Cup</i> ] |
| <b>Evaporation rate</b>                              | <i>Not Applicable</i>                       |
| <b>Flammability (solid, gas)</b>                     | Not Classified                              |
| <b>Flammable Limits(LEL)</b>                         | <i>No Data Available</i>                    |
| <b>Flammable Limits(UEL)</b>                         | <i>No Data Available</i>                    |
| <b>Vapour Pressure</b>                               | <i>No Data Available</i>                    |
| <b>Vapour Density and/or Relative Vapour Density</b> | <i>No Data Available</i>                    |
| <b>Density</b>                                       | <i>No Data Available</i>                    |
| <b>Relative density</b>                              | <i>Not Applicable</i>                       |
| <b>Water solubility</b>                              | Nil   |
| <b>Solubility- non-water</b>                         | Nil [ <i>Details: water sulubility</i> ]    |
| <b>Partition coefficient: n-octanol/ water</b>       | <i>No Data Available</i>                    |

|   |                          |
|---|--------------------------|
| <b>Autoignition temperature</b>           | <i>No Data Available</i> |
| <b>Decomposition temperature</b>          | <i>No Data Available</i> |
| <b>Viscosity/Kinematic Viscosity</b>      | <i>Not Applicable</i>    |
| <b>Volatile Organic Compounds</b>         | <i>No Data Available</i> |
| <b>Percent volatile</b>                   | <i>No Data Available</i> |
| <b>VOC Less H2O &amp; Exempt Solvents</b> | <i>No Data Available</i> |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Sparks and/or flames

### 10.5. Incompatible materials

Alcohols

Amines

Strong bases

Strong oxidizing agents

### 10.6. Hazardous decomposition products

#### Substance

#### Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

**Based on test data and/or information on the components, this material may produce the following health effects:**

#### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Allergic Respiratory Reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest. May cause additional health effects (see below).

#### **Skin Contact:**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.



**Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion:**

May be harmful if swallowed. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Additional Health Effects:****Prolonged or repeated exposure may cause target organ effects:**

Respiratory Effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish coloured skin (cyanosis), sputum production, changes in lung function tests, and/or respiratory failure.

**Carcinogenicity:**

| Ingredient                             | CAS No.    | Class Description              | Regulation                                  |
|--|------------|--------------------------------|---|
| Chromium Hexavalent Compounds          | 18540-29-9 | Known To Be Human Carcinogen.  | National Toxicology Program Carcinogens     |
| Chromium[VI] compounds                 | 18540-29-9 | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Hexavalent chromium compounds          | 18540-29-9 | Cancer hazard                  | OSHA Carcinogens                            |
| Glass Wool Fibers (Inhalable), Certain | 65997-17-3 | Anticipated human carcinogen   | National Toxicology Program Carcinogens     |

**Additional Information:**

Persons previously sensitized to isocyanates may develop a cross-sensitization reaction to other isocyanates.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                                 | Route                          | Species       | Value   |
|--------------------------------------|--------------------------------|---------------|---|
| Overall product                      | Dermal                         |               | No data available; calculated ATE >5,000 mg/kg          |
| Overall product                      | Ingestion                      |               | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| Oxide glass chemicals                | Dermal                         |               | LD50 estimated to be > 5,000 mg/kg                      |
| Oxide glass chemicals                | Ingestion                      |               | LD50 estimated to be 2,000 - 5,000 mg/kg                |
| Polymer                              | Dermal                         |               | LD50 estimated to be > 5,000 mg/kg                      |
| Polymer                              | Ingestion                      |               | LD50 estimated to be 2,000 - 5,000 mg/kg                |
| P,P'-Methylenebis(phenyl isocyanate) | Dermal                         | Rabbit        | LD50 > 5,000 mg/kg                                      |
| P,P'-Methylenebis(phenyl isocyanate) | Inhalation-Dust/Mist (4 hours) | Rat           | LC50 0.368 mg/l   |
| P,P'-Methylenebis(phenyl isocyanate) | Ingestion                      | Rat           | LD50 31,600 mg/kg                                       |
| Iron Oxide (FE3O4)                   | Dermal                         | Not available | LD50 3,100 mg/kg  |
| Iron Oxide (FE3O4)                   | Ingestion                      | Not available | LD50 3,700 mg/kg  |
| Diphenylmethane-2,4'-diisocyanate    | Dermal                         | Rabbit        | LD50 > 5,000 mg/kg                                      |
| Diphenylmethane-2,4'-diisocyanate    | Inhalation-Dust/Mist (4 hours) | Rat           | LC50 0.368 mg/l   |
| Diphenylmethane-2,4'-diisocyanate    | Ingestion                      | Rat           | LD50 31,600 mg/kg                                       |
| CHROMIUM (CR+6)                      | Dermal                         |               | LD50 estimated to be 200 - 1,000 mg/kg                  |
| CHROMIUM (CR+6)                      | Inhalation-Dust/Mist           |               | LC50 estimated to be 0 - 0.05 mg/l                      |
| CHROMIUM (CR+6)                      | Ingestion                      |               | LD50 estimated to be 5 - 50 mg/kg                       |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

**3M Sheath Wrap Roll**

| Name                                 | Species                 | Value                     |
|--------------------------------------|-------------------------|---------------------------|
| Oxide glass chemicals                | Professional judgement  | No significant irritation |
| P,P'-Methylenebis(phenyl isocyanate) | official classification | Irritant                  |
| Iron Oxide (FE3O4)                   | Rabbit                  | No significant irritation |
| Diphenylmethane-2,4'-diisocyanate    | official classification | Irritant                  |
| CHROMIUM (CR+6)                      | Human                   | Corrosive                 |

**Serious Eye Damage/Irritation**

| Name                                 | Species                 | Value                     |
|--------------------------------------|-------------------------|---------------------------|
| Oxide glass chemicals                | Professional judgement  | No significant irritation |
| P,P'-Methylenebis(phenyl isocyanate) | official classification | Severe irritant           |
| Iron Oxide (FE3O4)                   | Rabbit                  | No significant irritation |
| Diphenylmethane-2,4'-diisocyanate    | official classification | Severe irritant           |
| CHROMIUM (CR+6)                      | similar health hazards  | Corrosive                 |

**Skin Sensitization**

| Name                                 | Species                 | Value          |
|--------------------------------------|-------------------------|----------------|
| P,P'-Methylenebis(phenyl isocyanate) | official classification | Sensitizing    |
| Iron Oxide (FE3O4)                   | Human                   | Not classified |
| Diphenylmethane-2,4'-diisocyanate    | official classification | Sensitizing    |
| CHROMIUM (CR+6)                      | Human and animal        | Sensitizing    |

**Respiratory Sensitization**

| Name                                 | Species | Value          |
|--------------------------------------|---------|----------------|
| P,P'-Methylenebis(phenyl isocyanate) | Human   | Sensitizing    |
| Diphenylmethane-2,4'-diisocyanate    | Human   | Sensitizing    |
| CHROMIUM (CR+6)                      | Human   | Not classified |

**Germ Cell Mutagenicity**

| Name                                 | Route    | Value  |
|--------------------------------------|----------|--|
| Oxide glass chemicals                | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| P,P'-Methylenebis(phenyl isocyanate) | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Iron Oxide (FE3O4)                   | In Vitro | Not mutagenic  |
| Diphenylmethane-2,4'-diisocyanate    | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| CHROMIUM (CR+6)                      | In Vitro | Some positive data exist, but the data are not                               |

**3M Sheath Wrap Roll**

|                 |         |                               |
|-----------------|---------|-------------------------------|
|                 |         | sufficient for classification |
| CHROMIUM (CR+6) | In vivo | Mutagenic                     |

**Carcinogenicity**

| Name                                 | Route         | Species                 | Value  |
|--------------------------------------|---------------|-------------------------|--|
| Oxide glass chemicals                | Inhalation    | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| P,P'-Methylenebis(phenyl isocyanate) | Inhalation    | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| Iron Oxide (FE3O4)                   | Inhalation    | Human                   | Some positive data exist, but the data are not sufficient for classification |
| Diphenylmethane-2,4'-diisocyanate    | Inhalation    | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| CHROMIUM (CR+6)                      | Not Specified | Human                   | Carcinogenic   |

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

| Name                                 | Route      | Value                                  | Species | Test result        | Exposure Duration    |
|--------------------------------------|------------|--|---------|--------------------|----------------------|
| P,P'-Methylenebis(phenyl isocyanate) | Inhalation | Not classified for development         | Rat     | NOAEL 0.004 mg/l   | during organogenesis |
| Diphenylmethane-2,4'-diisocyanate    | Inhalation | Not classified for development         | Rat     | NOAEL 0.004 mg/l   | during organogenesis |
| CHROMIUM (CR+6)                      | Inhalation | Not classified for female reproduction | Rat     | NOAEL 0.0002 mg/l  | 3 generation         |
| CHROMIUM (CR+6)                      | Inhalation | Not classified for male reproduction   | Rat     | NOAEL 0.0002 mg/l  | 3 generation         |
| CHROMIUM (CR+6)                      | Inhalation | Not classified for development         | Rat     | NOAEL 0.0002 mg/l  | 3 generation         |
| CHROMIUM (CR+6)                      | Ingestion  | Toxic to female reproduction           | Mouse   | LOAEL 6 mg/kg/day  | 12 weeks             |
| CHROMIUM (CR+6)                      | Ingestion  | Toxic to male reproduction             | Mouse   | LOAEL 6 mg/kg/day  | 12 weeks             |
| CHROMIUM (CR+6)                      | Ingestion  | Toxic to development                   | Mouse   | LOAEL 57 mg/kg/day | during gestation     |

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

| Name                                 | Route      | Target Organ(s)              | Value                            | Species                 | Test result         | Exposure Duration      |
|--------------------------------------|------------|------------------------------|----------------------------------|-------------------------|---------------------|------------------------|
| P,P'-Methylenebis(phenyl isocyanate) | Inhalation | respiratory irritation       | May cause respiratory irritation | official classification | NOAEL Not available |                        |
| Diphenylmethane-2,4'-diisocyanate    | Inhalation | respiratory irritation       | May cause respiratory irritation | official classification | NOAEL Not available |                        |
| CHROMIUM (CR+6)                      | Dermal     | kidney and/or bladder        | Not classified                   | Human                   | NOAEL Not available |                        |
| CHROMIUM (CR+6)                      | Inhalation | respiratory irritation       | May cause respiratory irritation | Human                   | NOAEL Not available | occupational exposure  |
| CHROMIUM (CR+6)                      | Ingestion  | kidney and/or bladder        | Causes damage to organs          | Human                   | NOAEL Not available |                        |
| CHROMIUM (CR+6)                      | Ingestion  | hematopoietic system   liver | Not classified                   | Human                   | NOAEL Not available |                        |
| CHROMIUM (CR+6)                      | Ingestion  | nervous system               | Not classified                   | Human                   | NOAEL Not available | poisoning and/or abuse |

**Specific Target Organ Toxicity - repeated exposure**

**3M Sheath Wrap Roll**

| Name                                 | Route      | Target Organ(s)  | Value  | Species                 | Test result         | Exposure Duration     |
|--------------------------------------|------------|--|--|-------------------------|---------------------|-----------------------|
| Oxide glass chemicals                | Inhalation | respiratory system   | Not classified   | Human                   | NOAEL not available | occupational exposure |
| P,P'-Methylenebis(phenyl isocyanate) | Inhalation | respiratory system   | Causes damage to organs through prolonged or repeated exposure   | Rat                     | LOAEL 0.004 mg/l    | 13 weeks              |
| Iron Oxide (FE3O4)                   | Inhalation | pulmonary fibrosis   pneumoconiosis  | Not classified   | Human                   | NOAEL Not available | occupational exposure |
| Diphenylmethane-2,4'-diisocyanate    | Inhalation | respiratory system   | Causes damage to organs through prolonged or repeated exposure   | Rat                     | LOAEL 0.004 mg/l    | 13 weeks              |
| CHROMIUM (CR+6)                      | Inhalation | respiratory system   | Causes damage to organs through prolonged or repeated exposure   | Human                   | NOAEL Not available | occupational exposure |
| CHROMIUM (CR+6)                      | Inhalation | immune system  | Not classified   | Rat                     | NOAEL Not available | 90 days               |
| CHROMIUM (CR+6)                      | Inhalation | heart   endocrine system   hematopoietic system   liver   nervous system   kidney and/or bladder | Not classified   | Rat                     | NOAEL 0.02 mg/l     | 2 years               |
| CHROMIUM (CR+6)                      | Ingestion  | kidney and/or bladder  | May cause damage to organs though prolonged or repeated exposure | Rat                     | LOAEL 100 mg/kg/day | 28 days               |
| CHROMIUM (CR+6)                      | Ingestion  | nervous system   | Not classified   | Rat                     | LOAEL 98 mg/kg/day  | 28 days               |
| CHROMIUM (CR+6)                      | Ingestion  | liver  | Not classified   | Multiple animal species | NOAEL Not available |                       |
| CHROMIUM (CR+6)                      | Ingestion  | hematopoietic system   | Not classified   | Mouse                   | NOAEL Not available | 1 generation          |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

No data available.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Global inventory status**

Contact 3M for more information.

**SECTION 16: Other information**

**National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.**

**Health: 2 Flammability: 1 Instability: 0 Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 40-0153-3  | <b>Version number:</b>  | 1.02       |
| <b>Issue Date:</b>     | 2022/09/21 | <b>Supersedes Date:</b> | 2021/02/10 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**



## Article Information Sheet

Copyright, 2023, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Hazardous Products Act or Regulations. As defined in the act: “Article” means any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 11-0744-0  | <b>Version number:</b>  | 2.03       |
| <b>Issue Date:</b>     | 2023/05/26 | <b>Supersedes Date:</b> | 2020/10/20 |

### SECTION 1: Identification

#### 1.1. Product identifier

Scotch® Rubber Mastic Tape 2228

#### 1.2. Recommended use and restrictions on use

##### Intended Use

Electrical tape.

##### Restrictions on use

Not applicable

#### 1.3. Supplier’s details

**Company:** 3M Canada Company  
**Division:** Electrical Markets Division  
**Address:** 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1  
**Telephone:** (800) 364-3577  
**Website:** www.3M.ca

#### 1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

### SECTION 2: Hazard identification

This product is exempt from hazard classification according to the Hazardous Products Act because it meets the manufactured article exemption.

### SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt | Common Name |
|------------|------------|---------|-------------|
|------------|------------|---------|-------------|

|   |             |         |   |
|---|-------------|---------|---|
| Polyolefin  | Mixture     | 40 - 85 | Not Applicable  |
| Inorganic fillers   | Mixture     | 35 - 70 | Not Applicable  |
| Carbon Black  | 1333-86-4   | 1 - 10  | Carbon black  |
| DISTILLATES (PETROLEUM), C3-6, PIPERYLENE-RICH, POLYMERS WITH ISOBUTYLENE | 152698-66-3 | 1 - 7   | Distillates (petroleum), C3-6, piperylene-rich, polymers with isobutylene   |
| Asphalt   | 8052-42-4   | 1 - 4   | Asphalt   |
| SOLVENT REFINED RESIDUAL OIL (PETROLEUM)                                  | 64742-01-4  | 1 - 4   | Residual oils, petroleum, solvent-refined fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than C25 and boiling above approximately 400 °C (752 °F). |
| Zinc Stearate   | 557-05-1    | 0 - 1   | Octadecanoic acid, zinc salt  |
| Quartz Silica   | 14808-60-7  | 0 - 0.5 | Quartz (SiO <sub>2</sub> )  |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

No need for first aid is anticipated.

#### Skin Contact:

No need for first aid is anticipated.

#### Eye Contact:

No need for first aid is anticipated.

#### If Swallowed:

No need for first aid is anticipated.

## SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

### 6.2. Environmental precautions

Not applicable.

### 6.3. Methods and material for containment and cleaning up

Not applicable.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                | Solid   |
| Specific Physical Form:                       | Roll of Tape  |
| Colour  | Black   |
| Odour   | Rubber  |
| Odour threshold                               | <i>Not Applicable</i>                               |
| pH  | <i>Not Applicable</i>                               |
| Melting point/Freezing point                  | <i>No Data Available</i>                            |
| Boiling point                                 | <i>Not Applicable</i>                               |
| Flash Point                                   | No flash point                                      |
| Evaporation rate                              | <i>Not Applicable</i>                               |
| Flammability (solid, gas)                     | Not Classified                                      |
| Flammable Limits(LEL)                         | <i>Not Applicable</i>                               |
| Flammable Limits(UEL)                         | <i>Not Applicable</i>                               |
| Vapour Pressure                               | <i>Not Applicable</i>                               |
| Vapour Density and/or Relative Vapour Density | <i>Not Applicable</i>                               |
| Density                                       | <i>No Data Available</i>                            |
| Relative density                              | Approximately 1.1 [Ref Std: WATER=1]                |
| Water solubility                              | [Details: CONDITIONS: Nil] <i>No Data Available</i> |
| Solubility- non-water                         | <i>Not Applicable</i>                               |
| Partition coefficient: n-octanol/ water       | <i>No Data Available</i>                            |
| Autoignition temperature                      | <i>No Data Available</i>                            |
| Decomposition temperature                     | <i>Not Applicable</i>                               |
| Viscosity/Kinematic Viscosity                 | <i>Not Applicable</i>                               |
| Volatile Organic Compounds                    | <i>No Data Available</i>                            |
| Percent volatile                              | <i>No Data Available</i>                            |
| VOC Less H2O & Exempt Solvents                | <i>No Data Available</i>                            |

### SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

### SECTION 11: Toxicological information

#### Inhalation:

No health effects are expected



**Skin Contact:**

No health effects are expected

**Eye Contact:**

No health effects are expected

**Ingestion:**

No health effects are expected

**Additional Information:**

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

**SECTION 12: Ecological information**

No data available.

**SECTION 13: Disposal considerations**

Dispose of contents/container in accordance with the local/regional/national/international regulations.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information**

This product is an article as defined by CEPA and is exempt from DSL inventory listing.

**SECTION 16: Other information**

**National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.**

**Health: 0 Flammability: 1 Instability: 0 Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**HMIS Hazard Classification**

**Health: 0 Flammability: 1 Physical Hazard: 0 Personal Protection: A**

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 11-0744-0  | <b>Version number:</b>  | 2.03       |
| <b>Issue Date:</b>     | 2023/05/26 | <b>Supersedes Date:</b> | 2020/10/20 |

**Reason for Reissue**

Conversion to GHS format SDS.

The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**



## Article Information Sheet

Copyright,2020, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Hazardous Products Act or Regulations. As defined in the act: “Article” means any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 05-4288-6  | <b>Version number:</b>  | 1.02       |
| <b>Issue Date:</b>     | 2020/10/09 | <b>Supersedes Date:</b> | 2019/08/14 |

### SECTION 1: Identification

#### 1.1. Product identifier

Scotch-Seal™ Tapes, Pads, and Strips 2229

#### Product Identification Numbers

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| 2229           | 11-0023-7476-4 | 80-0000-0789-0 | 80-6105-9441-0 | 80-6107-3291-1 |
| 80-6107-3292-9 | 80-6109-2897-2 | 80-6109-2916-0 | 80-6114-3998-7 | 80-6114-5741-9 |

#### 1.2. Recommended use and restrictions on use

##### Intended Use

Electrical insulating and moisture seal

##### Specific Use

Moisture and Corrosion Protection

##### Restrictions on use

Not applicable

#### 1.3. Supplier’s details

|                   |  |
|-------------------|--|
| <b>Company:</b>   | 3M Canada Company  |
| <b>Division:</b>  | Electrical Markets Division  |
| <b>Address:</b>   | 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1 |
| <b>Telephone:</b> | (800) 364-3577   |
| <b>Website:</b>   | www.3M.ca  |

#### 1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

### SECTION 2: Hazard identification

This product is exempt from hazard classification according to the Hazardous Products Act because it meets the manufactured article exemption.

### SECTION 3: Composition/information on ingredients

| Ingredient               | C.A.S. No. | % by Wt | Common Name    |
|--------------------------|------------|---------|----------------|
| Nonregulated Fillers     | Mixture    | 50 - 60 | Not Applicable |
| Synthetic Rubber Mixture | Mixture    | 30 - 40 | Not Applicable |
| Asphalt                  | 8052-42-4  | 5 - 12  | Asphalt        |
| Carbon Black             | 1333-86-4  | 1 - 5   | Carbon black   |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation:**

No need for first aid is anticipated.

**Skin Contact:**

No need for first aid is anticipated.

**Eye Contact:**

No need for first aid is anticipated.

**If Swallowed:**

No need for first aid is anticipated.

### SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

#### 6.2. Environmental precautions

Not applicable.

#### 6.3. Methods and material for containment and cleaning up

Not applicable.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| <b>Physical state</b>   | Solid   |
| <b>Specific Physical Form:</b>  | Rubber tape strip or pad with paper liner                                       |
| <b>Colour</b>   | Black   |
| <b>Odour</b>  | Rubber  |
| <b>Odour threshold</b>  | <i>Not Applicable</i>   |
| <b>pH</b>   | <i>Not Applicable</i>   |
| <b>Melting point/Freezing point</b>                                     | <i>No Data Available</i>  |
| <b>Boiling point</b>  | <i>Not Applicable</i>   |
| <b>Flash Point</b>  | <i>No Data Available</i>  |
| <b>Evaporation rate</b>   | <i>Not Applicable</i>   |
| <b>Flammability (solid, gas)</b>  | Not Classified  |
| <b>Flammable Limits(LEL)</b>  | <i>Not Applicable</i>   |
| <b>Flammable Limits(UEL)</b>  | <i>Not Applicable</i>   |
| <b>Vapour Pressure</b>  | <i>Not Applicable</i>   |
| <b>Viscosity/Kinematic Viscosity      Viscosity/Kinematic Viscosity</b> | <i>Not Applicable</i>   |
| <b>Relative density</b>   | Approximately 1.2 [Test Method: Tested per ASTM protocol]<br>[Ref Std: WATER=1] |
| <b>Water solubility</b>   | Nil   |
| <b>Solubility- non-water</b>  | <i>Not Applicable</i>   |
| <b>Partition coefficient: n-octanol/ water</b>                          | <i>No Data Available</i>  |
| <b>Autoignition temperature</b>   | <i>No Data Available</i>  |
| <b>Decomposition temperature</b>  | <i>Not Applicable</i>   |
| <b>Viscosity/Kinematic Viscosity</b>                                    | <i>Not Applicable</i>   |
| <b>Volatile Organic Compounds</b>                                       | <i>No Data Available</i>  |
| <b>Percent volatile</b>   |   |
| <b>VOC Less H2O &amp; Exempt Solvents</b>                               | <i>Not Applicable</i>   |
| <b>Molecular weight</b>   | <i>No Data Available</i>  |

#### Nanoparticles

This material contains nanoparticles.

## SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

## SECTION 11: Toxicological information

#### Inhalation:

No health effects are expected

#### Skin Contact:

No health effects are expected

**Eye Contact:**

No health effects are expected

**Ingestion:**

No health effects are expected

**Additional Information:**

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

**SECTION 12: Ecological information**

No data available.

**SECTION 13: Disposal considerations**

Dispose of contents/container in accordance with the local/regional/national/international regulations.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information**

This product is an article as defined by CEPA and is exempt from DSL inventory listing.

**SECTION 16: Other information**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Health:** 0 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 05-4288-6  | <b>Version number:</b>  | 1.02       |
| <b>Issue Date:</b>     | 2020/10/09 | <b>Supersedes Date:</b> | 2019/08/14 |

**Reason for Reissue**

Conversion to GHS format SDS.

The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining

whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**



## Safety Data Sheet

Copyright, 2023, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 10-2656-6  | <b>Version number:</b>  | 16.07      |
| <b>Issue Date:</b>     | 2023/05/10 | <b>Supersedes Date:</b> | 2023/05/10 |

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

### SECTION 1: Identification

#### 1.1. Product identifier

SILICONE LUBRICANT

#### Product Identification Numbers

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| 78-8004-2585-8 | 78-8007-1728-8 | 78-8125-9728-0 | 78-8126-6088-0 | 80-6108-3463-4 |
| CE-1006-6452-9 | CE-1006-7115-1 | DE-7110-0302-5 | DE-7110-0510-3 | DE-7110-0803-2 |
| DE-7110-0809-9 | DE-7110-0811-5 | DE-7110-0813-1 | DE-9999-6748-7 | H0-0021-9083-5 |
| H0-0021-9087-6 | H0-0021-9089-2 | H0-0021-9091-8 | KE-2320-9117-0 | KE-2320-9118-8 |
| KE-2320-9119-6 | KE-2320-9120-4 | KE-2320-9123-8 | KE-2320-9144-4 | KE-2320-9145-1 |
| KE-2320-9156-8 | KE-2320-9157-6 | KE-2320-9158-4 | KE-2320-9160-0 | KE-8000-8111-6 |
| KE-8000-8585-1 | KE-8000-8586-9 | TE-1000-5610-6 | TE-1000-5611-4 | UU-0009-1463-8 |
| UU-0080-7688-5 |                |                |                |                |

#### 1.2. Recommended use and restrictions on use

##### Intended Use

SILICONE LUBRICANT GREASE FOR ELECTRICAL SPLICES

##### Restrictions on use

Not applicable

#### 1.3. Supplier's details

|                   |  |
|-------------------|--|
| <b>Company:</b>   | 3M Canada Company  |
| <b>Division:</b>  | Electrical Markets Division  |
| <b>Address:</b>   | 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1 |
| <b>Telephone:</b> | (800) 364-3577   |
| <b>Website:</b>   | www.3M.ca  |

#### 1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.



**2.2. Label elements****Signal word**

Not applicable.

**Symbols**

Not applicable.

**Pictograms**

Not applicable.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

This material is a mixture.

| Ingredient   | C.A.S. No.  | % by Wt | Common Name                              |
|--|-------------|---------|--|
| SILICONE GREASE  | 63148-62-9  | 75 - 95 | Siloxanes and Silicones, di-Me           |
| Synthetic Amorphous Silica,<br>Fumed, Crystalline Free | 112945-52-5 | 5 - 25  | Fumed amorphous silica, crystalline-free |

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you are concerned, get medical advice.

**Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If Swallowed:**

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable.

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products**SubstanceCondition

Formaldehyde  
Carbon monoxide  
Carbon dioxide

During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

None required.

##### Skin/hand protection

No protective gloves required.

##### Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                               |
|---|-------------------------------|
| Physical state                                | Solid grease                  |
| Specific Physical Form:                       | GREASE                        |
| Colour  | Light White                   |
| Odour   | Odourless                     |
| Odour threshold                               | <i>No Data Available</i>      |
| pH  | <i>Not Applicable</i>         |
| Melting point/Freezing point                  | <i>No Data Available</i>      |
| Boiling point                                 | <i>Not Applicable</i>         |
| Flash Point                                   | No flash point                |
| Evaporation rate                              | <i>Not Applicable</i>         |
| Flammability (solid, gas)                     | Not Classified                |
| Flammable Limits(LEL)                         | <i>No Data Available</i>      |
| Flammable Limits(UEL)                         | <i>No Data Available</i>      |
| Vapour Pressure                               | <i>Not Applicable</i>         |
| Vapour Density and/or Relative Vapour Density | <i>Not Applicable</i>         |
| Density                                       | <i>No Data Available</i>      |
| Relative density                              | 1.02 - 1.6 [Ref Std: WATER=1] |
| Water solubility                              | Nil                           |
| Solubility- non-water                         | <i>No Data Available</i>      |
| Partition coefficient: n-octanol/ water       | <i>No Data Available</i>      |
| Autoignition temperature                      | <i>No Data Available</i>      |
| Decomposition temperature                     | <i>No Data Available</i>      |
| Viscosity/Kinematic Viscosity                 | <i>No Data Available</i>      |
| Volatile Organic Compounds                    | <i>No Data Available</i>      |
| Percent volatile                              | <i>No Data Available</i>      |
| VOC Less H <sub>2</sub> O & Exempt Solvents   | <i>No Data Available</i>      |
| Average particle size                         | <i>No Data Available</i>      |
| Bulk density                                  | <i>No Data Available</i>      |
| Molecular weight                              | <i>No Data Available</i>      |
| Softening point                               | <i>No Data Available</i>      |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Not determined

### 10.5. Incompatible materials

Strong oxidizing agents

Strong acids  
Strong bases  
Reducing agents

#### 10.6. Hazardous decomposition products

##### Substance

##### Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### **Inhalation:**

No known health effects.

##### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

##### **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

##### **Ingestion:**

No known health effects.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

| Name  | Route                          | Species | Value  |
|---|--------------------------------|---------|--|
| Overall product                                     | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| SILICONE GREASE                                     | Dermal                         | Rabbit  | LD50 > 19,400 mg/kg                            |
| SILICONE GREASE                                     | Ingestion                      | Rat     | LD50 > 17,000 mg/kg                            |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Dermal                         | Rabbit  | LD50 > 5,000 mg/kg                             |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 0.691 mg/l                              |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion                      | Rat     | LD50 > 5,110 mg/kg                             |

ATE = acute toxicity estimate

#### **Skin Corrosion/Irritation**

| Name  | Species | Value                     |
|---|---------|---------------------------|
| SILICONE GREASE                                     | Rabbit  | No significant irritation |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Rabbit  | No significant irritation |

**SILICONE LUBRICANT****Serious Eye Damage/Irritation**

| Name  | Species | Value                     |
|---|---------|---------------------------|
| SILICONE GREASE                                     | Rabbit  | No significant irritation |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Rabbit  | No significant irritation |

**Skin Sensitization**

| Name  | Species          | Value          |
|---|------------------|----------------|
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Human and animal | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name  | Route    | Value         |
|---|----------|---------------|
| Synthetic Amorphous Silica, Fumed, Crystalline Free | In Vitro | Not mutagenic |

**Carcinogenicity**

| Name  | Route         | Species | Value  |
|---|---------------|---------|--|
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Not Specified | Mouse   | Some positive data exist, but the data are not sufficient for classification |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name  | Route     | Value                                  | Species | Test result           | Exposure Duration    |
|---|-----------|--|---------|-----------------------|----------------------|
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Not classified for female reproduction | Rat     | NOAEL 509 mg/kg/day   | 1 generation         |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 497 mg/kg/day   | 1 generation         |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Not classified for development         | Rat     | NOAEL 1,350 mg/kg/day | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure**

| Name  | Route      | Target Organ(s)                | Value          | Species | Test result         | Exposure Duration     |
|---|------------|--------------------------------|----------------|---------|---------------------|-----------------------|
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Inhalation | respiratory system   silicosis | Not classified | Human   | NOAEL Not available | occupational exposure |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

No data available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

## SECTION 16: Other information

**National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.**

**Health: 0 Flammability: 1 Instability: 0 Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

#### HMIS Hazard Classification

**Health: 0 Flammability: 1 Physical Hazard: 0 Personal Protection: X - See PPE section.**

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 10-2656-6  | <b>Version number:</b>  | 16.07      |
| <b>Issue Date:</b>     | 2023/05/10 | <b>Supersedes Date:</b> | 2023/05/10 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**