

Safety Data Sheet

Copyright, 2021, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 11-3432-9
 Version number:
 18.00

 Issue Date:
 2021/11/24
 Supercedes Date:
 2020/11/18

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

3MTM Hot Melt Adhesive 3792LM AE, 3792LM B, 3792LM PG, 3792LM Q, 3792LM TC

Product Identification Numbers

62-3760-7230-2	62-3760-7232-8	62-3760-7233-6	62-3760-7234-4	62-3760-7235-1
62-3760-7236-9	62-3760-9105-4	62-3760-9132-8	62-3760-9133-6	62-3760-9136-9
62-3760-9305-0	62-3760-9330-8	62-3760-9331-6	62-3760-9335-7	62-3760-9336-5
62-3760-9337-3	62-3760-9338-1	62-3760-9339-9	62-3760-9531-1	62-3760-9805-9
62-3760-9830-7	62-3760-9831-5	JS-3000-5040-3	JS-3000-5052-8	

1.2. Recommended use and restrictions on use

Intended Use

Adhesive

Specific Use

hot-melt adhesive for bonding heat sensitive materials such as wood and coated paper

Restrictions on use

Not applicable

1.3. Supplier's details

Company: 3M Canada Company

Division: Industrial Adhesives and Tapes Division

Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

Telephone: (800) 364-3577 **Website:** www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Other hazards

May cause thermal burns.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Ethylene-Vinyl Acetate Polymer	24937-78-8	50 - 70	Acetic acid ethenyl ester, polymer with
			ethene
Hydrocarbon Resin	68132-00-3	10 - 30	Naphtha (petroleum), light steam-cracked,
			debenzenized, polymers, hydrogenated
Hydrocarbons, C6-20, Polymers,	69430-35-9	10 - 20	Hydrocarbons, C6-20, polymers,
Hydrogenated			hydrogenated

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

Eye Contact:

Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

If Swallowed:

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

3M™ Hot Melt Adhesive 3792LM AE, 3792LM B, 3792LM PG, 3792LM Q, 3792LM TC

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide

Condition

During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

Thermal hazards

Wear heat insulating gloves - Wear heat insulating gloves, indirect vented goggles, and a full face shield when handling hot material to prevent thermal burns.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour Colour Colourless	Information on basic physical and chemical propertie	es es		
Colour Colourless Odour Odourless Odour threshold No Data Available pH Not Applicable Melting point/Freezing point Not Applicable Melting point/Freezing point Not Applicable Flash Point Service Not Applicable Flash Point Service Not Applicable Flash Point Service Not Applicable Flammability (solid, gas) Not Classified Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapour Density and/or Relative Vapour Density Nil Density 1.01 [Ref Std:WATER=1] Water solubility Nil Solubility Nil Solubility Non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Viscosity/Kinematic Viscosity Not Applicable Viscosity/Kinematic Viscosity Not Applicable Percent volatile Organic Compounds O g/l [Test Method:calculated SCAQMD rule 443.1] Molecular weight No Data Available	Physical state	Solid		
Odour threshold PH Not Applicable Melting point/Freezing point No Data Available Boiling point Flash Point Not Applicable Flash Boiling you not classified Flash Boiling you not possified Flash Point Available Flash Point Available Flash Point Applicable Flash Point A	Specific Physical Form:	Waxy Solid		
Odour threshold PH Not Applicable Melting point/Freezing point No Data Available Boiling point Flash Point Not Applicable Flash Boiling you not classified Flash Boiling you not possified Flash Point Available Flash Point Available Flash Point Applicable Flash Point A				
No Data Available				
Melting point/Freezing point Mo Data Available Molting point/Freezing point No Data Available S=232.2 °C [Test Method:Cleveland Open Cup] [Details:CONDITIONS: ASTM D-92-72] Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapour Density and/or Relative Vapour Density Nil Density Relative density 1.01 [Ref Std:WATER=1] Water solubility Nil Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds 0 g/l [Test Method:calculated SCAQMD rule 443.1] Percent volatile VOC Less H2O & Exempt Solvents No Data Available No Data Available	Odour	Odourless		
Melting point/Freezing point Boiling point Flash Point Sequence of Flammability (solid, gas) Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Vapour Density and/or Relative Vapour Density Density Relative density Not In [Ref Std: WATER=1] Water solubility Not Data Available Not Applicable Not Data Available Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Og/I [Test Method: calculated SCAQMD rule 443.1] Not Data Available Not Data Available Not Data Available Not Data Available Not Applicable	Odour threshold	No Data Available		
Boiling point Not Applicable	pH			
Second Point Second Point Poi	Melting point/Freezing point	No Data Available		
Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapour Density and/or Relative Vapour Density Nil Density 1.01 g/cm3 Relative density Nil Solubility- non-water No Data Available Partition coefficient: n-octanol/ water Autoignition temperature No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Og/l [Test Method:calculated SCAQMD rule 443.1] No Data Available VOC Less H2O & Exempt Solvents No Data Available Not Data Available No Data Available No Data Available No Data Available	Boiling point	Not Applicable		
Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Not Applicable Not Data Available Not Data Available Not Data Available Not Data Available Not Applicable No	Flash Point	>=232.2 °C [Test Method:Cleveland Open Cup]		
Flammability (solid, gas) Not Classified Not Applicable Not Data Available Not Applicable		[Details:CONDITIONS: ASTM D-92-72]		
Flammable Limits(LEL) Not Applicable Vapour Density and/or Relative Vapour Density Nil Density Relative density Not Included Include	Evaporation rate	Not Applicable		
Flammable Limits(UEL) Not Applicable Vapour Density and/or Relative Vapour Density Nil Density 1.01 g/cm3 Relative density Nil No Data Available No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds O g/1 [Test Method: calculated SCAQMD rule 443.1] Percent volatile VOC Less H2O & Exempt Solvents No Data Available No Data Available	Flammability (solid, gas)	Not Classified		
Vapour Density and/or Relative Vapour Density Density 1.01 g/cm3 Relative density 1.01 [Ref Std: WATER=1] Water solubility Nil Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Og/l [Test Method: calculated SCAQMD rule 443.1] Percent volatile VOC Less H2O & Exempt Solvents No Data Available No Data Available	Flammable Limits(LEL)	Not Applicable		
Density Relative density 1.01 g/cm3 1.01 [Ref Std:WATER=1] Water solubility Nil Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Og/l [Test Method:calculated SCAQMD rule 443.1] Percent volatile VOC Less H2O & Exempt Solvents No Data Available No Data Available	Flammable Limits(UEL)	Not Applicable		
Relative density Mater solubility Nil Solubility- non-water Partition coefficient: n-octanol/ water No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds O g/l [Test Method:calculated SCAQMD rule 443.1] Percent volatile O % weight VOC Less H2O & Exempt Solvents No Data Available	Vapour Density and/or Relative Vapour Density	Nil		
Water solubility Nil Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds O g/l [Test Method: calculated SCAQMD rule 443.1] Percent volatile O % weight VOC Less H2O & Exempt Solvents O g/l [Test Method: calculated SCAQMD rule 443.1] No Data Available	Density	1.01 g/cm3		
No Data Available	Relative density	1.01 [Ref Std:WATER=1]		
Partition coefficient: n-octanol/ water No Data Available Not Applicable Volatile Organic Compounds 0 g/l [Test Method: calculated SCAQMD rule 443.1] Percent volatile VOC Less H2O & Exempt Solvents 0 g/l [Test Method: calculated SCAQMD rule 443.1] No Data Available	Water solubility	Nil		
Autoignition temperature Decomposition temperature No Data Available No Data Available No Data Available Not Applicable Volatile Organic Compounds O g/l [Test Method:calculated SCAQMD rule 443.1] Percent volatile O % weight VOC Less H2O & Exempt Solvents O g/l [Test Method:calculated SCAQMD rule 443.1] No Data Available	Solubility- non-water	No Data Available		
Decomposition temperature No Data Available Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds 0 g/l [Test Method: calculated SCAQMD rule 443.1] Percent volatile 0 % weight VOC Less H2O & Exempt Solvents 0 g/l [Test Method: calculated SCAQMD rule 443.1] Molecular weight No Data Available	Partition coefficient: n-octanol/ water	No Data Available		
Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds 0 g/l [Test Method: calculated SCAQMD rule 443.1] Percent volatile 0 % weight VOC Less H2O & Exempt Solvents 0 g/l [Test Method: calculated SCAQMD rule 443.1] Molecular weight No Data Available	Autoignition temperature	No Data Available		
Volatile Organic Compounds 0 g/l [Test Method: calculated SCAQMD rule 443.1] Percent volatile 0 % weight VOC Less H2O & Exempt Solvents 0 g/l [Test Method: calculated SCAQMD rule 443.1] Molecular weight No Data Available	Decomposition temperature	No Data Available		
Percent volatile 0 % weight VOC Less H2O & Exempt Solvents 0 g/l [Test Method: calculated SCAQMD rule 443.1] Molecular weight No Data Available	Viscosity/Kinematic Viscosity	Not Applicable		
VOC Less H2O & Exempt Solvents 0 g/l [Test Method: calculated SCAQMD rule 443.1] Molecular weight No Data Available	Volatile Organic Compounds	0 g/l [Test Method:calculated SCAQMD rule 443.1]		
Molecular weight No Data Available	Percent volatile	0 % weight		
	VOC Less H2O & Exempt Solvents	0 g/l [Test Method:calculated SCAQMD rule 443.1]		
Solids Content	Molecular weight	No Data Available		
Solids Content 100 /0	Solids Content	100 %		

Nanoparticles

This material does not contain nanoparticles.

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

During heating: Thermal Burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.

Eye Contact:

During heating: Thermal Burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction.

Ingestion:

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

react Toxicity			
Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ethylene-Vinyl Acetate Polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
Ethylene-Vinyl Acetate Polymer	Ingestion	Rat	LD50 > 1,000 mg/kg
Hydrocarbon Resin	Dermal		LD50 estimated to be > 5,000 mg/kg
Hydrocarbon Resin	Ingestion		LD50 estimated to be > 5,000 mg/kg
Hydrocarbons, C6-20, Polymers, Hydrogenated	Dermal	Rat	LD50 > 2,000 mg/kg
Hydrocarbons, C6-20, Polymers, Hydrogenated	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Ethylene-Vinyl Acetate Polymer	Professio	No significant irritation
	nal	
	judgeme	
	nt	
Hydrocarbon Resin	Professio	No significant irritation
	nal	
	judgeme	
	nt	

Serious Eve Damage/Irritation

Name	Species	Value
Ethylene-Vinyl Acetate Polymer	Professio	No significant irritation
	nal	
	judgeme	
	nt	
Hydrocarbon Resin	Professio	No significant irritation
	nal	
	judgeme	
	nt	

Skin Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethylene-Vinyl Acetate Polymer	Ingestion	liver	Not classified	Rat	NOAEL 4,000 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

SECTION 14: Transport Information

Not regulated per U.S. DOT, IATA or IMO.

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified for Canadian ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

Page: 7 of 8

3M™ Hot Melt Adhesive 3792LM AE, 3792LM B, 3792LM PG, 3792LM Q, 3792LM TC

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document group:	11-3432-9	Version number:	18.00
Issue Date:	2021/11/24	Supercedes Date:	2020/11/18

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca